



PLATFORM TRUCKS

Convertible A-Frame Truck 90
 Convertible Platform Truck 91
 Heavy-Duty Platform Truck 92
 Sheet & Panel Truck 94
 A-Frame Panel Truck 94
 Work-Height Platform Truck 95
 5th Wheel Wagon Truck 96
 Side Panel Platform Truck 97
 Stanchion Platform Truck 98
 Semi-Live Skids 99
 Dunnage Racks 99
 StockMate® Restocking Trucks 100
 Triple® Trolley 100
 Heavy-Duty Dollies 100

WORK STATIONS

TradeMaster® Mobile Cabinets & Work
 Centers 101
 Trades Carts 102
 5-Drawer Mobile Work Center 102
 Ladder Cart 103
 Heavy-Duty Utility Carts 104
 Heavy-Duty Flat Shelf Utility Carts 105

CARTS

Convertible Utility Cart 106
 Executive Service Cart 107
 Service Carts 108
 Xtra™ Carts 109

STORAGE

Shelving Systems 110
 Media Master® Audio-Visual Carts 110
 Cart Accessories 111
 BRUTE® Totes 112
 Stack & Nest Palletote® Boxes 112
 Tool Boxes 112
 Tack Box with Padded Top 112
 ActionPacker® Storage Containers 113
 Stock Tanks 113

BULK TRUCKS

Structural Foam Tilt Trucks 114
 Tilt Truck Lids 115
 Rotomolded Tilt Trucks 116
 Heavy-Duty Towable Tilt Trucks 117
 Forkliftable Tilt Trucks 117
 Self-Dumping Hoppers 118

Cube Trucks 119
 Heavy-Duty Tractor Carts 120
 Big Wheel® Carts 120
 Heavy-Duty Big Wheel® Cart 121
 Contractor-Grade Wheelbarrows 121
 Utility Lawn Carts 121



Smart.

A NEW STANDARD OF EXCELLENCE IN HEAVY-DUTY PLATFORM TRUCKS AND CARTS

We've significantly redesigned and expanded our material handling line with new categories, new products, and new innovations that help you work smarter, faster, and safer.

APPLICATION-SPECIFIC DESIGNS

From our redesigned **Platform Trucks** and **Utility Carts**, and new **5th Wheel Wagon Truck** and **Work-Height Platform Truck**, to our patent-pending **Convertible A-Frame** and **Convertible Platform Trucks**, we're your source for material handling products that meet your needs in almost every environment and application.



5TH WHEEL WAGON TRUCK



HEAVY-DUTY UTILITY CART




WORK-HEIGHT PLATFORM TRUCK


MOVE LOADS SAFELY AND EFFICIENTLY

The variable grip-height handle on our carts and trucks improves maneuverability and reduces muscle strain for most every user, regardless of height.

Angled handle helps keep wrist and bones in forearm aligned for optimum leverage while turning.



TRADITIONAL CART HANDLE DESIGN



IMPROVED VARIABLE GRIP-HEIGHT HANDLE

CASTERS TO MEET YOUR NEEDS

We rigorously tested and selected the optimal casters for each of our products—creating the most efficient and durable material handling solutions for your specific requirements. (See page 93.)



POLYOLEFIN



PNEUMATIC



THERMOPLASTIC RUBBER (TPR)

CASTER DESCRIPTIONS
pg. 93

Rugged.



DURAMOLD™ REAL WORLD RUGGED — TESTED TOUGH

Rubbermaid's exclusive Duramold™ technology exceeds the highest performance standards in the industry. We test and retest our products to meet rigorous durability standards, and our new material handling products are no exception. Real-world rugged durability, innovative technology, and best-in-class features combine to create longer lasting products that carry heavy loads—and make your work easier.

DURAMOLD™
precision engineered resin & steel composite decks
HOLD & TRANSPORT UP TO
2500 lbs.
of weight load capacity



40 buckets of sheetrock compound weighs over 2,400 lbs—that's a load!



Duramold™ decks are formed from a precision engineered resin and metal composite structure that is lighter than typical steel/wood products without sacrificing strength, which enables weight reduction and improved ergonomics.

WILL NOT WARP, DENT, SPLINTER, RUST, OR ROT

Tough, resilient surface absorbs impact and provides quiet operation. Virtually maintenance-free; resistant to most chemicals, impervious to water damage, and is easily cleaned.



Metal—dents and rusts



Wood—splinters and rot

PUT YOUR EFFORT INTO MOVING YOUR PAYLOAD, NOT YOUR TRUCK

DURAMOLD™ HAS THE HIGHEST STRENGTH TO WEIGHT RATIO

when compared to metal, wood, and solid plastic decks.

35%

lighter weight construction to transport the same payload

Trusted.



As your partner in Material Handling for more than 30 years, you can count on our breakthrough innovations and long-lasting products to meet your most demanding heavy-duty material handling needs.

See it in ACTION

www.rcpmaterialhandling.com



Duramold™ resin and metal composite structure is recyclable.



Convertible A-Frame Truck **New!**

Unique patent-pending design combines the bulk load capacity of standard panel trucks and bar stock trucks with the functionality of a heavy-duty two-shelf cart. Saves time and money by transporting oversized, heavy loads to your work site in one trip.


DURAMOLD

DECK SIZE:

27¼" X 56⅝"

MAX. CAPACITY (lbs)

2000



TWO FIXED & TWO LOCKING SWIVEL CASTERS

Two locking polyolefin casters allow for added stability when loading and unloading.

See it in
ACTION

www.rcpmaterialhandling.com

CASTER
DESCRIPTIONS
pg. 93



KEEP TOOLS & SUPPLIES ORGANIZED

Independent fold-down top shelves hold small items, tools, and supplies; 100 lb capacity per side.

KEEP LOADS SECURE

A-frame configuration holds sheet goods securely in place.

EASY CONVERTIBILITY

Spring-loaded release latches safely allow one or both top shelves to be folded down.

HANDLE OVERSIZED LOADS

Four independent articulating outrigger arms fold down to cradle lumber, pipe, and bar stock; 100 lb capacity per arm.

IMPROVE PRODUCTIVITY

Large deck surface holds up to 12" depth of sheet goods, 6" on either side.

RUGGED CONSTRUCTION

Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.



FG446500

MULTIPLE CART & TRUCK CONFIGURATIONS IN ONE PRODUCT!

MULTIPLE CONFIGURATIONS TO HANDLE ANY JOB



No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Caster Type	Pack
FG446500	BLA	Convertible A Frame Truck (24" x 44")	50.25" l x 27.25" w x 49.5" h	2000 lb	133.0 lb	127.6 cm x 69.2 cm x 125.7 cm	907.2 kg	60.3 kg	8" Polyolefin	1

WHEN ORDERING PRODUCTS WITH **BOLD** COLOR CODES,
PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER.
SEE PAGE 259 FOR THE PRODUCT COLOR GUIDE.

Convertible Platform Truck **New!**

Work more efficiently by transporting heavy loads, tools, and supplies with a single product.

- Patent-pending three-in-one convertible design
- Quickly transforms from a standard platform truck or U-boat configuration into a two-shelf cart

DURAMOLD

DECK SIZE:

CART
24" X 44"
TRUCK
24" X 52"

Max. Capacity: 750 lbs cart;
1000 lbs truck

CAPACITY RANGE (lbs)
750-1000

See it in ACTION

www.rcpmaterialhandling.com

CASTER DESCRIPTIONS pg. 93

CART CONFIGURATION

Two-shelf heavy-duty cart holds up to 750 lbs.

U-BOAT CONFIGURATION

U-boat configuration helps keep stacked or bulky goods in place; 1,000 lb capacity.

BUILT-IN SAFETY FEATURES

Unique slide-locking latches prevent unintended handle removal.

QUICK CONVERSION

Push-button release latch makes conversion from heavy-duty cart to platform truck effortless.

RUGGED CONSTRUCTION

Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.

PLATFORM TRUCK CONFIGURATION

Removable handle can be repositioned to create a heavy-duty platform truck.



FG449700



FG449700



FG449700



No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Caster Type	Pack
FG449600	BLA	Convertible Platform Truck (24" x 52")	61.5" l x 25.25" w x 42.1" h	750 lb as cart, 1000 lb as platform	106.0 lb	156.2 cm x 64.1 cm x 106.9 cm	340.2 kg as cart, 453.6 kg as platform	48.1 kg	6" TPR	1
FG449700	BLA	Convertible Platform Truck (24" x 52")	47.9" l x 24.25" w x 44.25" h	750 lb as cart, 2000 lb as platform	121.0 lb	121.7 cm x 61.6 cm x 112.4 cm	340.2 kg as cart, 907.2 kg as platform	54.9 kg	8" Pneumatic	1

Heavy-Duty Platform Truck **New!**

Ideal for moving large, heavy, oversized loads in a variety of environments from retail to construction.

DURAMOLD

DECK SIZES:

24" X 36"
24" X 48"
30" X 60"

CAPACITY RANGE (lbs)

1000-2500

See it in
ACTION

www.rcpmaterialhandling.com

**CASTER
DESCRIPTIONS**
pg. 93



IMPROVED MANEUVERABILITY

Variable grip-height handle improves control and worker safety.

VIRTUALLY MAINTENANCE FREE

Powder-coated steel creates a hard finish that is far tougher than conventional paint.



BUILT-IN SAFETY FEATURES

Retainer clips prevent unintended handle removal.

SECURE SMALL ITEMS

Perimeter deck channel retains small items.

KEEP LOADS IN PLACE

Textured deck surface reduces load slippage.

RUGGED CONSTRUCTION

Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.



FG440300



BETTER LOAD RETENTION

Four molded-in tie-down slots for securing loads with tie-down straps or bungees.

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Caster Type	Pack
FG440300	BLA	Heavy Duty Platform Truck	36" l x 24" w	2000 lb	50.0 lb	91.4 cm x 61 cm	907.2 kg	22.7 kg	6" TPR	1
FG440600	BLA	Heavy Duty Platform Truck	36" l x 24" w	2000 lb	50.0 lb	91.4 cm x 61 cm	907.2 kg	22.7 kg	6" Polyolefin	1
FG443600	BLA	Heavy Duty Platform Truck	48" l x 24" w	2000 lb	70.0 lb	121.9 cm x 61 cm	907.2 kg	31.8 kg	8" TPR	1
FG443610	BLA	Heavy Duty Platform Truck	48" l x 24" w	2000 lb	75.0 lb	121.9 cm x 61 cm	907.2 kg	34 kg	8" Pneumatic	1
FG444100	BLA	Heavy Duty Platform Truck	48" l x 24" w	2000 lb	69.0 lb	121.9 cm x 61 cm	907.2 kg	31.3 kg	8" Polyolefin	1
FG446600	BLA	Heavy Duty Platform Truck	60" l x 30" w	2000 lb	87.9 lb	152.4 cm x 76.2 cm	907.2 kg	39.9 kg	8" TPR	1
FG446610	BLA	Heavy Duty Platform Truck	60" l x 30" w	2000 lb	90.0 lb	152.4 cm x 76.2 cm	907.2 kg	40.8 kg	8" Pneumatic	1
FG447100	BLA	Heavy Duty Platform Truck	60" l x 30" w	2000 lb	84.0 lb	152.4 cm x 76.2 cm	907.2 kg	38.1 kg	8" Polyolefin	1
FG9T1100	BLA	Heavy Duty Platform Truck	70" l x 40" w	2000 lb	126.5 lb	177.8 cm x 101.6 cm	907.2 kg	57.4 kg	6" TPR	1
FG9T1200	BLA	Heavy Duty Platform Truck	70" l x 40" w	2000 lb	126.5 lb	177.8 cm x 101.6 cm	907.2 kg	57.4 kg	8" Pneumatic	1
FG9T2100	BLA	Heavy Duty Platform Truck	70" l x 40" w	2000 lb	126.5 lb	177.8 cm x 101.6 cm	907.2 kg	57.4 kg	8" Polyolefin	1
FG9T0900	BLA	Side Panel Package, fits FG9T1100, FG9T1200, FG9T2100 (4 sides and 2 end panels)	N/A	2000 lb	55.9 lb	N/A	N/A	25.4 kg	N/A	1

WHEN ORDERING PRODUCTS WITH **BOLD** COLOR CODES,
PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER.
SEE PAGE 259 FOR THE PRODUCT COLOR GUIDE.

CASTERS TO MEET YOUR NEEDS

Rubbermaid's best-in-class heavy-duty casters have been specially chosen for each of our products to meet your most demanding environments.



POLYOLEFIN

Hard-tread polyolefin casters roll easier than soft tread casters. Non-marking, impact and chemical resistant casters won't flat-spot under static loads or pick up metal shavings, nails, and other debris.



PNEUMATIC

Pneumatic casters provide a cushioned and quiet ride for fragile loads, making them ideal for rough and uneven surfaces, inside and out.



THERMOPLASTIC RUBBER (TPR)

TPR casters absorb shock, and provide floor surface protection and quiet operation. Chemical and water resistant.



Polyolefin



Pneumatic

CASTER PERFORMANCE GUIDE

	CASTER TREAD MATERIAL	MOLD-ON RUBBER (TPR)	POLYOLEFIN	PNEUMATIC
FLOOR SURFACE	ASPHALT	Excellent	Fair	Excellent
	BRICK	Excellent	Fair	Excellent
	CARPET	Excellent	Good	Excellent
	CONCRETE	Excellent	Good	Excellent
	LINOLEUM / COMPOSITION TILE	Excellent	Fair	Excellent
	STEEL - RIBBED	Good	Fair	Excellent
	STEEL - SMOOTH	Good	Good	Excellent
	TERRAZZO	Excellent	Fair	Excellent
	WOOD	Excellent	Good	Excellent
	OPERATING CONDITIONS	MILD CHEMICALS	Fair	Good
HARSH CHEMICALS		Fair	Fair	Good
METAL SCRAPS - SMALL		Excellent	Good	Good
METAL SCRAPS - LARGE		Excellent	Fair	Good
ANIMAL FATS		Good	Good	Good
OIL AND GREASE		Fair	Good	Fair
WATER AND STEAM		Good	Excellent	Good
OTHER FACTORS	FLOOR PROTECTION	Excellent	Good	Excellent
	QUIET OPERATION	Excellent	Fair	Excellent
	CUSHION LOAD	Excellent	N/A	Excellent
	IMPACT RESISTANCE	Excellent	Good	Excellent
	ROLLING EASE	Fair	Excellent	Fair
	ABRASION RESISTANCE (NON-CHIPPING)	Fair	Good	Fair
	NON-FLAT SPOTTING (UNDER STATIC LOAD)	Fair	Excellent	N/A

Sheet & Panel Truck and *New!* A-Frame Panel Truck

Transport large, bulky sheet goods and hard-to-handle loads such as doors, lumber, sheet rock, tables, and cubicle walls.

DURAMOLD

DECK SIZES:

24" X 36"

24" X 48"

30" X 60"

MAX. CAPACITY (lbs)

2000

CASTER DESCRIPTIONS
pg. 93



MOVE HARD-TO-HANDLE LOADS

Three removable powder-coated steel vertical frames provide support for bulky loads. Frames can be removed as needed based on load requirements.



FG446800

BUILT-IN SAFETY FEATURES

Retainer clips lock frames securely in place and prevent unintended removal. Four tie-down points, two on each side, help with load retention.

RUGGED CONSTRUCTION

Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.



HOLDS SHEET GOODS SECURELY

High-side inclined frame and side rail holds load firmly in place during transit.



FG446300

KEEP LOADS IN PLACE

Textured deck surface reduces load slippage.

See it in ACTION

www.rcpmaterialhandling.com



SHEET & PANEL TRUCKS

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Caster Type	Pack
FG446700	BLA	Sheet & Panel Truck (24" x 36")	38.75" l x 24.25" w x 38" h	2000 lb	81.0 lb	98.4 cm x 61.6 cm x 96.5 cm	907.2 kg	36.7 kg	6" Polyolefin	1
FG446800	BLA	Sheet & Panel Truck (24" x 48")	47.9" l x 24.25" w x 39.9" h	2000 lb	98.0 lb	121.7 cm x 61.6 cm x 101.3 cm	907.2 kg	44.5 kg	8" Polyolefin	1
FG446900	BLA	Sheet & Panel Truck (30" x 60")	59.9" l x 30.25" w x 39.9" h	2000 lb	117.0 lb	152.1 cm x 76.8 cm x 101.3 cm	907.2 kg	53.1 kg	8" Polyolefin	1

A-FRAME PANEL TRUCKS

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Caster Type	Pack
FG446200	BLA	A-Frame Panel Truck (24" x 36")	35.9" l x 24.25" w x 43" h	2000 lb	73.0 lb	91.2 cm x 61.6 cm x 109.2 cm	907.2 kg	33.1 kg	6" Polyolefin	1
FG446300	BLA	A-Frame Panel Truck (24" x 48")	47.9" l x 24.25" w x 44.9" h	2000 lb	87.0 lb	121.7 cm x 61.6 cm x 114 cm	907.2 kg	39.5 kg	8" Polyolefin	1
FG446400	BLA	A-Frame Panel Truck (30" x 60")	59.9" l x 30.25" w x 44.9" h	2000 lb	106.0 lb	152.1 cm x 76.8 cm x 114 cm	907.2 kg	48.1 kg	8" Polyolefin	1

WHEN ORDERING PRODUCTS WITH BOLD COLOR CODES, PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER. SEE PAGE 259 FOR THE PRODUCT COLOR GUIDE.

Work-Height Platform Truck **New!**

Unique, adjustable design allows platform deck to be placed at one of three work heights.

DURAMOLD

DECK SIZES:

24" X 36"

24" X 48"

30" X 60"

MAX. CAPACITY (lbs)

2000

See it in ACTION

www.rcpmaterialhandling.com

CASTER DESCRIPTIONS pg. 93



REDUCE LIFTING & BENDING

Easily moveable platform adjusts to three work heights, helping to safeguard user well-being and improve productivity.



CHEMICAL & WATER RESISTANT CASTERS

TPR casters absorb shock, and provide floor surface protection and quiet operation.



KEEP LOADS IN PLACE

Textured deck surface reduces load slippage.

BETTER LOAD RETENTION

Four molded-in tie-down slots for securing loads with tie-down straps or bungees.

BUILT-IN SAFETY FEATURES

Retainer clips prevent unintended handle removal.


RUGGED CONSTRUCTION

Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.

FG447300

HEIGHT ADJUSTMENT

Adjustable platform deck reduces the strain of bending and lifting. SKUs FG447300 and FG447400 (shown) adjust from 29" to 35" high in 3" increments. SKU FG447200 adjusts from 27" to 33" high in 3" increments.



No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Caster Type	Pack
FG447200	BLA	Work-Height Platform Truck (24" x 36")	40.1" l x 24.25" w x 38.9" h	2000 lb	86.0 lb	101.9 cm x 61.6 cm x 98.8 cm	907.2 kg	39 kg	6" TPR	1
FG447300	BLA	Work-Height Platform Truck (24" x 48")	52.1" l x 24.25" w x 40.9" h	2000 lb	102.0 lb	132.3 cm x 61.6 cm x 103.9 cm	907.2 kg	46.3 kg	8" TPR	1
FG447400	BLA	Work-Height Platform Truck (30" x 60")	64.1" l x 30.25" w x 40.75" h	2000 lb	115.0 lb	162.8 cm x 76.8 cm x 103.5 cm	907.2 kg	52.2 kg	8" TPR	1

5th Wheel Wagon Truck *New!*

Move heavy loads across rough surfaces, indoors and out.

DURAMOLD

DECK SIZES:

- 24" X 36"
- 24" X 48"
- 30" X 60"

CAPACITY RANGE (lbs)

1200-2000

CASTER DESCRIPTIONS
pg. 93

WHEEL OPTIONS



MOR wheels absorb shock, and provide floor surface protection and quiet operation. Excellent on linoleum, tile, terrazzo, wood, smooth concrete, and carpet.



Pneumatic wheels provide a cushioned and quiet ride for fragile loads, making them ideal for rough and uneven surfaces, inside and out. Excellent on virtually all surfaces from smooth concrete to gravel.



BETTER CONTROL

The pivoting 5th wheel design provides a tight turning radius for maximum maneuverability.

See it in ACTION
www.rcpmaterialhandling.com



EASY TO USE
Vinyl grip handle stays upright when not in use.


KEEP LOADS SECURE
Four tie-down points, two on each side, help with load retention.

MOVE LOADS SAFELY
Turn stop prevents tipping/dumping of load.

RUGGED CONSTRUCTION
Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.

TOWABLE & TRAINABLE

- T-bar is removable for towing by a single truck up to 5 mph
- Tow Hitch Kit available (FG9T1000, sold separately) with pintle style and clevis pin mount tow hitches
- Rear tow hitch allows training with other trucks



No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Caster Type	Pack
FG447500	BLA	5th Wheel Wagon Truck (24" x 36")	45" l x 24.25" w x 16.75" h	1200 lb	86.0 lb	114.3 cm x 61.6 cm x 42.5 cm	544.3 kg	39 kg	10" Pneumatic	1
FG447600	BLA	5th Wheel Wagon Truck (24" x 36")	45" l x 24.25" w x 16.5" h	2000 lb	86.0 lb	114.3 cm x 61.6 cm x 41.9 cm	907.2 kg	39 kg	10" TPR	1
FG447700	BLA	5th Wheel Wagon Truck (24" x 48")	56.25" l x 24.25" w x 17.5" h	2000 lb	98.0 lb	142.9 cm x 61.6 cm x 44.5 cm	907.2 kg	44.5 kg	12" Pneumatic	1
FG447800	BLA	5th Wheel Wagon Truck (24" x 48")	56.25" l x 24.25" w x 17.5" h	2000 lb	98.0 lb	142.9 cm x 61.6 cm x 44.5 cm	907.2 kg	44.5 kg	12" TPR	1
FG447900	BLA	5th Wheel Wagon Truck (30" x 60")	70.1" l x 30.25" w x 17.5" h	2000 lb	117.0 lb	178.1 cm x 76.8 cm x 44.5 cm	907.2 kg	53.1 kg	12" Pneumatic	1
FG448000	BLA	5th Wheel Wagon Truck (30" x 60")	70.1" l x 30.25" w x 17.5" h	2000 lb	117.0 lb	178.1 cm x 76.8 cm x 44.5 cm	907.2 kg	53.1 kg	12" TPR	1
FG9T0600	BLA	5th Wheel Wagon Truck with 16" (40.6 cm) Pneumatic Wheels	70" l x 40" w	2000 lb	130.0 lb	177.8 cm x 101.6 cm	907.2 kg	59 kg	16" Pneumatic	1
FG9T0700	BLA	5th Wheel Wagon Truck with 12" (30.5 cm) Pneumatic Wheels	70" l x 40" w	2000 lb	125.0 lb	177.8 cm x 101.6 cm	907.2 kg	56.7 kg	12" TPR	1
FG9T0900	BLA	Side Panel Package, Converts Truck to Platform Convertible Wagon (4 sides and 2 end panels) fits FG9T0600, FG9T0700			55.9 lb			25.4 kg	N/A	1
FG9T1000	0000	Tow Package, fits all 5th Wheel Wagon Trucks			2.8 lb			1.3 kg	N/A	1

WHEN ORDERING PRODUCTS WITH BOLD COLOR CODES, PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER. SEE PAGE 259 FOR THE PRODUCT COLOR GUIDE.

Side Panel Platform Truck **New!**

Ideal for transporting small packages and materials.

DURAMOLD

DECK SIZES:

- 24" X 36"
- 24" X 48"
- 30" X 60"

CAPACITY RANGE (lbs)
1000-2000

See it in ACTION
www.rcpmaterialhandling.com

CASTER DESCRIPTIONS
pg. 93



CUSTOMIZABLE
Remove one, two, three, or all four side panels to accommodate any size load.

ENHANCE USER COMFORT
Side panel cut-outs allow easy access to load.



BUILT-IN SAFETY FEATURES
Retainer clips prevent unintended handle removal.

RUGGED CONSTRUCTION
Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.

3 X 3" GRID SIDE PANELS
Heavy-duty wire side panels retain small packages and items.

BETTER LOAD RETENTION
Molded-in tie-down slots increase load security. Textured deck surface reduces load slippage.

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Caster Type	Pack
FG448400	BLA	Side Panel Platform Truck (24" x 36")	44" l x 24.25" w x 39.25" h	2000 lb	85.0 lb	111.8 cm x 61.6 cm x 99.7 cm	907.2 kg	38.6 kg	6" TPR	1
FG448500	BLA	Side Panel Platform Truck (24" x 36")	56" l x 24.25" w x 41.5" h	2000 lb	105.0 lb	142.2 cm x 61.6 cm x 105.4 cm	907.2 kg	47.6 kg	8" Pneumatic	1
FG448600	BLA	Side Panel Platform Truck (24" x 48")	56" l x 24.25" w x 41.25" h	2000 lb	105.0 lb	142.2 cm x 61.6 cm x 104.8 cm	907.2 kg	47.6 kg	8" TPR	1
FG448700	BLA	Side Panel Platform Truck (30" x 60")	68.1" l x 30.25" w x 41.4" h	2000 lb	126.0 lb	173 cm x 76.8 cm x 105.2 cm	907.2 kg	57.2 kg	8" Pneumatic	1
FG448800	BLA	Side Panel Platform Truck (30" x 60")	68.1" l x 30.25" w x 41.4" h	2000 lb	126.0 lb	173 cm x 76.8 cm x 105.2 cm	907.2 kg	57.2 kg	8" TPR	1



Stanchion Platform Truck *New!*

Safely transport long, bulky loads such as roll goods, pipe, lumber, carpet, and linoleum.

DURAMOLD

DECK SIZES:

24" X 36"

24" X 48"

30" X 60"

MAX. CAPACITY (lbs)

2500

CASTER DESCRIPTIONS
pg. 93

See it in ACTION
www.rcpmaterialhandling.com



EASY LOADING AND UNLOADING

Removable heavy-duty steel corner posts allow access to load. Corner post retainer clips prevent unintended removal.

FG448200

PROTECT FLOORS

Hard-tread polyolefin casters roll easier than soft tread casters. Non-marking, impact and chemical resistant casters won't flat-spot under static loads or pick up metal shavings, nails, and other debris. Excellent on concrete, wood, carpet, and steel surfaces.

KEEP LOADS SECURE

Four molded-in tie-down points provide additional load security.

REDUCE LOAD SLIPPAGE

Textured deck surface reduces load slippage.

RUGGED CONSTRUCTION

Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Caster Type	Pack
FG448100	BLA	Stanchion Platform Truck (24" x 36")	35.9" l x 24.25" w x 38.9" h	2000 lb	67.0 lb	91.2 cm x 61.6 cm x 98.8 cm	907.2 kg	30.4 kg	6" Polyolefin	1
FG448200	BLA	Stanchion Platform Truck (24" x 48")	47.88" l x 24.25" w x 42.5" h	2000 lb	78.0 lb	121.6 cm x 61.6 cm x 108 cm	907.2 kg	35.4 kg	8" Polyolefin	1
FG448300	BLA	Stanchion Platform Truck (30" x 60")	59.9" l x 30.25" w x 42.5" h	2000 lb	92.0 lb	152.1 cm x 76.8 cm x 108 cm	907.2 kg	41.7 kg	8" Polyolefin	1

WHEN ORDERING PRODUCTS WITH **BOLD** COLOR CODES, PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER. SEE PAGE 259 FOR THE PRODUCT COLOR GUIDE.

Semi-Live Skids **New!**

Ideal for temporary transport and storage of materials and supplies.

DURAMOLD

DECK SIZES:

24" X 36"

24" X 48"

30" X 60"

CAPACITY RANGE (lbs)

1500-2000

CASTER DESCRIPTIONS
pg. 93

See it in ACTION

www.rcpmaterialhandling.com



FG449400

REMOVABLE JACK HANDLE
Provides tight turning radius for easy maneuverability in confined spaces (Jack Handle sold separately).

BETTER LOAD RETENTION
Molded-in tie-down slots increase load security. Textured deck surface reduces load slippage.

RUGGED CONSTRUCTION
Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Caster Type	Pack
FG449300	BLA	Semi-Live Skid (24" x 36")	35.9" l x 25.25" w x 12.5" h	2000 lb	42.0 lb	91.2 cm x 64.1 cm x 31.8 cm	907.2 kg	19.1 kg	8" x 2" TPR	1
FG449400	BLA	Semi-Live Skid (24" x 48")	47.9" l x 25.25" w x 12.5" h	2000 lb	51.0 lb	121.7 cm x 64.1 cm x 31.8 cm	907.2 kg	23.1 kg	8" x 2" TPR	1
FG449500	BLA	Semi-Live Skid (30" x 60")	59.9" l x 30.25" w x 12.5" h	2000 lb	64.0 lb	152.1 cm x 76.8 cm x 31.8 cm	907.2 kg	29 kg	8" x 2" TPR	1
FG449200	RED	Semi-Live Skid Jack Handle	49.9" l x 11.75" w x 10.25" h	N/A	38.0 lb	126.7 cm x 29.8 cm x 26 cm	N/A	17.2 kg	8" x 2" TPR	1

Dunnage Racks **New!**

Perfect for storing frozen, cold, or dry goods off of the floor.

DURAMOLD

NSF

MEETS NSF FOOD SAFETY GUIDELINES

12" high deck meets food safety guidelines; NSF approved.

FREEZER SAFE
Withstands temperatures from -20° to 120° F.



FG449000

RUGGED CONSTRUCTION
Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.



HELPS ENSURE PRODUCT QUALITY
Slotted deck allows maximum air circulation for perishable or dry goods.

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG448900	BLA	Dunnage Rack (24" x 36")	35.9" l x 24.25" w x 12.5" h	1500 lb	28.0 lb	80 cm x 68.6 cm x 106.7 cm	680.4 kg	12.7 kg	1
FG449000	BLA	Dunnage Rack (24" x 48")	47.88" l x 24.25" w x 12.5" h	2000 lb	35.0 lb	80 cm x 68.6 cm x 106.7 cm	907.2 kg	15.9 kg	1
FG449100	BLA	Dunnage Rack (30" x 60")	59.9" l x 30.25" w x 12.5" h	2000 lb	44.0 lb	80 cm x 68.6 cm x 106.7 cm	907.2 kg	20 kg	1

StockMate® Restocking Trucks

A complete system to transport cartons, stock shelves, manage cardboard, and address aisle safety.

- Ideal for stocking shelves and picking inventory
- Steel reinforced molded structural foam decks won't rust, dent, or require painting
- BoxMate™ Cardboard Management System helps keep aisles clear
- Dry erase identification placard and work surface available on some models
- Up to 1,800 lb load capacity
- Hinged Deck model (FG9T4500) easily converts from full-size to half-size truck
- Wide range of accessories to enhance productivity and safety



FG9T4500 / FG9T4800 / FG335388



FG9T4800 Wire Shelf

Provides additional surface to help organize and transport smaller cartons.



FG9T4500



FG9T5200 / FG335388



FG9T5600

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG9T4500	BLA	StockMate® ES Restocking Truck with Hinging Deck	63" l x 19.25" w x 19.25" h	1,800 lb	75.1 lb	160 cm x 48.9 cm x 48.9 cm	816.5 kg	34.1 kg	1
FG9T5000	BLA	StockMate® Restocking Truck, Standard Deck	63" l x 19.13" w x 33.63" h	1,800 lb	75.1 lb	160 cm x 48.6 cm x 85.4 cm	816.5 kg	34.1 kg	1
FG9T5200	BLA	StockMate® Restocking Truck, Standard Deck with Cardboard Management System, Polyurethane Wheel and Casters	63" l x 18" w x 64.25" h	1,800 lb	84.9 lb	160 cm x 45.7 cm x 163.2 cm	816.5 kg	38.5 kg	1
FG9T5600	BLA	StockMate® Restocking Truck, Utility Deck, Olefin Wheels and Casters	63" l x 18" w x 64.25" h	1,500 lb	84.9 lb	160 cm x 45.7 cm x 163.2 cm	680.4 kg	38.5 kg	1
FG9T4800	BLA	StockMate® Wire Shelf	64" l x 15" w x 3" h		4.3 lb	162.6 cm x 38.1 cm x 7.6 cm		2 kg	1

Triple® Trolley

Efficiently transports large, bulky loads, then folds flat for easy storage.

- Sturdy structural foam deck won't rust, dent, chip, or peel
- Non-skid platform surface helps prevent load shifting
- Three-position handle lets users push, pull, or fold flat for use as a dolly
- Casters are non-marking



Three-position handle provides better mobility and convenient storage.



FG440000

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG440000	BLA	Triple® Trolley, Utility Duty with Straight Handle and 3" (7.6 cm) Casters	32.5" l x 20.5" w	250 lb	20.6 lb	82.6 cm x 52.1 cm	113.4 kg	9.3 kg	1
FG440100	BLA	Triple® Trolley, Standard Duty with User-Friendly Handle and 5" dia x.88" w (12.7 cm x 2.22 cm) Casters	32.5" l x 20.5" w	500 lb	25.4 lb	82.6 cm x 52.1 cm	226.8 kg	11.5 kg	1

Heavy-Duty Dollies

Steel reinforced, molded dollies perform a wide variety of moving tasks.

- Durable, one-piece molded polyethylene decks are lightweight and easy to clean
- Sturdy plastic construction won't rot, mildew, warp, rust, or splinter
- Easy rolling, 4" non-marking swivel casters
- FG9T5500 features 1" thick rubber pads to protect load and minimize slippage



FG9T5500

FG9T5400

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG9T5400	RED	Polyethylene Dolly, Flush Deck	30" l x 18" w	1,000 lb	19.7 lb	76.2 cm x 45.7 cm	453.6 kg	8.9 kg	1
FG9T5500	RED	Polyethylene Dolly, Padded Deck	30" l x 18" w	1,000 lb	23.7 lb	76.2 cm x 45.7 cm	453.6 kg	10.8 kg	1

WHEN ORDERING PRODUCTS WITH **BOLD** COLOR CODES, PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER. SEE PAGE 259 FOR THE PRODUCT COLOR GUIDE.

TradeMaster® Mobile Cabinets & Work Centers

Easily transport tools and supplies where you need them.

- Features locking cabinet doors and 4" deep drawers for versatile tool and supply storage and organization
- Drawers feature commercial quality, ball bearing slides
- Metal reinforced structural foam shelves engineered for durability
- Arrives 90% assembled



CART ACCESSORIES
pg. 111

See it in ACTION
www.rubbermaidtrademaster.com



No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG451288	BLA	TradeMaster® Cart with 2 Door Cabinet, Small	41.63" l x 18.25" w x 38.38" h	500 lb	57.1 lb	105.7 cm x 46.4 cm x 97.5 cm	226.8 kg	25.9 kg	1
FG451388	BLA	TradeMaster® Cart with 4 Drawer Cart	40.63" l x 18.38" w x 33.38" h	500 lb	86.9 lb	103.2 cm x 46.7 cm x 84.8 cm	226.8 kg	39.4 kg	1
FG453288	BLA	TradeMaster® Cart with 2-Door Cabinet, Large	49" l x 26.25" w x 38.25" h	750 lb	83.8 lb	124.5 cm x 66.7 cm x 97.2 cm	340.2 kg	38 kg	1
FG453388	BLA	TradeMaster® Cart with 4-Drawer and Cabinet, Small	49" l x 26.25" w x 38" h	750 lb	123.0 lb	124.5 cm x 66.7 cm x 96.5 cm	340.2 kg	55.8 kg	1
FG453588	BLA	TradeMaster® Professional Contractors' Cart	52.5" l x 38.63" w x 37.88" h	500 lb	84.7 lb	133.4 cm x 98.1 cm x 96.2 cm	226.8 kg	38.4 kg	1
FG454888	BLA	TradeMaster® Cart with 4-Drawer and Cabinet, Large	58.63" l x 26.38" w x 33.25" h	750 lb	126.5 lb	148.9 cm x 67 cm x 84.5 cm	340.2 kg	57.4 kg	1



Trades Carts

Moves productivity right to the work site—a complete tool storage and mobile workbench system.

- Four compartmentalized boxes for storing assorted parts and hardware
- Fully enclosed, lockable storage compartment helps keep tools and materials secure (FG618088)
- Two storage bins hold essential hand tools and supplies
- Carts move easily over hard surfaces and through elevators and doorways
- Flat surface at user-friendly height provides convenient work area
- Non-marking, 5" casters for easy mobility
- Optional Refuse Bin (FG335388) and Utility Bin (FG335488)



CART
ACCESSORIES
pg. 111



FG618000



FG618088



Convenient lockable cabinet.



Four compartment drawers for assorted parts.

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG618000	BLA	Trades Cart with 5" (12.7 cm) Casters includes 2 parts boxes and 4 parts bins	38" l x 19.25" w x 33.38" h	180 lb top shelf, 150 lb bottom shelf	50.3 lb	96.5 cm x 48.9 cm x 84.8 cm	81.6 kg top shelf, 68 kg bottom shelf	22.8 kg	1
FG618088	BLA	Trades Cart with Locking Cabinet includes 2 parts boxes and 4 parts bins	38" l x 19.25" w x 33.38" h	180 lb top shelf, 150 lb bottom shelf	68.0 lb	96.5 cm x 48.9 cm x 84.8 cm	81.6 kg top shelf, 68 kg bottom shelf	30.8 kg	1

5-Drawer Mobile Work Center

Heavy-duty work surface supports up to 250 lbs.

- Built-in cord wrap provides neat, convenient storage of power tools and work lights
- Casters allow easy maneuverability and are lockable for safety
- Locking bar provides security and keeps drawers from sliding open during transport
- Pegboard side panels provide convenient tool organization



FG773488



No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG773488	BLA	5-Drawer Mobile Work Center	32.63" l x 19.9" w x 33.5" h	250 lb	69.0 lb	82.9 cm x 50.5 cm x 85.1 cm	113.4 kg	31.3 kg	1

WHEN ORDERING PRODUCTS WITH **BOLD** COLOR CODES,
PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER.
SEE PAGE 259 FOR THE PRODUCT COLOR GUIDE.

Ladder Cart

Provides greater mobility, enhanced access, safe ladder handling, and minimal storage requirements.

- Carries a 6' ladder through standard doorways, down halls, and into elevators
- Commercial-grade hybrid construction of powder-coated steel and structural foam holds up to 500 lbs
- Tall profile for a more comfortable work height
- Easily adaptable to work site requirements, including long-item storage, tool holders, and locking cabinets



See it in ACTION
www.rubbermaidladdercart.com




FASTENER CADDY
 Empty caddy can be flipped over to create a level work surface.



LOCKING STRAP
 Secure ladders with a simple snap.



TOOL HOLDER
 Keeps small tools handy.



CONDUIT / PIPE HOLDER
 Molded handle holds pipe or conduit for clamping and trimming.



PERFORATED DOOR & SIDE PANELS
 Accommodate 1/4" tool hooks on one-inch centers.



CONVERTIBLE TO TRANSPORT/CHANGE FLUORESCENT LIGHTBULBS

STANDARD 5" LOCKING CASTERS
 Can be fitted with FG459200 Pneumatic Casters (sold separately).



FG9T5700
Ladder Cart



FG9T5800
Ladder Cart with Cabinet

COMPACT & MANEUVERABLE

Small footprint with unique recessed central ladder storage improves cornering and stability. The 42" working height means less bending down and easier handling. Efficient size for closet storage.



Smaller Turning Radius

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG9T5700	BLA	Ladder Cart	31.5" l x 27" w x 42" h	500 lb	69.0 lb	80 cm x 68.6 cm x 106.7 cm	226.8 kg	31.3 kg	1
FG9T5800	BLA	Ladder Cart with Cabinet	31.5" l x 27" w x 42" h	500 lb	99.0 lb	80 cm x 68.6 cm x 106.7 cm	226.8 kg	44.9 kg	1
FG459200	0000	8" (20.3 cm) Pneumatic Caster Kit	56.88" l x 19.2" w x 33.3" h	N/A	25.6 lb	144.5 cm x 48.8 cm x 84.6 cm	N/A	11.6 kg	1

Heavy-Duty Utility Carts

Transport materials, supplies, and heavy loads securely in almost any environment.

CART SIZES:

CAPACITY RANGE (lbs)
500-750

CASTER DESCRIPTIONS
pg. 93



STAY ORGANIZED
Easy-reach tool/accessory hooks provide additional storage.



WORK MORE EFFICIENTLY
Built-in tool holster and caddy keep items at hand and in place during transport.



CUSTOMIZABLE
Molded-in fittings allow you to add pipe or rods to hold wire spools and other roll type goods.

CASTER OPTIONS ARE AVAILABLE ON MEDIUM AND LARGE CARTS



Pneumatic casters provide a cushioned and quiet ride for fragile loads, making them ideal for rough and uneven surfaces, inside and out. Excellent on virtually all surfaces from smooth concrete to gravel.



TPR casters absorb shock, and provide floor surface protection and quiet operation. Excellent on linoleum, tile, terrazzo, wood, smooth concrete, and carpet.

New Design!

BUILT-IN PRODUCTIVITY
V-notch holds pipe securely for safe cutting.

KEEP LOADS SECURE
Deep pocket shelves keep contents in place.

FG452088

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Caster Type	Pack
FG450088	BLA, BEIG	Utility Cart	30" l x 16" w x 32.25" h	1500 lb	30.8 lb	76.2 cm x 40.6 cm x 81.9 cm	680.4 kg	14 kg	5" TPR	1
FG452088	BLA, BEIG	Utility Cart	36" l x 24" w x 32.25" h	2000 lb	42.8 lb	91.4 cm x 61 cm x 81.9 cm	907.2 kg	19.4 kg	5" TPR	1
FG452010	BLA	HD 2-Shelf Utility Cart w/Lipped Shelf (Med) with Pneumatic Casters	45.25" l x 25.88" w x 37.12" h	2000 lb	63.0 lb	114.9 cm x 65.7 cm x 94.3 cm	907.2 kg	28.6 kg	8" Pneumatic	1
FG454600	BLA, BEIG	HD 2-Shelf Utility Cart w/Lipped Shelf (Large)	55" l x 26" w x 33.25" h	2000 lb	52.4 lb	139.7 cm x 66 cm x 84.5 cm	907.2 kg	23.8 kg	5" TPR	1
FG454610	BLA	HD 2-Shelf Utility Cart w/Lipped Shelf (Large) - with pneumatic wheels	55" l x 26" w x 33.25" h	2000 lb	71.0 lb	139.7 cm x 66 cm x 84.5 cm	907.2 kg	32.2 kg	8" Pneumatic	1
FG9T6600	BLA	2 Shelf Utility Cart, 4" (10.2 cm) Casters	40.125" l x 25.625" w x 32.5" h	300 lb	362.5 lb	101.9 cm x 65.1 x 82.6 cm	136 kg	164.4 kg		1
FG9T6700	BLA	2 Shelf Utility Cart, 4" (10.2 cm) Casters	31.5" l x 27" w x 42" h	300 lb	69.0 lb	80 cm x 68.6 cm x 106.7 cm	136 kg	31.3 kg		1

WHEN ORDERING PRODUCTS WITH BOLD COLOR CODES, PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER. SEE PAGE 259 FOR THE PRODUCT COLOR GUIDE.

Heavy-Duty Flat Shelf Utility Carts

Versatile work surface and quiet TPR casters make the Heavy-Duty Flat Shelf Utility Cart perfect for front- or back-of-house use.

CART SIZES:

CAPACITY RANGE (lbs)
500-750

CASTER DESCRIPTIONS
pg. 93



New Design!



LARGE WORK SURFACE
Flat top shelf for oversized loads and smarter work surface.

MANEUVER SAFELY
Variable grip-height handle improves control and worker safety.

WORK MORE EFFICIENTLY
Built-in tool holster and caddy keep items at hand and in place during transport.

CUSTOMIZABLE
Molded-in fittings allow you to add pipe or rods to hold supplies and roll goods.

FG452500



TPR casters absorb shock, and provide floor surface protection and quiet operation. Excellent on linoleum, tile, terrazzo, wood, smooth concrete, and carpet.

ACCESSORIZE AND CUSTOMIZE FOR YOUR NEEDS



FG459000 3-OUTLET POWER STRIP



FG335388 8 GALLON REFUSE BIN



FG459300 SINGLE FULL EXTENSION DRAWER (see page 111)

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Caster Type	Pack
FG450500	BLA, BEIG	HD 2-Shelf Utility Cart Flat Shelf (Small)	37.88" l x 19.2" w x 33.3" h	2000 lb	29.5 lb	96.2 cm x 48.8 cm x 84.6 cm	907.2 kg	13.4 kg	5" TPR	1
FG452500	BLA, BEIG	HD 2-Shelf Utility Cart Flat Shelf (Med)	43.88" l x 25.88" w x 33.3" h	2000 lb	41.0 lb	111.5 cm x 65.7 cm x 84.6 cm	907.2 kg	18.6 kg	5" TPR	1
FG454500	BLA, BEIG	HD 2-Shelf Utility Cart Flat Shelf (Large)	54" l x 25.25" w x 36" h	2000 lb	52.4 lb	137.2 cm x 64.1 cm x 91.4 cm	907.2 kg	23.8 kg	5" TPR	1

Convertible Utility Cart

Converts from a utility cart to a platform truck in just seconds.

- Innovative, patent-pending design
- Multi-functional productivity with improved worker well-being—saving you time and money



PUSH BUTTONS

Depress buttons to easily convert from utility cart to platform truck.



LOCKING CASTERS

Rear wheel locks keep cart safely in place while loading and unloading.



FOOT PEDAL

Depress foot pedal to fold cart for storage.



QUICK CONVERSION

Easily converts from a utility cart to a platform truck and then folds flat for storage.

FOLDS FROM 34³/₈" TO 10⁷/₈" FOR EASY STORAGE



UTILITY CART



PLATFORM TRUCK



34³/₈" High

10⁷/₈" High

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG430000	BLA	Convertible Utility Cart	45.2" l x 23.8" w x 34.4" h (Utility) 45.2" l x 23.8" w x 43.8" h (Platform) 48.8" l x 23.8" w x 10.9" h (Storage)	400 lb utility cart, 250 lb platform truck	52.0 lb	115 cm x 60.5 cm x 87.4 cm (Utility) 115 cm x 60.5 cm x 111.3 cm (Platform) 124 cm x 60.5 cm x 27.7 cm (Storage)	181 kg utility cart, 113 kg platform truck	23.6 kg	1

WHEN ORDERING PRODUCTS WITH BOLD COLOR CODES, PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER. SEE PAGE 259 FOR THE PRODUCT COLOR GUIDE.

Executive Service Cart

The Executive Service Cart is an elegant and versatile solution for back- and front-of-house tasks. With 20% more top-shelf capacity, it's constructed of durable, recyclable polyethylene and it's easy to clean — keeping your business looking smart for years.



ERGONOMIC ROUNDED HANDLES

Improves maneuverability and comfort.

WRAP-AROUND END PANELS

Conceals cart contents.

SOLID ROUNDED BUMPER

Gentle on walls and furniture.

300 LB LOAD CAPACITY

Holds 100 lbs per shelf.

FG9T6800



FG9T6800

ATTRACTIVE STYLING

Ideal for front-of-house use.



INCREASED CAPACITY

Accommodates two standard bus boxes on top shelf.

No.	Color	Description	Dimensions	US Capacity	US Ship Wt.	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG9T6800	BLA, PLAT	Executive Service Cart	39" l x 21" w x 38" h	300 lbs	31.5 lb	99.1 cm x 53.3 cm x 96.5 cm	136 kg	14.3 kg	1

ACCESSORIES

No.	Color	Description	Dimensions	US Capacity	US Ship Wt.	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG335388	BLA	Refuse Bin	12" l x 17" w x 22" h	8 gal	9.0 lb	30.5 cm x 43.2 cm x 55.9 cm	30.3 L	4.1 kg	2
FG335488	BLA	Utility Bin	12.13" l x 17" w x 10.5" h	4 gal	5.4 lb	30.8 cm x 43.2 cm x 26.7 cm	15.1 L	2.4 kg	2
FG334900 ^A	WHT, GRAY	Bus/Utility Box	20" l x 15" w x 5" h	4.625 gal	20.6 lb	50.8 cm x 38.1 cm x 12.7 cm	17.5 L	9.3 kg	12

^A Certified to NSF Standard #2 for food contact.

Service Carts

Versatile, durable carts perform a wide variety of tasks.

- Molded shelves won't rust, dent, or require painting
- Plastic construction is easy to clean and minimizes noise
- Convenient handles and compact size enhance maneuverability
- Assists in complying with HACCP guidelines
- Non-marking swivel casters reduce touch-up cleaning



FG345700 Utility Cart includes lockable doors and sliding drawer.



FG342488

Stylish utility cart with metal uprights and large 4" casters holds up to 200 lbs.

CART ACCESSORIES
pg. 111



FG9T6571



FG342100



FG345700



FG335588

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG9T6571 ^A	BEIG	Utility Cart with 3" dia (7.6 cm) Swivel Casters	31.5" l x 16.25" w x 36" h	100 lb	212.0 lb	80 cm x 41.3 cm x 91.4 cm	45.3 kg	96.2 kg	6
FG342100	PLAT, BLA	Utility Cart with 3" dia (7.6 cm) Swivel Casters and End Panels	33.63" l x 18.63" w x 36.63" h	150 lb	34.0 lb	85.4 cm x 47.3 cm x 93 cm	68 kg	15.4 kg	1
FG342488	RED, PLAT, OWHT, BLA	Utility Cart with 4" dia (10.2 cm) Swivel Casters	33.63" l x 18.63" w x 37.75" h	200 lb	30.0 lb	85.4 cm x 47.3 cm x 95.9 cm	90.7 kg	13.6 kg	1
FG345700	BLA	Utility Cart with Lockable Doors, Sliding Drawer and 4" dia (10.2 cm) Swivel Casters	33.63" l x 18.63" w x 37.75" h	200 lb	44.8 lb	85.4 cm x 47.3 cm x 95.9 cm	90.7 kg	20.3 kg	1
FG335588	PLAT	Utility Cart with Enclosed End Panels	31" l x 18" w x 37.5" h	300 lb	37.5 lb	78.7 cm x 45.7 cm x 95.3 cm	136.1 kg	17 kg	1

^A Pallet Pack

WHEN ORDERING PRODUCTS WITH BOLD COLOR CODES, PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER. SEE PAGE 259 FOR THE PRODUCT COLOR GUIDE.

Xtra™ Carts

Durable and attractive carts storage and transportation for front- and back-of-house applications.

- Metal uprights and molded shelves engineered for durability and appearance
- Non-marking 4" swivel casters
- Wide shelves hold a variety of equipment and supplies, up to 300 lbs
- Available with locking doors and enclosure panels
- Accessories include refuse and utility bins (see page 111)



FG409400



CART ACCESSORIES
pg. 111



FG409100



FG409200



FG409300



FG409400



FG409500



FG409600

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG409100	OWHT, GRAY, BLA	Utility Cart, Open Sided	40.63" l x 20" w x 37.8" h	300 lb	43.4 lb	103.2 cm x 50.8 cm x 96 cm	136.1 kg	19.7 kg	1
FG409200	OWHT	Utility Cart with Enclosed End Panels on 2 Sides	40.63" l x 20" w x 37.8" h	300 lb	45.8 lb	103.2 cm x 50.8 cm x 96 cm	136.1 kg	20.8 kg	1
FG409300	OWHT, BLA	Utility Cart with Enclosed End Panels on 3 Sides	40.63" l x 20" w x 37.8" h	300 lb	51.6 lb	103.2 cm x 50.8 cm x 96 cm	136.1 kg	23.4 kg	1
FG409400	GRAY	Instrument Cart with Lockable Doors and Sliding Drawers	40.63" l x 20" w x 37.8" h	Max cart: 300 lb	52.0 lb	103.2 cm x 50.8 cm x 96 cm	Max cart: 136.1 kg	23.6 kg	1
FG409500	BLA	Equipment Cart	40.63" l x 20.75" w x 37.8" h	300 lb	58.5 lb	103.2 cm x 52.7 cm x 96 cm	136.1 kg	26.5 kg	1
FG409600	BLA	4 Shelf Cart, Open Sided	40.63" l x 20" w x 51" h	300 lb	52.0 lb	103.2 cm x 50.8 cm x 129.5 cm	136.1 kg	23.6 kg	1

Shelving Systems

Store, organize, and transport in style with these durable and attractive shelving units.



- Stationary shelves feature molded feet for added stability
- Mobile shelf trucks come with 4" swivel non-marking casters (two with brakes)
- Units are available with four, five, or six shelves and a variety of heights up to 72"
- Cabinet Kit with locking doors is available for several models
- Shelves feature metal uprights and steel reinforced molded shelves



FG9T3600



FG9T3700



FG9T4300

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG9T3600	BLA	Shelving, 4-Shelf Unit	35.13" l x 20" w x 45.88" h	800 lb	53.7 lb	89.2 cm x 50.8 cm x 116.5 cm	362.9 kg	24.4 kg	1
FG9T3700	BLA	Shelving, 5-Shelf Unit	35.13" l x 20" w x 60" h	800 lb	66.8 lb	89.2 cm x 50.8 cm x 152.4 cm	362.9 kg	30.3 kg	1
FG9T3800	BLA	Shelving, 4-Shelf Unit	35.13" l x 20" w x 71.38" h	800 lb	58.7 lb	89.2 cm x 50.8 cm x 181.3 cm	362.9 kg	26.6 kg	1
FG9T3900	BLA	Shelving, 5-Shelf Unit	35.13" l x 20" w x 71.38" h	800 lb	69.1 lb	89.2 cm x 50.8 cm x 181.3 cm	362.9 kg	31.3 kg	1
FG9T4000	BLA	Shelving, 6-Shelf Unit	35.13" l x 20" w x 72.75" h	800 lb	80.8 lb	89.2 cm x 50.8 cm x 184.8 cm	362.9 kg	36.7 kg	1
FG9T4100	BLA	Cabinet Kit w/Doors, Side & Back Panels for FG9T3600, FG9T3700, FG9T4000, and FG9T4200 Shelf Units			10.3 lb			4.7 kg	1
FG9T4200	BLA	Mobile Shelf Truck, 5-Shelf Mobile Truck with 5" dia (12.7 cm) Casters, 2 with Locks	35.13" l x 20" w x 62.38" h	800 lb	67.0 lb	89.2 cm x 50.8 cm x 158.4 cm	362.9 kg	30.4 kg	1
FG9T4300	BLA	Mobile Shelf Truck, 4-Shelf Mobile Truck with 5" dia (12.7 cm) Casters, 2 with Locks	35.13" l x 20" w x 72.13" h	800 lb	59.2 lb	89.2 cm x 50.8 cm x 183.2 cm	362.9 kg	26.9 kg	1

Media Master® Audio-Visual Carts

Audio-visual carts in a variety of sizes and configurations to handle any presentation need.



- Available in 33", 42", and 48" heights
- Cord wrap helps organize wires and cords
- User-friendly handle and four swivel casters for easy maneuverability
- Built-in 3-outlet, surge suppressing power strip (UL/CSA listed) with 10 ft cord
- Durable and attractive molded shelves and metal uprights
- Optional locking cabinet sliding drawer provides extra security



FG9T3300



FG9T2800



FG9T2900

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Max TV Size	Pack
FG9T2800*	BLA	Audio-Visual Cart, Open Cart with 3 Shelves, 3" dia (7.6 cm) Casters	32.5" l x 18.63" w x 32.13" h	150 lb	30.1 lb	82.6 cm x 47.3 cm x 81.6 cm	68 kg	13.7 kg	24" diagonal 61 cm diagonal	1
FG9T2900*	BLA	Audio-Visual Cart, 3 Shelves with Cabinet, 3" dia (7.6 cm) Casters	32.5" l x 18.63" w x 32.13" h	150 lb	35.9 lb	82.6 cm x 47.3 cm x 81.6 cm	68 kg	16.3 kg	24" diagonal 61 cm diagonal	1
FG9T3000*	BLA	Audio-Visual Cart, Open Cart with 3 Shelves, 4" dia (10.2 cm) Casters	32.5" l x 18.63" w x 42.38" h	200 lb	30.9 lb	82.6 cm x 47.3 cm x 107.6 cm	90.7 kg	14 kg	24" diagonal 61 cm diagonal	1
FG9T3200*	BLA	Audio-Visual Cart, 3 Shelves with Cabinet, 4" dia (10.2 cm) Casters	32.5" l x 18.63" w x 42.38" h	200 lb	36.9 lb	82.6 cm x 47.3 cm x 107.6 cm	90.7 kg	16.7 kg	24" diagonal 61 cm diagonal	1
FG9T3300*	BLA	Audio-Visual Cart, Open Cart with 3 Shelves, 4" dia (10.2 cm) Casters	36.5" l x 20" w x 48.13" h	300 lb	42.6 lb	92.7 cm x 50.8 cm x 122.3 cm	136.1 kg	19.3 kg	32" diagonal 81.3 cm diagonal	1
FG9T3400*	BLA	Audio-Visual Cart, 3 Shelves with Cabinet, 4" dia (10.2 cm) Casters	36.5" l x 20" w x 48" h	300 lb	51.1 lb	92.7 cm x 50.8 cm x 121.9 cm	136.1 kg	23.2 kg	32" diagonal 81.3 cm diagonal	1
FG9T3500*	BLA	Audio-Visual Cart, 4 Shelves with Cabinet, 4" dia (10.2 cm) Casters	36.5" l x 20" w x 48" h	300 lb	61.7 lb	92.7 cm x 50.8 cm x 121.9 cm	136.1 kg	28 kg	32" diagonal 81.3 cm diagonal	1

* UL, CSA listed.

WHEN ORDERING PRODUCTS WITH BOLD COLOR CODES, PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER. SEE PAGE 259 FOR THE PRODUCT COLOR GUIDE.

Cart Accessories



Cart No.	FG335388 8 Gal (30.3 L) Refuse Bin Ship Weight: 9lb/4.1kg Pack: 2 Color: B/LA U.S. List Price: 88.80 ea	FG335488 4 Gal (15.1 L) Utility Bin Ship Weight: 5.4lb/2.4kg Pack: 2 Color: B/LA U.S. List Price: 42.20 ea	FG459000 Utility Sliding Drawer w/ Lock Ship Weight: 3.3lb/1.5kg Pack: 1 Color: B/LA U.S. List Price: 109.50 ea	FG459000 3-Outlet, Surge Protected Power Strip with 10' cord Ship Weight: 3.4lb/1.5kg Pack: 1 Color: B/LA U.S. List Price: 61.20 ea	FG459100 Hook Kit (Set of 4) Ship Weight: 3.3lb/1.5kg Pack: 1 Color: B/LA U.S. List Price: 55.60 ea	FG459200 8" Pneumatic Caster Kit Ship Weight: 25.6lb/11.6kg Pack: 1 Color: 0000 U.S. List Price: 374.00 ea	FG459300 Single Full Extension Drawer Ship Weight: 3.3lb/1.6kg Pack: 1 Color: RED U.S. List Price: 108.00 ea	FG619900 Utility Sliding Drawer w/ Lock Ship Weight: 4.5lb/2kg Pack: 1 Color: B/N, B/LA U.S. List Price: 79.60 ea
FG335588	✓	✓	✓					
FG342100	✓	✓	✓					
FG342488	✓	✓	✓					
FG345700			✓					
FG409100	✓	✓						✓
FG409200	✓	✓						✓
FG409300	✓	✓						✓
FG409400	✓	✓						✓
FG409500	✓	✓						✓
FG409600	✓	✓						✓
FG450088	✓	✓		✓	✓			
FG451288	✓	✓		✓	✓			
FG451388	✓	✓		✓	✓			
FG452010	✓	✓		✓	✓	✓		
FG452088	✓	✓		✓	✓		✓	
FG453288	✓	✓		✓	✓			
FG453388	✓	✓		✓	✓			
FG454600	✓	✓		✓	✓		✓	
FG454610	✓	✓		✓	✓		✓	
FG454888	✓	✓		✓	✓			
FG9T2800			✓					
FG9T2900			✓					
FG9T3000			✓					
FG9T3200			✓					
FG9T3300								✓
FG9T3400								✓
FG9T3500								✓
FG9T6600				✓	✓			
FG9T6700				✓	✓	✓		
FG9T6800	✓	✓						

BRUTE® Totes

The ultimate storage and transport container.

- Reinforced ribbed bottom protects container during dragging
- User-friendly grip handles decrease potential for back injury and finger strain
- Lid snaps tight, keeping contents secure



FG9S3000 / FG9S3100



FG9S3000 / FG440000

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG9S3000	WHT, GRAY	BRUTE® Tote with Lid	27.88" l x 16.5" w x 10.7" h	14 gal	46.0 lb	70.8 cm x 41.9 cm x 27.2 cm	53 L	20.9 kg	6
FG9S3100	WHT, GRAY	BRUTE® Tote with Lid	27.88" l x 17.38" w x 15.13" h	20 gal	53.0 lb	70.8 cm x 44.1 cm x 38.4 cm	75.7 L	24 kg	6

Stack & Nest Palletote® Boxes

For cost-effective storage and transportation.

- Fits 40" and 48" pallets with no overhang
- Nestable for efficient storage and transport; stackable with and without lids
- All plastic construction won't rust, dent, chip, or peel
- Rounded corners and smooth surfaces are easy to clean
- USDA 3A (Dairy) Sanitary Standards and Meat & Poultry Equipment Group Listed
- Slip resistant, extended bottom
- Materials are FDA compliant for food contact and certified to NSF Std. #2



FG172200

FG173200



No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG172100	GRAY	Palletote® Box	19.5" l x 15.5" w x 10" h	1.3 cu ft	42.6 lb	49.5 cm x 39.4 cm x 25.4 cm	.04 m ³	19.3 kg	10
FG172200	GRAY	Palletote® Box	19.5" l x 15.5" w x 13" h	1.6 cu ft	57.9 lb	49.5 cm x 39.4 cm x 33 cm	.05 m ³	26.3 kg	10
FG173100	GRAY	Palletote® Box	23.5" l x 19.5" w x 10" h	2 cu ft	60.6 lb	59.7 cm x 49.5 cm x 25.4 cm	.06 m ³	27.5 kg	10
FG173200	GRAY	Palletote® Box	23.5" l x 19.5" w x 13" h	2.6 cu ft	92.2 lb	59.7 cm x 49.5 cm x 33 cm	.07 m ³	41.8 kg	10

LIDS

No.	Color	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG172000	GRAY	Palletote® Lid for FG172100, FG172200	19.63" l x 15.63" w x 1" h	16.1 lb	49.9 cm x 39.7 cm x 2.5 cm		7.3 kg	10
FG173000	GRAY	Palletote® Lid for FG173100, FG173200	23.75" l x 19.75" w x 1" h	22.1 lb	60.3 cm x 50.2 cm x 2.5 cm		10 kg	10

Tool Boxes

Professional-grade tool boxes for commercial/industrial use.

- Made of sturdy structural foam construction that won't rust, dent, chip, or peel
- Removable trays provide added compartmentalized storage area
- Metal latches can be padlocked for security



FG780200



FG780400

Tack Box with Padded Top

Super tough Structural Foam construction for durable, all-purpose storage at the work site, in the stable, or on the water.

- Padded 2" cushion for comfortable seating
- Heavy-duty structural foam construction
- Two interior trays provide storage for small items
- Caster kit available (FG772100)
- Lockable for added security
- Molded-in side handles make lifting and transporting of heavy loads easier



FG772000

No.	Color	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG780200	BLA	Tool Box	26" l x 11.5" w x 11.13" h	21.7 lb	66 cm x 29.2 cm x 28.3 cm		9.8 kg	2
FG780400	BLA	Tool Box	36" l x 18.5" w x 20.13" h	33.0 lb	91.4 cm x 47 cm x 51.1 cm		15 kg	1
FG772000	BLA	Structural Foam Tack Box	36" l x 18" w x 24" h	36.2 lb	91.4 cm x 45.7 cm x 61 cm		16.4 kg	1

WHEN ORDERING PRODUCTS WITH **BOLD** COLOR CODES,
PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER.
SEE PAGE 259 FOR THE PRODUCT COLOR GUIDE.

ActionPacker® Storage Containers

Organized tool storage and transportation for industry professionals.

- Durable, weather-resistant construction
- Tough, lockable latches keep contents secure
- Stackable containers are easily tied down with bungee cords



FG11720438



FG11920138



FG11920138

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG11720438	BLA	ActionPacker® Storage Container	26.1" l x 16.9" w x 18.6" h	24 gal	45.4 lb	66.3 cm x 42.9 cm x 47.2 cm	90.8 L	20.6 kg	4
FG11910138	BLA	ActionPacker® Cargo Box	34.5" l x 16.38" w x 18.5" h	35 gal	24.0 lb	87.6 cm x 41.6 cm x 47 cm	132.5 L	10.9 kg	1
FG11920138	BLA	ActionPacker® Cargo Box	43.75" l x 17.2" w x 20.5" h	48 gal	28.9 lb	111.1 cm x 43.7 cm x 52.1 cm	181.6 L	13.1 kg	1

Stock Tanks

Super tough Structural Foam construction for superior performance and durability in all kinds of weather.

- Five sizes to fit all your watering needs, from 50 to 300 gallons
- Seamless construction for outstanding durability
- Oversize 1½" drain plug for easy draining and cleaning
- All-plastic anti-siphon float valve provides constant water level

FLOAT VALVE OPTION



FG424806 fits all Rubbermaid Stock Tanks



No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG424288	BLA	100 U.S. gal Stock Tank	53" l x 31" w x 25" h	100 gal	32.4 lb	134.6 cm x 78.7 cm x 63.5 cm	378.5 L	14.7 kg	1
FG424300	BLA	50 U.S. gal Stock Tank	52" l x 31" w x 12" h	50 gal	23.5 lb	132.1 cm x 78.7 cm x 30.5 cm	189.2 L	10.7 kg	1
FG424400	BLA	70 U.S. gal Stock Tank	40.5" l x 32" w x 24" h	70 gal	24.0 lb	102.9 cm x 81.3 cm x 61 cm	265 L	10.9 kg	1
FG424500	BLA	150 U.S. gal Stock Tank	58" l x 39" w x 25" h	150 gal	53.0 lb	147.3 cm x 99.1 cm x 63.5 cm	567.8 L	24 kg	1
FG424700	BLA	300 U.S. gal Stock Tank	63.25" l x 69" w x 25" h	300 gal	83.0 lb	160.7 cm x 175.3 cm x 63.5 cm	1135.5 L	37.6 kg	1
FG424806	BLA	Stock Tank Float Valve	9" l x 5" w x 6.25" h		12.0 lb	22.9 cm x 12.7 cm x 15.9 cm		5.4 kg	6
FG505012	N/A	Stock Tank Drain Plug Kit			2.5 lb			1.1 kg	12

Structural Foam Tilt Trucks

Durable molded trucks handle heavy loads with ease.

- Durability of modern Structural Foam technology
- Ergonomic “steering wheel” handle for better handling
- Non-marking casters (FG101100, FG9T1300, FG9T1500 only)
- Frameless design supports USDA Meat & Poultry Equipment Compliance
- Unibody design promotes a more discrete appearance in public areas
- Fits through standard commercial doorways and onto elevators easily
- Optional hinged domed lid available
- Available in 1/2, 3/4, and 1 cu yd sizes
- Capacities up to 2,100 lbs



FG9T1600

Strength and Durability

Structural Foam molding eliminates the need for a metal frame and provides a seamless, leak-proof body that won't rust, chip, dent, or peel.



The ergonomically designed “steering wheel” handle provides excellent handling and maneuvering.



Specifically designed for controlled dumping by one person.



Inset wheel position prevents damage to surroundings.



FG9T1300



FG9T1400

1/2 CUBIC YARD TILT TRUCKS

No.	Color	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG9T1300	BLA	Structural Foam Tilt Truck, Utility Duty	57.38" l x 26.88" w x 33.88" h	½ cu yd	450 lb	86.9 lb	145.7 cm x 68.3 cm x 86.1 cm	0.4 m³	204.1 kg	39.4 kg	1
FG9T1400	BLA	Structural Foam Tilt Truck, Standard Duty	57.38" l x 26.88" w x 33.88" h	½ cu yd	850 lb	95.9 lb	145.7 cm x 68.3 cm x 86.1 cm	0.4 m³	204.1 kg	43.5 kg	1

¾ CUBIC YARD TILT TRUCKS

No.	Color	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG101100	BLA	Structural Foam Tilt Truck, Utility Duty	64.5" l x 30.25" w x 38" h	¾ cu yd	600 lb	92.0 lb	163.8 cm x 76.8 cm x 96.5 cm	.6 m³	272.1 kg	41.7 kg	1
FG101300	BLA	Structural Foam Tilt Truck, Standard Duty	64.5" l x 30.25" w x 38" h	¾ cu yd	1,000 lb	101.0 lb	163.8 cm x 76.8 cm x 96.5 cm	.6 m³	453.6 kg	45.8 kg	1

1 CUBIC YARD TILT TRUCKS

No.	Color	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG9T1500	BLA	Structural Foam Tilt Truck, Standard Duty	70.75" l x 33.5" w x 42.25" h	1 cu yd	1,250 lb	139.1 lb	179.7 cm x 85.1 cm x 107.3 cm	.8 m³	566.9 kg	63.1 kg	1
FG9T1600	BLA	Structural Foam Tilt Truck, Heavy-Duty	70.75" l x 33.5" w x 42.25" h	1 cu yd	2,100 lb	141.1 lb	179.7 cm x 85.1 cm x 107.3 cm	.8 m³	952.5 kg	64 kg	1

Tilt Truck Lids

Domed, hinged lids provide convenient access to contents without reducing overall capacity.



FG102800



FG9T2200 Lid

No.	Color	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/Ctn	Pack
FG102700	BLA	Lid for 1025, 1025-42, 1026, 1026-41 and 1064	82.88" l x 44.5" w x 3" h	32.8 lb	210.5 cm x 113 cm x 7.6 cm	14.9 kg	1
FG102800	BLA	Domed Lid for 1011, 1013	61" l x 31.75" w x 8.75" h	24.8 lb	154.9 cm x 80.6 cm x 22.2 cm	11.2 kg	1
FG130700 ^a	BLA	Lid for 1304, 1305, 1305-06, 1305-42, 1306, 1306-41, 9T17	56.5" l x 28.5" w x 9" h	22.3 lb	143.5 cm x 72.4 cm x 22.9 cm	10.1 kg	1
FG131700 ^a	BLA	Lid for 1314, 1315, 1315-42, 1316, 1316-41, 9T18	69.5" l x 34" w x 8.5" h	24.0 lb	176.5 cm x 86.4 cm x 21.6 cm	10.9 kg	1
FG9T2200	BLA	Lid for 9T13 and 9T14 Tilt Trucks	52" l x 27.88" w x 9" h	25.3 lb	132.1 cm x 70.8 cm x 22.9 cm	11.5 kg	1
FG9T2300	BLA	Lid for 9T15 and 9T16 Tilt Trucks	66.88" l x 34.5" w x 9" h	36.6 lb	169.9 cm x 87.6 cm x 22.9 cm	16.6 kg	1

^a Custom colors available; contact your local Sales Representative for details.

Rotomolded Tilt Trucks

- Manufactured with traditional rotational molding technology
- Easy to handle and maneuver
- Forkliftable model fully compatible with forklifts and many automated lifters
- Towable/Trainable models with pneumatic wheels for smooth movement over a variety of surfaces (5 mph maximum)
- USDA, FDA compliant materials
- Inset wheels on ½ and 1 cu yd models protect walls, fixtures, and patrons
- Smooth surface is easy to clean and resists pitting and corroding
- Optional hinged domed lid available on most models
- Available in ½, 1, 1½, 2 and 2½ cu yd sizes
- Capacities up to 2,300 lbs

LIDS
pg. 115

AVAILABLE IN SIZES FROM ½ TO 2½ CUBIC YARDS.



½ CUBIC YARD TILT TRUCKS

No.	Color	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG9T1700	BLA	Tilt Truck (RM)	56.75" l x 28" w x 38.63" h	½ cu yd	300 lb	138.5 lb	144.1 cm x 71.1 cm x 98.1 cm	0.4 m³	136.1 kg	62.8 kg	3
FG130400	BLA	Tilt Truck, Utility Duty (RM)	56.75" l x 28" w x 38.63" h	½ cu yd	450 lb	62.5 lb	144.1 cm x 71.1 cm x 98.1 cm	0.4 m³	204.1 kg	28.3 kg	1
FG130500	YEL, RED, DBLUE, BLA	Tilt Truck, Standard Duty (RM)	60.5" l x 28" w x 38.63" h	½ cu yd	850 lb	77.0 lb	153.7 cm x 71.1 cm x 98.1 cm	0.4 m³	385.6 kg	34.9 kg	1
FG130573	BLUE	Recycling Tilt Truck, Standard Duty (RM)	60.5" l x 28" w x 38.63" h	½ cu yd	850 lb	77.0 lb	153.7 cm x 71.1 cm x 98.1 cm	0.4 m³	385.6 kg	34.9 kg	1
FG130600 ^a	BLA	Tilt Truck, Heavy-Duty (RM)	60.5" l x 28" w x 38.63" h	½ cu yd	1,400 lb	88.0 lb	153.7 cm x 71.1 cm x 98.1 cm	0.4 m³	635 kg	39.9 kg	1

1 CUBIC YARD TILT TRUCKS

No.	Color	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG9T1800	BLA	Tilt Truck	72.25" l x 33.5" w x 43.75" h	1 cu yd	600 lb	259.5 lb	183.5 cm x 85.1 cm x 111.1 cm	0.8 m³	272.1 kg	117.7 kg	3
FG131400	BLA	Tilt Truck, Utility Duty (RM)	72.25" l x 33.5" w x 43.75" h	1 cu yd	850 lb	111.0 lb	183.5 cm x 85.1 cm x 111.1 cm	0.8 m³	385.6 kg	50.3 kg	1
FG131500	YEL, RED, DBLUE, BLA	Tilt Truck, Standard Duty (RM)	72.25" l x 33.5" w x 43.75" h	1 cu yd	1,250 lb	111.0 lb	183.5 cm x 85.1 cm x 111.1 cm	0.8 m³	567.0 kg	50.3 kg	1
FG131600	BLA	Tilt Truck, Heavy-Duty (RM)	72.25" l x 33.5" w x 43.75" h	1 cu yd	2,100 lb	120.0 lb	183.5 cm x 85.1 cm x 111.1 cm	0.8 m³	952.5 kg	54.4 kg	1

1½ CUBIC YARD TILT TRUCKS

No.	Color	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG102500 ^a	BLA	Tilt Truck, Standard Duty (RM)	80.5" l x 43" w x 49.5" h	1½ cu yd	1,200 lb	212.0 lb	204.5 cm x 109.2 cm x 125.7 cm	1.1 m³	544.3 kg	96.2 kg	1
FG102600 ^a	BLA	Tilt Truck, Heavy-Duty (RM)	80.5" l x 43" w x 49.5" h	1½ cu yd	2,100 lb	213.0 lb	204.5 cm x 109.2 cm x 125.7 cm	1.1 m³	952.5 kg	96.6 kg	1

2 CUBIC YARD TILT TRUCKS

No.	Color	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG103500 ^a	BLA	Tilt Truck, Standard Duty (RM)	81.25" l x 46.75" w x 50" h	2 cu yd	1,900 lb	215.0 lb	206.4 cm x 118.7 cm x 127 cm	1.5 m³	861.8 kg	97.5 kg	1
FG103600 ^a	BLA	Tilt Truck, Heavy-Duty (RM)	81.25" l x 46.75" w x 50" h	2 cu yd	2,300 lb	238.5 lb	206.4 cm x 118.7 cm x 127 cm	1.5 m³	1043.3 kg	108.2 kg	1

2½ CUBIC YARD TILT TRUCKS

No.	Color	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG104500 ^a	BLA	Tilt Truck, Standard Duty (RM)	81.5" l x 55.5" w x 50" h	2½ cu yd	1,900 lb	233.5 lb	207 cm x 141 cm x 127 cm	1.9 m³	816.8 kg	105.9 kg	1
FG104600 ^a	BLA	Tilt Truck, Heavy-Duty (RM)	81.5" l x 55.5" w x 50" h	2½ cu yd	2,300 lb	231.4 lb	207 cm x 141 cm x 127 cm	1.9 m³	1043.3 kg	105 kg	1

^a Requires 3 week lead time and is not returnable.

^b Custom colors available; contact your local Sales Representative.

* Pneumatic Wheels RM = Rotational Molded

WHEN ORDERING PRODUCTS WITH **BOLD** COLOR CODES,
PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER.
SEE PAGE 259 FOR THE PRODUCT COLOR GUIDE.

Heavy-Duty Towable Tilt Trucks

Towable and trainable tilt trucks for heavy-duty use.

- Heavy-duty tow bar, hitch, and frame for multiple truck towing and training up to 5 mph
- Pneumatic wheels provide smooth movement over rough terrain

LIDS
pg. 115



FG131641



½ CUBIC YARD TILT TRUCKS

No.	Color	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG130641*	BLA	Towable Trainable Tilt Truck, Heavy-Duty (RM)	64" l x 29" w x 40" h	½ cu yd	1,400 lb	92.2 lb	162.6 cm x 73.7 cm x 101.6 cm	0.4 m³	635.04 kg	41.8 kg	1

1 CUBIC YARD TILT TRUCKS

No.	Color	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG131641*	BLA	Towable Trainable Tilt Truck, Heavy-Duty (RM)	72.5" l x 33.5" w x 42.25" h	1 cu yd	2,100 lb	178.0 lb	184.2 cm x 85.1 cm x 107.3 cm	0.8 m³	952.6 kg	80.7 kg	1

1½ CUBIC YARD TILT TRUCKS

No.	Color	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG102641*	BLA	Towable Trainable Tilt Truck, Heavy-Duty (RM)	91.25" l x 45" w x 51.75" h	1½ cu yd	2,100 lb	243.8 lb	231.8 cm x 114.3 cm x 131.4 cm	1.1 m³	952.5 kg	110.6 kg	1

^ Requires 3 week lead time and is not returnable.

* Pneumatic Wheels RM = Rotational Molded

Forkliftable Tilt Trucks

- Heavy-duty welded fork pockets allow easy transportation by forklift
- Available in ½, 1, and 1½ cu yd sizes
- Suitable for a variety of work environments

LIDS
pg. 115



FG131542

½ CUBIC YARD TILT TRUCKS

No.	Color	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG130542	BLA	Forkliftable Tilt Truck, Standard Duty (RM)	60.5" l x 28" w x 38.63" h	½ cu yd	850 lb	77.0 lb	153.7 cm x 71.1 cm x 98.1 cm	0.4 m³	385.6 kg	34.9 kg	1

1 CUBIC YARD TILT TRUCKS

No.	Color	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG131542	BLA	Forkliftable Tilt Truck, Standard Duty (RM)	72.25" l x 33.5" w x 43.75" h	1 cu yd	1,250 lb	124.0 lb	183.5 cm x 85.1 cm x 111.1 cm	.8 m³	567.0 kg	56.2 kg	1

1½ CUBIC YARD TILT TRUCKS

No.	Color	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG102542*	BLA	Forkliftable Tilt Truck, Standard Duty (RM)	80.5" l x 43" w x 49.5" h	1½ cu yd	1,200 lb	212.0 lb	204.5 cm x 109.2 cm x 125.7 cm	1.1 m³	544.3 kg	96.2 kg	1

^ Requires 3 week lead time and is not returnable.

RM = Rotational Molded

Self-Dumping Hoppers

Large capacity hoppers store and dump heavy loads with ease.

- Forklift compatible for elevated dumping
- Tilts a full 30° below horizontal to ensure complete dumping
- Pull-release safety latch prohibits premature dumping
- Rugged, functional plastic body positioned on heavy-duty metal frame
- Resists rusting, denting, and pitting that can affect metal hoppers
- Mobile models use four 6" polyolefin casters
- Optional lid available for FG106400 and FG106443 models



FG105443



FG106400

½ CUBIC YARD TILT TRUCKS

No.	Color	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG105400	BLA	Self-Dumping Hopper	55" l x 26.25" w x 40" h	½ cu yd	750 lb	194.0 lb	139.7 cm x 66.7 cm x 101.6 cm	.4 m ³	340.2 kg	88 kg	1
FG105443	BLA	Self-Dumping Hopper with four 6" dia (15.2 cm) Polyolefin Casters	55" l x 26.25" w x 47.63" h	½ cu yd	750 lb	212.0 lb	139.7 cm x 66.7 cm x 121 cm	.4 m ³	340.2 kg	96.2 kg	1

1 CUBIC YARD TILT TRUCKS

No.	Color	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG105900	BLA	Self-Dumping Hopper	71.5" l x 31.25" w x 44.88" h	1 cu yd	1,000 lb	230.0 lb	181.6 cm x 79.4 cm x 114 cm	.8 m ³	453.6 kg	104.3 kg	1
FG105943	BLA	Self-Dumping Hopper with four 6" dia (15.2 cm) Polyolefin Casters	71.5" l x 31.25" w x 52.5" h	1 cu yd	1,000 lb	247.0 lb	181.6 cm x 79.4 cm x 133.4 cm	.8 m ³	453.6 kg	112 kg	1

1½ CUBIC YARD TILT TRUCKS

No.	Color	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG106400 ^a	BLA	Self-Dumping Hopper	83.63" l x 42.88" w x 49.13" h	1½ cu yd	1,000 lb	307.0 lb	212.4 cm x 108.9 cm x 124.8 cm	1.1 m ³	453.6 kg	139.3 kg	1
FG106443 ^a	BLA	Self-Dumping Hopper with four 6" dia (15.2 cm) Polyolefin Casters	83.63" l x 42.88" w x 56.25" h	1½ cu yd	1,000 lb	360.5 lb	212.4 cm x 108.9 cm x 142.9 cm	1.1 m ³	453.6 kg	163.5 kg	1

2 CUBIC YARD TILT TRUCKS

No.	Color	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG106900 ^a	BLA	Self-Dumping Hopper	83.88" l x 46" w x 49.5" h	2 cu yd	1,000 lb	303.2 lb	213.1 cm x 116.8 cm x 125.7 cm	1.5 m ³	453.6 kg	137.5 kg	1
FG106943 ^a	BLA	Self-Dumping Hopper with four 6" dia (15.2 cm) Polyolefin Casters	83.88" l x 46" w x 57.63" h	2 cu yd	1,000 lb	353.0 lb	213.1 cm x 116.8 cm x 146.4 cm	1.5 m ³	453.6 kg	160.1 kg	1

2½ CUBIC YARD TILT TRUCKS

No.	Color	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG107400 ^a	BLA	Self-Dumping Hopper	83.5" l x 55" w x 49.5" h	2½ cu yd	1,000 lb	304.5 lb	212.1 cm x 139.7 cm x 125.7 cm	1.9 m ³	453.6 kg	138.1 kg	1
FG107443 ^a	BLA	Self-Dumping Hopper with four 6" dia (15.2 cm) Polyolefin Casters	83.5" l x 55" w x 56.63" h	2½ cu yd	1,000 lb	376.0 lb	212.1 cm x 139.7 cm x 143.8 cm	1.9 m ³	453.6 kg	170.5 kg	1

SELF-DUMPING HOPPER LID

No.	Color	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG102700	BLA	Lid for FG102500, FG102542, FG102600, FG102641 & FG106400	82.88" l x 44.5" w x 3" h			32.8 lb	210.5 cm x 113 cm x 7.6 cm			14.9 kg	1

^a Requires 3 weeks lead time and are non-returnable.

WHEN ORDERING PRODUCTS WITH BOLD COLOR CODES, PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER. SEE PAGE 259 FOR THE PRODUCT COLOR GUIDE.

Cube Trucks

A complete line of trucks for waste collection, material transport, and laundry handling, with the durability of Rotational Molding technology.

- Diamond caster pattern provides superior maneuverability
- Towable trainable model offers corner casters
- Standard duty models designed to support USDA Meat & Poultry Equipment Compliance
- Assists in complying with HACCP guidelines
- Spring platform option elevates contents for easier loading and unloading
- Heavy-duty utility models include metal body support band
- Optional hinged domed lid available

New Colors!



FG461200 / FG461300



FG472741

8 CUBIC FOOT (6.4 BUSHEL)

No.	Color	Description	U.S. Dimensions	U.S. Bushel (BU)	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG460800	WHT, DBLUE, BLA, YEL, RED	Cube Truck	38" l x 26" w x 28.13" h	6.4	8 cu ft	300 lb	36.0 lb	96.5 cm x 66 cm x 71.5 cm	.2 m ³	136.1 kg	16.3 kg	1
FG470800	BLA	Utility Truck, Heavy-Duty with 4" dia (10.2 cm) Casters	38.38" l x 26" w x 28.25" h	6.4	8 cu ft	700 lb	48.0 lb	97.5 cm x 66 cm x 71.8 cm	.2 m ³	317.5 kg	21.8 kg	1

12 CUBIC FOOT (9.6 BUSHEL)

No.	Color	Description	U.S. Dimensions	U.S. Bushel (BU)	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG461200	WHT, DBLUE, BLA, YEL, RED	Cube Truck	42.75" l x 28" w x 33" h	9.6	12 cu ft	400 lb	40.0 lb	108.6 cm x 71.1 cm x 83.8 cm	.3 m ³	181.4 kg	18.1 kg	1
FG471200	BLA	Utility Truck, Heavy-Duty with 4" dia (10.2 cm) Casters	43.25" l x 28" w x 33.88" h	9.6	12 cu ft	800 lb	62.3 lb	109.9 cm x 71.1 cm x 86.1 cm	.3 m ³	362.9 kg	28.3 kg	1

14 CUBIC FOOT (11.3 BUSHEL)

No.	Color	Description	U.S. Dimensions	U.S. Bushel (BU)	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG461100	BLA	Spring Platform Truck	44.13" l x 31" w x 32.5" h	11.3	14 cu ft	500 lb	60.0 lb	112.1 cm x 78.7 cm x 82.6 cm	.4 m ³	226.8 kg	27.2 kg	1
FG461400	WHT, BLUE, BLA, YEL, RED	Cube Truck	44.13" l x 31" w x 32.5" h	11.3	14 cu ft	500 lb	47.0 lb	112.1 cm x 78.7 cm x 82.6 cm	.4 m ³	226.8 kg	21.3 kg	1

16 CUBIC FOOT (12.9 BUSHEL)

No.	Color	Description	U.S. Dimensions	U.S. Bushel (BU)	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG461600	WHT, DBLUE, BLA, YEL, RED	Cube Truck	43.75" l x 31" w x 37" h	12.9	16 cu ft	500 lb	51.0 lb	111.1 cm x 78.7 cm x 94 cm	.5 m ³	226.8 kg	23.1 kg	1
FG461673	BLUE	Recycling Cube Truck	43.75" l x 31" w x 37" h	12.9	16 cu ft	500 lb	51.0 lb	111.1 cm x 78.7 cm x 94 cm	.5 m ³	226.8 kg	23.1 kg	1
FG471600	BLA	Utility Truck, Heavy-Duty with 5" dia (12.7 cm) Casters	44.38" l x 31" w x 38.25" h	12.9	16 cu ft	1,000 lb	74.3 lb	112.7 cm x 78.7 cm x 97.2 cm	.5 m ³	453.6 kg	33.7 kg	1

20 CUBIC FOOT (16.1 BUSHEL)

No.	Color	Description	U.S. Dimensions	U.S. Bushel (BU)	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG461900	BLA, BLUE, YEL, RED	Cube Truck	48" l x 34.13" w x 36.5" h	16.1	20 cu ft	600 lb	60.0 lb	121.9 cm x 86.7 cm x 92.7 cm	.6 m ³	272.2 kg	27.2 kg	1
FG461800	BLA	Spring Platform Truck	48" l x 34.13" w x 36.5" h	16.1	20 cu ft	600 lb	75.0 lb	121.9 cm x 86.7 cm x 92.7 cm	.6 m ³	272.2 kg	34 kg	1
FG472000	BLA	Utility Truck, Heavy-Duty w/ 5" dia (12.7 cm) Casters	48.25" l x 34.13" w x 37.88" h	16.1	20 cu ft	1,200 lb	84.8 lb	122.6 cm x 86.7 cm x 96.2 cm	.6 m ³	544.3 kg	38.5 kg	1

27 CUBIC FOOT (21.7 BUSHEL)

No.	Color	Description	U.S. Dimensions	U.S. Bushel (BU)	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG472700	BLA	Utility Truck, Heavy-Duty w/ 5" dia (12.7 cm) Corner Casters	59" l x 34" w x 42.88" h	21.7	27 cu ft	1,200 lb	105.0 lb	149.9 cm x 86.4 cm x 108.9 cm	.8 m ³	544.3 kg	47.6 kg	1
FG472741*	BLA	Towable Utility Truck, Heavy-Duty	59" l x 34" w x 42.88" h	21.7	27 cu ft	1,200 lb	120.0 lb	149.9 cm x 86.4 cm x 108.9 cm	.8 m ³	544.3 kg	54.4 kg	1

* Requires 2 weeks lead time and are non-returnable.

REPLACEMENT SPRING KIT

No.	Color	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Ship Wt/Ctn	Pack
FG461000	0000	Spring Kit for 4611, 4614 Trucks	34.2" l x 21.2" w x 0.5" h	12.0 lb	5.4 kg	1
FG462500	0000	Spring Kit for 4618, 4619 Trucks	37.7" l x 24" w x 0.5" h	15.0 lb	6.8 kg	1

LIDS FOR CUBE TRUCKS & HEAVY-DUTY UTILITY TRUCKS

No.	Color	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Ship Wt/Ctn	Pack
FG460900*	BLA	Lid for FG460800 Cube Truck and FG470800 Heavy-Duty Utility Truck	38.38" l x 25.75" w x 8.5" h	13.5 lb	6.1 kg	1
FG461300*	BLA	Lid for FG461200 Cube Truck and FG471200 Heavy-Duty Utility Truck	43.13" l x 27.5" w x 8.5" h	15.1 lb	6.8 kg	1
FG461500*	BLA	Lid for FG461400 & FG461600 Cube Trucks & FG471600 Heavy-Duty Utility Truck	44.13" l x 31" w x 8.5" h	17.2 lb	7.8 kg	1
FG461700*	BLA	Lid for FG461900 Cube Truck and FG472000 Heavy-Duty Utility Truck	48.5" l x 34" w x 8.5" h	18.8 lb	8.5 kg	1
FG472600	BLA	Lid for FG472700, FG472741 Heavy-Duty Utility Truck	59.88" l x 34.5" w x 5" h	19.9 lb	9 kg	1

* Custom colors available; contact your local Sales Representative.

Heavy-Duty Tractor Carts

Versatile carts to carry almost any load.

- Three sizes to suit a variety of uses
- Smooth, seamless interior makes dumping and cleaning easy
- Heavy-duty Structural Foam construction for durability
- Oversized pneumatic tires easily maneuver through rough terrain
- Hefty carbon-steel axle helps increase load-bearing effectiveness



FG566261



FG566000

No.	Color	Description	U.S. Dimensions	U.S. Load	U.S. Size	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Load	Metric Size	Metric Ship Wt/Ctn	Pack
FG566000	BLA	10 Cu. Ft. Tractor Cart (Assembled)	68" l x 35.5" w x 29.5" h	1,200 lb	10 cu ft	101.7 lb	172.7 cm x 90.2 cm x 74.9 cm	554 kg	.28 m ³	46.1 kg	1
FG566261	BLA	8 Cu. Ft. Tractor Cart (Unassembled)	60" l x 39.25" w x 25" h	750 lb	8 cu ft	62.5 lb	152.4 cm x 99.7 cm x 63.5 cm	340.2 kg	.226 m ³	28.3 kg	1
FG566361	BLA	15 Cu. Ft. Tractor Cart (Unassembled), Gray	75.9" l x 39.5" w x 33.25" h	1,500 lb	15 cu ft	111.7 lb	192.8 cm x 100.3 cm x 84.5 cm	680 kg	.424 m ³	50.7 kg	1
51566000		Axle for FG566000, FG566061									1
M1566000		Wheel for FG566000, FG566061									1
M1566200		Wheel for FG566261									1
20566300		Wheel for FG566361									1
50566200		Axle for FG566261									1
50566300		Axle for FG566361									1

Big Wheel® Carts

Designed for heavy-duty, long-lasting use.

- Smooth, all-plastic, one-piece tub construction is easy to dump and clean
- Large pneumatic wheel provides maneuverability (FG564200)
- Large 20" semi-pneumatic wheels roll smoothly over rough surfaces (FG565461)
- FG565461 has a weighted load capacity of 200 lbs and holds up to 3.5 cu ft (.09 m³) level capacity or 4.0 cu ft (.11 m³) heaped capacity
- FG564200 has a weighted load capacity of 300 lbs and holds up to 7.5 cu ft (.2 m³) level capacity or 8.75 cu ft (.25 m³) heaped capacity



5642



No.	Color	Description	U.S. Dimensions	U.S. Load	U.S. Size	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Load	Metric Size	Metric Ship Wt/Ctn	Pack
FG564200	BLA	7.5 Cu. Ft. Big Wheel® Cart	58" l x 32.75" w x 28.25" h	300 lb	7.5 cu ft	45.2 lb	147.3 cm x 83.2 cm x 71.8 cm	136 kg	.21 m ³	20.5 kg	1
FG564261	BLA	7.5 Cu. Ft. Big Wheel® Cart (Unassembled)	58" l x 32.75" w x 28.25" h	300 lb	7.5 cu ft	49.3 lb	147.3 cm x 83.2 cm x 71.8 cm	136 kg	.21 m ³	22.4 kg	1
FG565461	BLA	3.5 Cu. Ft. Big Wheel® Cart (Unassembled)	47" l x 27.5" w x 24.75" h	200 lb	3.5 cu ft	38.2 lb	119.4 cm x 69.9 cm x 62.9 cm	90.7 kg	.09 m ³	17.3 kg	1
M1564200		Wheel for FG564200, FG564261									1
M1565400		Wheel for FG565461									1
22564210		Wheel for FG564210									1
50565400		Axle for FG565461									1
52564200		Axle for FG564200, FG564261				4.93 lb					1

WHEN ORDERING PRODUCTS WITH BOLD COLOR CODES, PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER. SEE PAGE 259 FOR THE PRODUCT COLOR GUIDE.

Heavy-Duty Big Wheel® Cart

Suitable for industrial, commercial, and agricultural work.

- Lightweight Low Wheel Cart (FG564000) carries loads up to 300 lbs
- Strong, durable one-piece construction carries up to 700 lbs (FG564210)
- High-flotation, 8" wide wheels provide easy mobility over most surfaces
- Reinforced steel axle for heavy-duty hauling



FG564210



FG564000

No.	Color	Description	U.S. Dimensions	U.S. Load	U.S. Size	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Load	Metric Size	Metric Ship Wt/Ctn	Pack
FG564000	BLA	7.5 Cu. Ft. Low Wheel Cart (Unassembled)	58" l x 33.75" w x 28.25" h	300 lb	7.5 cu ft	45.8 lb	147.3 cm x 85.7 cm x 71.8 cm	136 kg	.21 m³	20.8 kg	1
FG564210	BLA	7.5 Cu. Ft. Heavy-Duty Big Wheel® Cart	57" l x 41" w x 26" h	700 lb	7.5 cu ft	55.0 lb	144.8 cm x 104.1 cm x 66 cm	317 kg	.21 m³	24.9 kg	1
22564210		Wheel for 5642-10									1
20564020		Wheel for 5640									1
50564205		Axle for 5640									1

Contractor-Grade Wheelbarrows

Engineered for tough, durable performance.

- Smooth, one-piece seamless pan prevents leaking
- Long-lasting hardwood handles for added strength and steady handling
- Durable, oversized pneumatic tire maneuvers easily
- Carries up to 200 lbs



FG565861



FG565961

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG565861	BLA	6.5 Cu. Ft. Contractor Wheelbarrow (Unassembled)	60" l x 27" w x 27.5" h	6.5 cu ft	50.7 lb	152.4 cm x 68.6 cm x 69.9 cm	.18 m³	23 kg	1
FG565961	BLA	6.5 Cu. Ft. Two-Wheel Contractor Wheelbarrow (Unassembled)	60" l x 27" w x 27.5" h	6.5 cu ft	57.5 lb	152.4 cm x 68.6 cm x 69.9 cm	.18 m³	26.1 kg	1
53565800		Axle for 5658-61							1
70565900		Axle for 5659-61							1
925658C1	BLA	Axle Retainer for 5658-61							2
925659C1	BLA	Axle Retainer for 5659-61							2
M1565800		Wheel for 5658-61							1
M1565900		Wheel for 5659-61							1
NP565804		Wheelbarrow Handle Kit (2 wood handles) fits 5658 & 5659							1

Utility Lawn Carts

Designed to move loads quickly and easily.

- Easy to lift and dump; handle features molded-in tool/beverage holder
- Smooth interior is easy to clean
- FG370712907 holds up to 3.25 cu ft (.09 m³) level capacity or 4.5 cu ft (.127 m³) heaped capacity
- FG370612714 holds up to 4.5 cu ft (.127 m³) level capacity or 5.75 cu ft (.16 m³) heaped capacity



FG370612714



FG370712907

No.	Color	Description	U.S. Dimensions	U.S. Load	U.S. Size	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Load	Metric Size	Metric Ship Wt/Ctn	Pack
FG370612714	714	4.5 Cu. Ft. Roughneck Lawn Cart Pallet, Green	48" l x 23.5" w x 28" h	200 lb	4.5 cu ft	235.9 lb	121.9 cm x 59.7 cm x 71.1 cm	90.7 kg	.13 m³	107 kg	12
FG370712907	907	3.25 Cu. Ft. Roughneck Lawn Cart Pallet, Platinum	42.5" l x 21" w x 28" h	200 lb	3.25 cu ft	195.6 lb	108 cm x 53.3 cm x 71.1 cm	90.7 kg	.09 m³	88.7 kg	12