



FOOD STORAGE

ProSave™ Ingredient Management System	230
Racks for Shelf Ingredient Bins.....	231
Dunnage Racks.....	231
BRUTE® Ingredient Containers	232
ProSave™ Dual Action Food Box Lids	234
Food Box Accessories.....	234
Food Boxes.....	235
Space Saving Square Containers.....	236
Lids.....	236
Premier Small Capacity Containers.....	237
Round Storage Containers	237
Cold and Heavy-Duty Hot Food Pans	238

FOOD PREPARATION

High Heat Scrapers and Spoons.....	240
Cold Scrapers and Spoons	240
Measuring Cups and Spoons	240
Bouncer® Measuring Cups	241
Bouncer® Portioning Scoops.....	241
Bouncer® Scoops.....	241
BRUTE® GreensKeeper® Containers	242
Cake Keeper	242
BRUTE® "ICE ONLY" Container	242

FOOD TRANSPORT

ProServe™ Ice Handling System	243
ProServe™ Lightweight Insulated Carriers	244
ProServe™ Professional Delivery Bags.....	245
CaterMax™ Insulated Carriers	245
ProServe™ Sheet Pan Rack System.....	246
ProServe™ Racks and Carts	246
Convertible Utility Cart.....	247
Executive Service Cart.....	248
Service Carts.....	248
Xtra™ Carts.....	249
Heavy-Duty Utility Carts.....	249
Heavy-Duty Platform Truck.....	250
Triple® Trolley.....	250
Stack & Nest Palletote® Boxes	250

BEVERAGE AND TABLE SERVICE

Bus/Tote Boxes.....	251
Cutlery Bin.....	251
Condiment Dispensers	251
Bouncer® Pitchers	252
Covered Pitchers.....	252
Beverage Dispensers.....	252
Insulated Cold Beverage Dispensers	252

YOUTH SERVICE

Sturdy Chair™ Youth Seats with Microban® Antimicrobial Protection	253
Baby Changing Stations with Antimicrobial Protection.....	254

MONITORING SOLUTIONS

High Performance Digital Portion Control Scales.....	255
Compact Digital Portion Control Scales	255
Digital Ingredient Portion Control Scales... ..	255
Baker's Beam Scales.....	255
Portion Control Scales, Mechanical	256
Scales, Washable	256
Y-Line Mechanical Portion Control Scales.. ..	257
Compact Portion Control Scales	257
Hanging Scales	257
Digital Receiving / Utility Scales.....	258
Briefcase / Utility Mechanical Receiving Scales	258
Platform Receiving Scales	258

SMARTER FOODSERVICE

At Rubbermaid Commercial Products we're passionate about foodservice. We understand that food freshness and overall quality are the key ingredients you need to create and execute an exceptional experience for your customer. As the industry leader in innovative, solutions-based commercial products, our broader mission is to provide meaningful and smart solutions to meet all of your operational needs. Our commitment to you is to provide an array of innovative solutions to help you succeed in your goal of creating the highest quality experience for your guests at the lowest overall cost to you.

OUR COMMITMENT TO SAFETY

You can depend on Rubbermaid's patent-pending designs and award-winning products to help you meet industry standards for preparing, serving, storing, and transporting food safely.

OUR COMMITMENT TO SUSTAINABILITY



Rubbermaid Commercial Products is committed to products, methods and programs that help people live and work in more environmentally sustainable ways. All RCP products marked with the leaf symbol indicate products specifically designed to support sustainable business practices and/or contain post-consumer recycled content. One more way Rubbermaid Commercial Products helps you Work Smarter every day.



ProSave™ Dual Action Food Box Lids (see page 234)



100 Cup Safety Storage Bin (see page 230)



SAFE TRANSPORT OF ICE

Rubbermaid's ProServe™ Ice Handling System (patent-pending) reduces the risk of cross-contamination and helps improve worker safety.



ProServe™ Ice Handling System (see page 243)

Critical Control Points (CCP's)

A. Receiving of Goods

Problems

- Slow handling of food can lead to a temperature control failure.



RCP Solutions

- Handle quickly and efficiently with dollies and trucks.



Heavy-Duty Utility Carts



Convertible Utility Cart

G. Cleaning

Problems

- Residues on hard-to-clean metal pans: bacteria build-up.
- Inappropriate equipment: inefficient cleaning.
- Area not disinfected efficiently after work.



RCP Solutions

- Non sticking PC GN Food Pans.
- Rubbermaid HYGEN™ Microfiber Cleaning System helps cleaning and disinfecting quickly and efficiently.
- Color coded equipment.



GN Food Pans



Microfiber System

F. Waste Management

Problems

- Inappropriate waste handling can result in cross-contamination because of contact with contaminated waste.



RCP Solutions

- Step-on Containers with foot operation avoids contact between hand and contaminated waste.



Step-on Containers

E. Transportation and Serving

Problems

- Transportation: inadequate insulated carriers will not maintain food in the safe zone.
- Dented metal food pans favour bacteria build-up.
- Inappropriate usage of ice handling utensils increases the risk of mold/bacteria growth.



RCP Solutions

- Transportation: ProServe™, Insulated Carriers and CaterMax™ ensure food remains in safe zone during holding.
- GN hard and soft lids protect contents from physical hazards.
- ProServe™ Ice Handling System has hand guards/protective attributes reduces the risk of foodborne illness.



GN Food Pans




CaterMax™ Insulated Carriers



ProServe™ Insulated Carriers



ProServe™ Ice Handling System



B. Bulk Storage of Ingredients

Problems

- Missing or scoops stored in ingredients.
- Putting new ingredients on top of old.
- Uncovered storage leads to insect or rodent infestation.
- Contamination and deterioration before use.



RCP Solutions

- Dedicated internal scoop storage.
- FIFO control for ingredient rotation and freshness.
- Keep ingredients dry and safe from external contamination.
- Choose adapted containers in size and material. (Polyethylene materials wash easily)



ProSave™ Sliding Lid with BRUTE® Containers

ProSave™ Ingredient Bins

BRUTE® Greenskeeper® Container

What is HACCP?

- Stands for Hazard Analysis Critical Control Points.
- It's a Process Control system.
- It is a protocol that provides guidelines.
- But it is not a legislation or law itself.

Why comply with HACCP guidelines?

- To avoid food contamination in Food Preparation Process.
- To prevent any unsafe food from leaving the process (this process could be for a food processing plant or food preparation in a restaurant).

C

C. Food Preparation and Small Storage

Problems

- Improperly stored food leads to cross contamination.
- Improperly covered food leads to spoilage.



RCP Solutions

- Use covers on all storage containers for safety.
- Store products with ready to eat foods above raw foods to reduce risk of cross contamination.
- Use only NSF certified storage containers and carts for reduced risk of cross-contamination.



ProSave™ Shelf Ingredient Bins

ProSave™ Racks and Carts, GN Pans

ProSave™ Dual Action Food Box Lid

How does it work?

- Conduct a hazard analysis
They can be :
 - Biological (eg. salmonella)
 - Physical (eg. glass in food)
 - Chemical (eg. cleaning chemical)
- Determine Critical Control Points (CCP's).**
- Establish critical limits.
- Monitor control of CCP's.
- Establish pre-planned corrective actions to be taken.
- Establish procedures for verifying that the system is working.
- Establish a document and record keeping procedures.

D

D. Cooking

Problems

- Metal pans dent, creating room for bacterial build-up.
- Utensils can melt in preparation = physical hazard.



RCP Solutions

- Straight from preparation to cooking. One GN Container for all preparations : Preparing > Storing > Cooking > Cooling > Transporting.
- Heat suitable High Heat Scrapers enable secure cooking of hot preparations.



GN Food Pans

High Heat Scrapers

Comply with HACCP Guidelines.

- YOU** avoid costs associated with poor food hygiene.
- YOU** protect your reputation and image.

ProSave™ Ingredient Management System

INGREDIENT BINS

Improved productivity through patented integrated lid and scoop system.

- Integrated lid and measuring scoop allows for quick one-handed access to stored ingredients
- Clear window for fast ingredient identification and inventory management
- Certified to NSF/Ansi/3-A and 2 Standards
- Commercial dishwasher safe
- Complies with FDA Food code 3-304.12 to increase inspection score

SHELF INGREDIENT BINS (additional features)

The only storage system to access ingredients when stacked.

- One-handed access while stacked improves space efficiency
- FIFO (First In First Out) barrier for proper food rotation improves food quality



Dedicated internal scoop storage meets safety compliance.



Speed up food preparation with one-handed access.



Ensures proper food rotation with FIFO barrier.

55%

PRODUCTIVITY SAVINGS

with one-handed access



See it in ACTION
www.rubbermaidprosave.com

SCOOPS INCLUDED WITH BINS!



FG9G6000
40 Cups
10 lbs flour



FG9G5700
100 Cups
25 lbs flour



FG9G5800
200 Cups
50 lbs flour



FG360088
400 Cups
125 lbs flour



FG360288
500 Cups
150 lbs flour



FG360388
600 Cups
175 lbs flour

PROSAVE™ INGREDIENT BINS

No.	Color	Description	U.S. Capacity (gal/cu. ft)	U.S. Flour/ Sugar Capacity	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Capacity	Metric Flour/ Sugar Capacity	Metric Dimensions	Metric Ship Wt/ Ctn	Pack
FG9G6000	WHT	40 Cup Shelf Ingredient Bin with 1/2 Cup Scoop	2.63 gal .33 cu ft	Flour: 13 lb Sugar: 17 lb	15" l x 11.75" w x 8.5" h	3.30 lbs	.12 m ³	Flour: 11.34 kg Sugar: 22.68 kg	38.1 cm x 29.8 cm x 21.6 cm	1.5 kg	1
FG9G5700	WHT	100 Cup Shelf Ingredient Bin with 2 Cup Scoop	6.25 gal .836 cu ft	Flour: 25 lb Sugar: 50 lb	23.5" l x 11.5" w x 16.88" h	13.25 lbs	.08 m ³	Flour: 11.34 kg Sugar: 22.68 kg	59.7 cm x 29.2 cm x 42.9 cm	6.01 kg	1
FG9G5800	WHT	200 Cup Shelf Ingredient Bin with 2 Cup Scoop	12.63 gal 1.67 cu ft	Flour: 50 lb Sugar: 100 lb	23.5" l x 19.2" w x 16.88" h	18.5 lbs	.10 m ³	Flour: 22.68 kg Sugar: 45.36 kg	59.7 cm x 48.8 cm x 42.9 cm	8.39 kg	1
FG360088	WHT	Slant Front Ingredient Bin with Sliding Lid and 32 oz (0.9 L) Scoop	20.5 gal 2.75 cu ft	Flour: 124 lb Sugar: 158 lb	29.25" l x 13.13" w x 28" h	27.7 lb	.08 m ³	Flour: 56.3 kg Sugar: 72.7 kg	74.3 cm x 33.4 cm x 71.1 cm	12.6 kg	1
FG360100	WHT	Flat Top Ingredient Bin with Sliding Hinged Lid	28 gal 3.75 cu ft	Flour: 139 lb Sugar: 178 lb	22" l x 22" w x 23" h	29.1 lb	.11 m ³	Flour: 63.1 kg Sugar: 80.8 kg	55.9 cm x 55.9 cm x 58.4 cm	13.2 kg	1
FG360288	WHT	Slant Front Ingredient Bin with Sliding Lid and 32 oz (0.9 L) Scoop	26.2 gal 3.5 cu ft	Flour: 154 lb Sugar: 197 lb	29.5" l x 15.5" w x 28" h	32.7 lb	.1 m ³	Flour: 69.9 kg Sugar: 89.4 kg	74.9 cm x 39.4 cm x 71.1 cm	14.8 kg	1
FG360388	WHT	Slant Front Ingredient Bin with Sliding Lid and 32 oz (0.9 L) Scoop	30.8 gal 4.12 cu ft	Flour: 188 lb Sugar: 240 lb	29.75" l x 18" w x 28" h	38.7 lb	.12 m ³	Flour: 85.3 kg Sugar: 108.9 kg	75.6 cm x 45.7 cm x 71.1 cm	17.6 kg	1

PROSAVE™ LIDS WITH SCOOPS

No.	Color	Description	U.S. Dimensions	Fits Rubbermaid® Ingredient Bin	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/Ctn	Pack
FG9F7700	CLR	Sliding Lid with 32 oz (0.9 L) Scoop for FG360088 Ingredient Bin	29" l x 12.1" w x 1.9" h	3600	5.8 lb	73.7 cm x 30.7 cm x 4.8 cm	2.6 kg	1
FG9F7800	CLR	Sliding Lid with 32 oz (0.9 L) Scoop for FG360288 Ingredient Bin	29" l x 14.5" w x 1.9" h	3602	6.5 lb	73.7 cm x 36.8 cm x 4.8 cm	2.9 kg	1
FG9F7900	CLR	Sliding Lid with 32 oz (0.9 L) Scoop for FG360388 Ingredient Bin	29" l x 17.2" w x 1.9" h	3603	7.4 lb	73.7 cm x 43.7 cm x 4.8 cm	3.4 kg	1

WHEN ORDERING PRODUCTS WITH BOLD COLOR CODES, PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER. SEE PAGE 259 FOR THE PRODUCT COLOR GUIDE.

Racks for Shelf Ingredient Bins

Store and transport bins efficiently throughout the operation.

- Maximize space for kitchen preparation and storeroom for ingredient storage
- Racks designed to hold and transport 200 lbs. per shelf*
- 5" non-marking casters for safe transport
- Locating bar on shelf to secure bins during transport
- Customize your shelf ingredient bins in storage with different configurations

SCOOPS INCLUDED WITH BINS!



FG9G8100
Rack
Wall Mounted



FG9G5900
Rack
28" Wide



FG9G7900
Rack
38" Wide



FG9G8000
Rack
50" Wide

RACKS FOR PROSAVE™ SHELF INGREDIENT BINS

No.	Color	Description		US Depth	US Width	US Height	Case Weight (lbs)	Metric Depth	Metric Width	Metric Height	Case Weight (kg)	Case Pack
FG9G5900	CHRM	Cart for Shelf Ingredient Bins	2-Shelves, Each Shelf Holds (4) FG9G6000 , (2) FG9G5700 or (1) FG9G5800	18"	26"	47.75"	37.5 lbs	45.7 cm	66 cm	121.3 cm	17 kg	1
FG9G7900	CHRM	Mobile Rack for Shelf Ingredient Bins, 38" wide	3-Shelves, Each Shelf Holds (6) FG9G6000 , (3) FG9G5700 or (1) FG9G5800	18"	38"	48.276"	43.8 lbs	35.6 cm	96.5 cm	122.6 cm	19.9 kg	1
FG9G8000	CHRM	Mobile Rack for Shelf Ingredient Bins, 50" wide	4-Shelves, Each Shelf Holds (8) FG9G6000 , (4) FG9G5700 or (2) FG9G5800	18"	50"	67.157"	76 lbs	45.7 cm	127 cm	170.5 cm	3405 kg	1
FG9G8100	CHRM	Wall Mounted Rack for Shelf Ingredient Bin (FG9G6000 only)*	Shelf Holds (1) FG9G6000	10.5"	10.63"	7.13"	5.2 lbs	26.7 cm	27 cm	18.1 cm	2.4 kg	2

SCOOPS

No.	Color	Description	Cups (Liters)	US Depth	US Width	US Height	Case Weight (lbs)	Metric Depth	Metric Width	Metric Height	Case Weight (kg)	Pack
FG9G8200	WHT	½ Cup Measuring Scoop for FG9G6000 Shelf Ingredient Bin	½ Cup, (0,12)	7.38"	3.38"	1.50"	1.05 lbs	18.7 cm	8.6 cm	3.8 cm	.48 kg	12
FG9F7500	CLR	BOUNCER® Contour Scoop for FG360088, FG360288, FG360388 Ingredient Bins and FG9G7700	32 oz, (0,95)	10.8"	4.8"	4.7"	4.2 lbs	27.4 cm	12.2 cm	12 cm	1.9 kg	6
FG9F7600	CLR	BOUNCER® Contour Scoop for FG360088, FG360288, FG360388 Ingredient Bins and FG9G7800	64 oz, (1,90)	13.44"	5.89"	6.0"	6.2 lbs	34.1 cm	15 cm	15.2 cm	2.8 kg	6
FG9G5100	CLR	BOUNCER® Portioning Scoop for FG9G5700 , FG9G5800 Shelf Ingredient Bins and FG9G7600, FG9G7300	2 Cups, (0,47)	4.6"	5.1"	5.25"	3.2 lbs	11.7 cm	13 cm	13.3 cm	1.4 kg	12
FG9G5200	CLR	BOUNCER® Portioning Scoop for FG9G7700, FG9G7400 Sliding Lid	3 Cups, (0,71)	6"	5.1"	5.70"	4.0 lbs	15.2 cm	13 cm	14.5 cm	1.8 kg	12
FG9G5300	CLR	BOUNCER® Portioning Scoop for FG9G7800, FG9G7500 Sliding Lid	4 Cups, (0,95)	6"	5.60"	6.60"	5.0 lbs	15.2 cm	14.2 cm	16.8 cm	2.3 kg	12

Dunnage Racks

Perfect for storing frozen, cold, or dry goods off of the floor.

- Slotted deck allows maximum air circulation for perishable or dry goods



- **FREEZER SAFE**
Withstands temperatures from -20° to 120° F.



- **MEETS NSF FOOD SAFETY GUIDELINES**
12" high deck meets food safety guidelines; NSF approved.

FG449100

- **RUGGED CONSTRUCTION**
Duramold's™ exclusive, precision-engineered resin and rust resistant aluminum composite structure provides maximum load support.



No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG448900	BLA	Dunnage Rack (24" x 36")	35.9" l x 24.25" w x 12.5" h	1500 lb	28.0 lb	91.2 cm x 61.6 cm x 31.8 cm	680 kg	12.7 kg	1
FG449000	BLA	Dunnage Rack (24" x 48")	47.88" l x 24.25" w x 12.5" h	2000 lb	35.0 lb	121.6 cm x 61.6 cm x 31.8 cm	907 kg	15.9 kg	1
FG449100	BLA	Dunnage Rack (30" x 60")	59.9" l x 30.25" w x 12.5" h	2000 lb	44.0 lb	152.1 cm x 76.8 cm x 31.8 cm	907 kg	20 kg	1

ProSave™ Ingredient Management System

SLIDING LID FOR BRUTE® INGREDIENT CONTAINERS

Designed for quick one-handed access to ingredients in a high production facility.

- Patent-pending rotating lid allows for one-handed access
- Dedicated internal scoop storage complies with food code for safe access
- Hook options for 32 and 64 oz. Contour Scoop allows for ingredient access flexibility
- Clear windows for fast ingredient identification and inventory management
- Certified to NSF/Ansi/3-A and 2 Standards
- Commercial dishwasher safe



See it in ACTION
www.rubbermaidprosave.com



Improve safety compliance with dedicated internal scoop storage.



Enhance food production efficiency with rotating clear lid.



FG264000 Dolly

SCOOPS INCLUDED!



FG9G7600 / FG9G7700 / FG9G7800 Sliding Lid



FG9G7300 100 Cups 25 lbs flour



FG9G7400 250 Cups 75 lbs flour



FG9G7500 400 Cups 125 lbs flour

PROSAVE™ INGREDIENT CONTAINER LIDS

No.	Color	Description	U.S. Depth	U.S. Width	U.S. Height	Case Weight (lbs to kg)	Case Pack
FG9G7600	WHT	Sliding Lid with 2 Cup Scoop (fits FG261000 BRUTE® Container)	17"	17"	4.75"	3.04 lbs (1.38 kg)	1
FG9G7700	WHT	Sliding Lid with 3 Cup Scoop (fits FG262000 BRUTE® Container)	20.75"	20.75"	5"	4.30 lbs (1.95 kg)	1
FG9G7800	WHT	Sliding Lid with 4 Cup Scoop (fits FG263200 BRUTE® Container)	23.50"	23.50"	5.25"	5.25 lbs (2.38 kg)	1

PROSAVE™ INGREDIENT CONTAINER COMBOS

No.	Color	Description	Gallons (Liters)	Cups (Liters)	Cubic ft3 (Meters m3)	Flour (lb to kg)	Sugar (lb to kg)	U.S. Depth	U.S. Width	U.S. Height	Case Weight (lbs to kg)	Pack
FG9G7300	WHT	Sliding Lid w/ 2 Cup Scoop and FG261000 BRUTE® Container COMBO	6.70 (25,36)	100 (23,66)	.90 (15)	33 (15)	46 (21)	16.90"	16.90"	18.90"	7.92 lbs (3.59 kg)	1
FG9G7400	WHT	Sliding Lid w/ 3 Cup Scoop and FG262000 BRUTE® Container COMBO	15.60 (59,05)	250 (59,15)	2.09 (0,06)	78 (35)	109 (49)	20.90"	20.90"	24.80"	10.65 lbs (4.83 kg)	1
FG9G7500	WHT	Sliding Lid w/ 4 Cup Scoop and FG263200 BRUTE® Container COMBO	25.60 (96,90)	400 (94,64)	3.42 (0,10)	128 (58)	178 (81)	23.40"	23.40"	29.30"	14.05 lbs (6.37 kg)	1

PROSAVE™ INGREDIENT CONTAINERS

No.	Color	Description	Gallons (Liters)	Cups (Liters)	Cubic ft3 (Meters m3)	Flour (lb to kg)	Sugar (lb to kg)	U.S. Depth	U.S. Width	U.S. Height	Case Weight (lbs to kg)	Pack
FG261000	WHT	BRUTE® Container without Lid	10 (37,85)	150 (35,49)	1.33 (0,04)	47 (21)	65 (29)	15.63"	15.63"	17.13"	19 lbs (8.62 kg)	6
FG262000	WHT	BRUTE® Container without Lid	20 (75,70)	300 (70,98)	2.66 (0,08)	94 (43)	130 (59)	19.50"	19.50"	22.88"	35 lbs (15.88 kg)	6
FG263200	WHT	BRUTE® Container without Lid	32 (121,12)	500 (118,29)	4.28 (0,12)	156 (71)	217 (98)	22"	22"	27.25"	49.5 lbs (22.45 kg)	6
FG264000	BLA	BRUTE® Dolly for FG9G7400 , FG9G7500 , FG262000 and FG263200						18.25"	18.25"	6.63"	13.1 lbs (5.94 kg)	2

WHEN ORDERING PRODUCTS WITH BOLD COLOR CODES, PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER. SEE PAGE 259 FOR THE PRODUCT COLOR GUIDE.

MATERIAL AND PRODUCT SELECTION GUIDE

Rubbermaid, the leader in food storage, understands the complexity of your business and the multitude of challenges you face on a daily basis managing food costs, time, and labor issues. We offer a wide selection of storage containers in different materials to allow you to choose the right storage container for your operational needs.



PROSAVE™ INGREDIENT BINS

Dry Bulk Food Storage

- Sliding lids and integrated scoops allow for ease of access to ingredients for preparation efficiency
- Promotes food safety compliance



PROSAVE™ FOOD BOX SYSTEM

Dry or Refrigerated Bulk Food Storage

- Efficiently stores and transports bulk foods
- Clarity allows for product identification for easier inventory control and ordering



SPACE SAVING SQUARE CONTAINERS

Prepared Food Storage

- 25% more space efficient than round containers
- Containers have color imprinted measurements for preparation and inventory management



ROUND CONTAINERS

Prepared Food Storage

- Economical, durable, and easy to use
- Round design for improved air circulation during storage



COLD & HEAVY DUTY HOT FOOD PANS

Full Service Containers

- Streamlines operation for storage, preparation, cooking, and serving
- Four lid options available to meet process needs



PREMIER® CONTAINERS

Small Capacity Storage

- Secure space-efficient storage for small ingredients and spices
- Stores from 2 to 14 cups

MATERIAL SELECTION GUIDE

	High Heat Material	Polycarbonate	Polyethylene	Clarified Polypropylene
Temperature	■ Temperature Rated: -40°F to 375°F	■ Temperature Rated: -40°F to 210°F	■ Temperature Rated: -20°F to 150°F	■ Temperature Rated: -20°F to 150°F
Washing	■ Commercial dishwasher safe ■ Approved for use in continuous motion pot washing systems	■ Commercial dishwasher safe	■ Commercial dishwasher safe	■ Commercial dishwasher safe
Cooking	■ Microwave safe ■ Steam table well safe ■ Oven safe up to 375° ■ Not for use with open flame	■ Microwave safe ■ Not for use in steam table wells	Not rated	Not rated
Cooling	■ Cooling and heating rate comparable to stainless steel ■ Cooler to the touch than metal	■ Cooling rate comparable to stainless steel	Not rated	Not rated
Surface	■ Smooth surfaces are easy to clean ■ Stain, odor, and break resistant ■ Non-stick surface for better food release	■ Smooth surfaces are easy to clean ■ Stain, odor, and break resistant ■ Non-stick surface for better food release	■ Smooth surfaces are easy to clean ■ White, transparent ■ Strong, impact resistance	■ Smooth surfaces are easy to clean ■ Contact clear, translucent ■ Good impact resistance
Certification	■ FDA food grade materials ■ NSF Certified ■ EU Certified	■ FDA food grade materials ■ NSF Certified ■ EU Certified	■ FDA food grade materials ■ NSF Certified ■ EU Certified	■ FDA food grade materials ■ NSF Certified ■ EU Certified

*Oven: Up to 375°F

ProSave™ Dual Action Food Box Lids *New!*

Designed with you in mind, the ProSave™ Dual Action Food Box lid helps provide an integrated solution that not only fits all clear food boxes, but slides back or flips-up for proper food storage and freshness, saving you time and money.

- Access food contents without having to remove the lid
- Universal lid fits competitive clear food boxes
- Door slides back or flips up for flexible access
- Reinforced lid corners for durability
- Simple disassembly for commercial dishwashing



See it in ACTION

www.rubbermaidprosave.com

Food Box Accessories

Improve productivity and space efficiency.

DRAIN TRAYS *New!*

- Domed design allows for improved drainage to keep food fresh longer
- Improves airflow circulation
- 2 sizes to fit both 12" x 18" and 18" x 26" food boxes




COLANDERS *New!*

- Easy lift handles (8" only)
- Promotes liquid drainage
- Available in 5" or 8" depth for 18" x 26" clear food boxes



65%
PRODUCTIVITY SAVINGS
with one-handed access



FG330500 / FG331100



FG331400 / FG331800



FG330300



FG333200

PROSAVE™ DUAL ACTION LIDS

No.	Color	Description	U.S. Dimensions	U.S. Ship Weight	Metric Dimensions	Metric Ship Weight	Case Pack
FG330500	CLR	ProSave™ Dual Action Lid*	18" L x 12" W	4.06 lbs	45.7 cm l x 30.5 cm w	1.84 kg	3
FG331100	CLR	ProSave™ Dual Action Lid*	26" L x 18" W	8.13 lbs	66 cm l x 45.7 cm	3.69 kg	3

*Fits clear food boxes

DRAIN TRAYS

No.	Color	Description	U.S. Dimensions	U.S. Ship Weight	Metric Dimensions	Metric Ship Weight	Case Pack
FG331400	CLR	Drain Tray	18" L x 12" W	3.5 lbs	45.7 cm l x 30.5 cm w	1.59 kg	6
FG331800	CLR	Drain Tray	26" L x 18" W	2.9 lbs	66 cm l x 45.7 cm w	1.32 kg	6

COLANDERS

No.	Color	Description	U.S. Dimensions	U.S. Ship Weight	Metric Dimensions	Metric Ship Weight	Case Pack
FG330300	CLR	Colander for Tote Boxes 6" deep or greater	26" L x 18" W x 5" D	26.7 lbs	66 cm l x 45.7 cm w x 12.7 cm d	12.21 kg	6
FG332200	CLR	Colander for Tote Boxes 9" deep or greater	26" L x 18" W x 8" D	27 lbs	66 cm l x 45.7 cm w x 20.3 cm d	12.25 kg	6

WHEN ORDERING PRODUCTS WITH **BOLD** COLOR CODES, PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER. SEE PAGE 259 FOR THE PRODUCT COLOR GUIDE.

Food Boxes

Durable storage solution for food as it flows throughout your facility.

- Crystal clear polycarbonate is stain and odor resistant and allows for visibility of food contents and quality
- White polypropylene containers provide durable and practical solution
- Texturing on corners and base reduces scratching
- Labeling window visible on bases and lids for date and information coding
- Available in standard sizes of 12" x 18" and 18" x 26"

SOLID FLAT LIDS

- Durable lids snap tightly into place during transport and keep foods fresh
- Use lid as a tray when displayed upside down
- Available in clear polycarbonate or white polyethylene



NSF.



POLYCARBONATE FOOD BOXES & LIDS

No.	Color	Description	U.S. Capacity	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Capacity	Metric Dimensions	Metric Ship Wt/ Ctn	Case Pack
FG330600	CLR	Food/Tote Box	5 gal	26" l x 18" w x 3½" d	21.5 lbs	18.9 L	66 cm x 45.7 cm x 8.9 cm	9.8 kg	6
FG330800	CLR	Food/Tote Box	8½ gal	26" l x 18" w x 6" d	30.0 lbs	32.2 L	66 cm x 45.7 cm x 15.2 cm	13.6 kg	6
FG330000	CLR	Food/Tote Box	12½ gal	26" l x 18" w x 9" d	42.9 lbs	47.3 L	66 cm x 45.7 cm x 22.9 cm	19.5 kg	6
FG332800	CLR	Food/Tote Box	16½ gal	26" l x 18" w x 12" d	54.9 lbs	62.9 L	66 cm x 45.7 cm x 30.5 cm	24.9 kg	6
FG330100	CLR	Food/Tote Box	21½ gal	26" l x 18" w x 15" d	66.9 lbs	81.4 L	66 cm x 45.7 cm x 38.1 cm	30.3 kg	6
FG330200	CLR	Lid for FG330000, FG330100, FG330600, FG330800, FG332800 Food/Tote Boxes		26" l x 18" w	16.9 lbs		66 cm x 45.7 cm	7.7 kg	6
FG330700	CLR	Food/Tote Box	2 gal	18" l x 12" w x 3½" d	10.4 lbs	7.6 L	45.7 cm x 30.5 cm x 8.9 cm	4.7 kg	6
FG330900	CLR	Food/Tote Box	3½ gal	18" l x 12" w x 6" d	18.0 lbs	13.2 L	45.7 cm x 30.5 cm x 15.2 cm	8.2 kg	6
FG330400	CLR	Food/Tote Box	5 gal	18" l x 12" w x 9" d	22.1 lbs	18.9 L	45.7 cm x 30.5 cm x 22.9 cm	10 kg	6
FG331000	CLR	Lid for FG330400, FG330700, FG330900 Food/Tote Boxes		18" l x 12" w	7.6 lbs		45.7 cm x 30.5 cm	3.4 kg	6

POLYETHYLENE FOOD BOXES* & LIDS

No.	Color	Description	U.S. Capacity	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Capacity	Metric Dimensions	Metric Ship Wt/ Ctn	Case Pack
FG350600	WHT	Food/Tote Box	5 gal	26" l x 18" w x 3½" d	18.1 lbs	18.9 L	66 cm x 45.7 cm x 8.9 cm	8.2 kg	6
FG350800	WHT	Food/Tote Box	8½ gal	26" l x 18" w x 6" d	23.3 lbs	32.2 L	66 cm x 45.7 cm x 15.2 cm	10.5 kg	6
FG350000	WHT	Food/Tote Box	12½ gal	26" l x 18" w x 9" d	31.7 lbs	47.3 L	66 cm x 45.7 cm x 22.9 cm	14.4 kg	6
FG352800	WHT	Food/Tote Box	16½ gal	26" l x 18" w x 12" d	41.8 lbs	62.9 L	66 cm x 45.7 cm x 30.5 cm	19 kg	6
FG350100	WHT	Food/Tote Box	21½ gal	26" l x 18" w x 15" d	52.9 lbs	81.4 L	66 cm x 45.7 cm x 38.1 cm	24 kg	6
FG350200	WHT	Lid for FG350000, FG350100, FG350600, FG350800, FG352800 Food/Tote Boxes		26" l x 18" w	14.8 lbs		66 cm x 45.7 cm	6.7 kg	6
FG350700	WHT	Food/Tote Box	2 gal	18" l x 12" w x 3½" d	8.2 lbs	7.6 L	45.7 cm x 30.5 cm x 8.9 cm	3.7 kg	6
FG350900	WHT	Food/Tote Box	3½ gal	18" l x 12" w x 6" d	14.0 lbs	13.2 L	45.7 cm x 30.5 cm x 15.2 cm	6.4 kg	6
FG350400	WHT	Food/Tote Box	5 gal	18" l x 12" w x 9" d	17.2 lbs	18.9 L	45.7 cm x 30.5 cm x 22.9 cm	7.8 kg	6
FG351000	WHT	Lid for FG350400, FG350700, FG350900 Food/Tote Boxes		18" l x 12" w	7.1 lbs		45.7 cm x 30.5 cm	3.2 kg	6

*Does not work with ProSave™ Dual Action Lids.

Space Saving Square Containers

Stackable containers store more in less space.

- Square containers store a minimum of 25% more on a shelf than round containers
- Available in break-resistant clear polycarbonate for visibility or durable white polyethylene
- Manage food inventory with easy to read measurement graduations – red for quarts and blue for liters
- Durable handles for easy transport and drain holes for proper washing and drying
- Temperature range for clear containers: -40°F / -40°C to 212°F /100°C
- Temperature range for white containers: -20°F / -28.89°C to 150°F /65.56°C
- Assists in complying with HACCP guidelines
- NSF 3-A Meat and Poultry Equipment and NSF 2 certified
- Commercial dishwasher safe

Lids

- Snap-tight fit reduces leakage, helps prevent spoilage, and limits cross-contamination
- Corner pull tab for easy lid removal
- Lids available in two sizes to fit all containers, eliminating the need for multiple lids
- Leak-resistant, secure lids



Polycarbonate Square Storage Containers



POLYCARBONATE SQUARE STORAGE CONTAINERS

No.	Color	Description	U.S. Capacity	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Capacity	Metric Dimensions	Metric Ship Wt/ Ctn	Case Pack
FG630200	CLR	Space Saving Square Container	2 qt	8.75" l x 8.8" w x 2.69" h	7.03 lbs	1.9 L	22.2 cm x 22.4 cm x 6.8 cm	3.2 kg	12
FG630400	CLR	Space Saving Square Container	4 qt	8.75" l x 8.8" w x 4.75" h	10.44 lbs	3.8 L	22.2 cm x 22.4 cm x 12.1 cm	4.7 kg	12
FG630600	CLR	Space Saving Square Container	6 qt	8.75" l x 8.8" w x 6.94" h	14.06 lbs	5.7 L	22.2 cm x 22.4 cm x 17.6 cm	6.4 kg	12
FG630800	CLR	Space Saving Square Container	8 qt	8.75" l x 8.8" w x 8.75" h	9.415 lbs	7.6 L	22.2 cm x 22.4 cm x 22.2 cm	4.3 kg	6
FG631200	CLR	Space Saving Square Container	12 qt	11.31" l x 10.5" w x 7.75" h	10.97 lbs	11.4 L	28.7 cm x 26.7 cm x 19.7 cm	5 kg	6
FG631800	CLR	Space Saving Square Container	18qt	11.31" l x 10.5" w x 11.94" h	17.22 lbs	17 L	28.7 cm x 26.7 cm x 30.3 cm	7.8 kg	6
FG632200	CLR	Space Saving Square Container	22 qt	11.31" l x 10.5" w x 14.44" h	22.96 lbs	20.8 L	28.7 cm x 26.7 cm x 36.7 cm	10.4 kg	6

POLYETHYLENE SQUARE STORAGE CONTAINERS

No.	Color	Description	U.S. Capacity	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Capacity	Metric Dimensions	Metric Ship Wt/ Ctn	Case Pack
FG9F0300	WHT	Space Saving Square Container	2 qt	8.75" l x 8.8" w x 2.69" h	5.8 lbs	1.89 L	22.2 cm x 22.4 cm x 6.8 cm	2.6 kg	12
FG9F0400	WHT	Space Saving Square Container	4 qt	8.75" l x 8.8" w x 4.75" h	8.2 lbs	3.79 L	22.2 cm x 22.4 cm x 12.1 cm	3.7 kg	12
FG9F0500	WHT	Space Saving Square Container	6 qt	8.75" l x 8.8" w x 6.94" h	11.0 lbs	5.68 L	22.2 cm x 22.4 cm x 17.6 cm	5.0 kg	12
FG9F0600	WHT	Space Saving Square Container	8 qt	8.75" l x 8.8" w x 8.75" h	7.2 lbs	7.57 L	22.2 cm x 22.4 cm x 22.2 cm	3.3 kg	6
FG9F0700	WHT	Space Saving Square Container	12 qt	11.31" l x 10.5" w x 7.75" h	8.6 lbs	11.3 L	28.7 cm x 26.7 cm x 19.7 cm	3.9 kg	6
FG9F0800	WHT	Space Saving Square Container	18qt	11.31" l x 10.5" w x 11.94" h	14.6 lbs	17 L	28.7 cm x 26.7 cm x 30.3 cm	6.6 kg	6
FG9F0900	WHT	Space Saving Square Container	22 qt	11.31" l x 10.5" w x 14.44" h	18.8 lbs	20.8 L	28.7 cm x 26.7 cm x 36.7 cm	8.5 kg	6

SQUARE STORAGE CONTAINER LIDS

No.	Color	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/ Ctn	Case Pack
FG650900	WHT	Lid for FG630200, FG630400, FG630600, FG630800, FG9F0300, FG9F0400, FG9F0500, FG9F0600 Space Saving Containers	8.75" l x 8.31" w	2.99 lbs	22.2 cm x 21.1 cm	1.4 kg	12
FG652300	WHT	Lid for FG631200, FG631800, FG632200, FG9F0700, FG9F0800, FG9F0900 Space Saving Containers	11.31" l x 10.5" w	2.45 lbs	28.7 cm x 26.7 cm	1.1 kg	6

WHEN ORDERING PRODUCTS WITH BOLD COLOR CODES, PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER. SEE PAGE 259 FOR THE PRODUCT COLOR GUIDE.

Premier Small Capacity Containers

Space efficient storage for small ingredients and spices.

- Resists stains, odors and breakage
- Lids snap to base and to their lids for easy storage (lid is included)
- NSF certified* and commercial dishwasher safe

New Design!



PREMIER SMALL CAPACITY STORAGE

No.	Color	Description	U.S. Capacity	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Capacity	Metric Dimensions	Metric Ship Wt/ Ctn	Case Pack
7H75TR*	RCH14	Premier Small Capacity Storage w/Lid	2 cup	5.06" sq x 3.38" h	3.51 lbs	.47 L	12.9 cm sq x 8.6 cm	1.59 kg	8
7H76TR*	RCH14	Premier Small Capacity Storage w/Lid	3 cup	7.13" sq x 2.5" h	2.93 lbs	.71 L	18.1 cm sq x 6.4 cm	1.34 kg	6
7H77TR*	RCH14	Premier Small Capacity Storage w/Lid	5 cup	7.13" sq x 3.56" h	3.37 lbs	1.18 L	18.1 cm sq x 9 cm	1.53 kg	6
7H78TR*	RCH14	Premier Small Capacity Storage w/Lid	9 cup	9.44" sq x 3.31" h	3.57 lbs	2.13 L	24 cm sq x 8.4 cm	1.62 kg	4
7H79TR*	RCH14	Premier Small Capacity Storage w/Lid	14 cup	9.44" sq x 4.88" h	4.37 lbs	3.31 L	24 cm sq x 12.4 cm	1.98 kg	4

*NSF restrictions for lid pertaining to some fatty food types. Visit www.nfs.org for more information.

Round Storage Containers

Store food safely and efficiently.

- Stackable handled containers available in white polyethylene or semi-clear polypropylene for better visibility
- Temperature range: 20°F / -34°C to 150°F /65.56°C
- NSF 3-A and NSF 2 certified



Lids

- Positive-lock lids (double wall seal) with corner pull tabs for keeping foods fresh
- Lids available in three sizes to fit all containers, eliminating the need for multiple lids
- Leak-resistant, secure lids

SEMI-CLEAR POLYPROPYLENE ROUND STORAGE CONTAINERS

No.	Color	Description	U.S. Capacity	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Capacity	Metric Dimensions	Metric Ship Wt/ Ctn	Case Pack
FG572024	CLR	Round Storage Container	2 qt	8.5" dia x 4" h	4.3 lbs	1.9 L	21.6 cm dia x 10.2 cm	2 kg	12
FG572124	CLR	Round Storage Container	4 qt	8.5" dia x 7.75" h	7.4 lbs	3.8 L	21.6 cm dia x 19.7 cm	3.4 kg	12
FG572324	CLR	Round Storage Container	6 qt	10" dia x 7.63" h	8.7 lbs	5.7 L	25.4 cm dia x 19.4 cm	3.9 kg	12
FG572424	CLR	Round Storage Container	8 qt	10" dia x 10.63" h	11.9 lbs	7.6 L	25.4 cm dia x 27 cm	5.4 kg	12
FG572624	CLR	Round Storage Container	12 qt	13.13" dia x 8.13" h	8.5 lbs	11.4 L	33.3 cm dia x 20.6 cm	3.9 kg	6
FG572724	CLR	Round Storage Container	18 qt	13.13" dia x 11.88" h	11.6 lbs	17 L	33.3 cm dia x 30.2 cm	5.3 kg	6
FG572824	CLR	Round Storage Container	22 qt	13.13" dia x 14" h	14.8 lbs	20.8 L	33.3 cm dia x 35.6 cm	6.7 kg	6
FG572924	CLR	Round Storage Container with Bail	22 qt	13.13" dia x 14" h	15.9 lbs	20.8 L	33.3 cm dia x 35.6 cm	7.2 kg	6

POLYETHYLENE ROUND STORAGE CONTAINERS

No.	Color	Description	U.S. Capacity	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Capacity	Metric Dimensions	Metric Ship Wt/ Ctn	Case Pack
FG572000	WHT	Round Storage Container	2 qt	8.5" dia x 4" h	4.3 lbs	1.9 L	21.6 cm dia x 10.2 cm	2 kg	12
FG572100	WHT	Round Storage Container	4 qt	8.5" dia x 7.75" h	7.4 lbs	3.8 L	21.6 cm dia x 19.7 cm	3.4 kg	12
FG572300	WHT	Round Storage Container	6 qt	10" dia x 7.63" h	8.7 lbs	5.7 L	25.4 cm dia x 19.4 cm	3.9 kg	12
FG572400	WHT	Round Storage Container	8 qt	10" dia x 10.63" h	11.9 lbs	7.6 L	25.4 cm dia x 27 cm	5.4 kg	12
FG572600	WHT	Round Storage Container	12 qt	13.13" dia x 8.13" h	8.5 lbs	11.4 L	33.3 cm dia x 20.6 cm	3.9 kg	6
FG572700	WHT	Round Storage Container	18 qt	13.13" dia x 11.88" h	11.6 lbs	17 L	33.3 cm dia x 30.2 cm	5.3 kg	6
FG572800	WHT	Round Storage Container	22 qt	13.13" dia x 14" h	15.2 lbs	20.8 L	33.3 cm dia x 35.6 cm	6.9 kg	6
FG572900	GRAY, WHT	Round Storage Container with Bail	22 qt	13.13" dia x 14" h	16.6 lbs	20.8 L	33.3 cm dia x 35.6 cm	7.5 kg	6

ROUND STORAGE CONTAINER LIDS

No.	Color	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/ Ctn	Case Pack
FG572200	YEL	Lid for FG572000, FG572024, FG572100, FG572124 Round Storage Containers	8.75" dia x 0.88" h	2.6 lbs	22.2 cm dia x 2.2 cm	1.2 kg	12
FG572500	YEL, NAT	Lid for FG572300, FG572324, FG572400, FG572424 Round Storage Containers	10.25" dia x 1" h	3.6 lbs	26 cm dia x 2.5 cm	1.6 kg	12
FG573000	YEL, NAT	Lid for FG572600, FG572624, FG572700, FG572724, FG572800, FG572824, FG572900, FG572924 Round Storage Container	13" dia x 2.75" h	3.7 lbs	34.3 cm dia x 7 cm	1.7 kg	6



Cold and Heavy-Duty Hot Food Pans

Streamline your operations for storage, preparation, cooking and serving.

- Break resistant – won't rust, dent or bend
- Odor resistant
- Stain resistant
- Non-stick surfaces for easy food release and cleaning
- Microwave and dishwasher safe
- FDA approved for food contact
- NSF/ANSI/3-A and 2 Certified
- EU Certified
- Designed to EN 631-1 C.E.N. Standard*
- Soft sealing and secure sealing lids are temperature rated from -20°F to 150°F



Cold Food Pans

- Temperature Rated: -40°F to 210°F
- Microwave safe
- Not for use in steam table wells

Heavy-Duty Hot Food Pans

- Temperature Rated: -40°F to 375°F
- Steam table well, oven** and microwave safe
- Not for use with open flame
- Cooler to the touch than metal
- Approved for use in continuous motion pot washing systems




Hot pans are cool to the touch



Non-stick surfaces for easy food release and cleaning

**Oven up to 375° F



***DESIGNED TO EN 631-1 C.E.N. STANDARD**
 Developed by the European Committee for Standardization and based on a gastronorm modular system, ensures compatibility of the pans with other kitchen equipment



LIDS FOR EVERY NEED

1 SECURE SEALING LID

Two-seal system makes this lid the most air tight of all the Rubbermaid options and is ideal for longer term storage or air sensitive foods. Easy grip tab allows for easy removal of the lid from the pan.

2 PEG HOLE COVER WITH HANDLE

Peg hole allows pan to be hung and dry faster, helping to prevent health risks from standing water. Rubbermaid's peg hole solution is the only NSF certified hanging solution on the market.

3 NOTCHED COVER WITH HANDLE

NSF certified notch allows spoon to be easily available while food remains covered. Notch keeps spoon handle out of food, complying with FDA Food Code

4 SOFT SEALING LID

Seals on insert pan help reduce air flow to food; therefore, maintaining food quality. No overlap on food pans allows easy use in transport.



FG117P00 Clear














FG217P00 Amber



FG217P00 Black



FOOD PANS

FOOD PANS									COLD PANS		HOT PANS		
U.S. Size	U.S. Pan Depth/Description	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Size	Metric Pan Depth	Metric Capacity	Metric Ship Wt/Ctn	Case Pack	Item Number	Color	Item Number	Color	
Full Size 20 ¹³ / ₁₆ " l x 12 ¹ / ₁₆ " w 	2 1/2"	9 qt	12.8 lbs	Full Size 530 mm x 325 mm	65 mm	8.5 L	5.8 kg	6	FG130P00	CLR	FG230P00	BLA, AMBER	
	4"	13 3/4 qt	17.87 lbs		100 mm	13 L	3.6 kg	6	FG131P00	CLR	FG231P00	BLA, AMBER	
	6"	20 3/8 qt	20.30 lbs		150 mm	19.5 L	9.2 kg	6	FG132P00	CLR	FG232P00	AMBER	
	8"	27 1/8 qt	24.52 lbs		200 mm	25.7 L	11.1 kg	6	FG133P00	CLR			
	Handled Cover		10.21 lbs				4.6 kg	6	FG134P00	CLR	FG234P00	AMBER	
	Handled Notched Cover		9.37 lbs				4.3 kg	6	FG134P86	CLR	FG234P86	AMBER	
	Secure Sealing Lid		14.5 lbs				6.6 kg	12	FG135P29	GRAY			
Soft Sealing Lid		12.13 lbs			5.5 kg	12	FG147P00	WHT					
1/2 Size LONG 20 ¹³ / ₁₆ " l x 6 ³ / ₈ " w 	2 1/2"	3 3/8 qt	8.33 lbs	1/2 Size Long 530 mm x 162 mm	65 mm	3.4 L	3.8 kg	6	FG139P00	CLR	FG239P00	BLA, AMBER	
	4"	5 1/2 qt	9.40 lbs		100 mm	5.2 L	4.3 kg	6	FG140P00	CLR	FG240P00	BLA, AMBER	
	6"		4.77 lbs				2.2 kg	6	FG141P00	CLR	FG241P00	AMBER	
1/2 Size 12 ¹³ / ₁₆ " l x 10 ³ / ₈ " w 	2 1/2"	4 qt	6.30 lbs	1/2 Size 325 mm x 265 mm	65 mm	3.8 L	2.9 kg	6	FG123P00	CLR	FG223P00	BLA, AMBER	
	4"	6 3/8 qt	7.65 lbs		100 mm	6 L	3.5 kg	6	FG124P00	CLR	FG224P00	BLA, AMBER	
1/2 Size 12 ¹³ / ₁₆ " l x 10 ³ / ₈ " w 	6"	9 1/8 qt	9.90 lbs	1/2 Size 325 mm x 265 mm	150 mm	8.8 L	4.5 kg	6	FG125P00	CLR	FG225P00	BLA, AMBER	
	8"	11 3/8 qt	13.47 lbs		200 mm	10.8 L	6.1 kg	6	FG126P00	CLR			
	Drain Tray		2.0 lbs				0.9 kg	6	FG127P24 ^A	CLR	FG127P00	AMBER	
	Handled Cover w/Peg Hole		4.3 lbs				2 kg	6	FG128P23	CLR	FG228P23	AMBER	
	Handled Notched Cover		4.3 lbs				2 kg	6	FG128P86	CLR	FG228P86	AMBER	
	Secure Sealing Lid		7.1 lbs				3.2 kg	12	FG129P29	GRAY			
	Soft Sealing Lid		6.75 lbs				3.1 kg	12	FG146P00	WHT			
1/3 Size 20 ¹³ / ₁₆ " l x 6 ³ / ₈ " w 	2 1/2"	2 3/8 qt	4.40 lbs	1/3 Size 325 mm x 176 mm	65 mm	2.5 L	2 kg	6	FG116P00	CLR	FG216P00	BLA, AMBER	
	4"	4 qt	5.50 lbs		100 mm	3.8 L	2.5 kg	6	FG117P00	CLR	FG217P00	BLA, AMBER	
	6"	5 3/8 qt	7.30 lbs		150 mm	5.1 L	3.3 kg	6	FG118P00	CLR	FG218P00	BLA, AMBER	
	8"	7 3/8 qt	9.60 lbs		200 mm	7 L	4.4 kg	6	FG119P00	CLR			
	Drain Tray		1.50 lbs				0.7 kg	6	FG120P24 ^B	CLR	FG120P00	AMBER	
	Handled Cover w/Peg Hole		2.77 lbs				1.3 kg	6	FG121P23	CLR	FG221P23	AMBER	
1/3 Size 20 ¹³ / ₁₆ " l x 6 ³ / ₈ " w 	Handled Notched Cover w/Peg Hole		3.10 lbs			1.4 kg	6	FG121P86	CLR	FG221P86	AMBER		
	Secure Sealing Lid		4.5 lbs			2.0 kg	12	FG122P29	GRAY				
	Soft Sealing Lid		3.75 lbs			1.7 kg	12	FG145P00	WHT				
	1/4 Size 10 ³ / ₈ " l x 6 ³ / ₈ " w 	2 1/2"	1 3/8 qt	3.4 lbs	1/4 Size 265 mm x 162 mm	65 mm	1.6 L	1.5 kg	6	FG110P00	CLR	FG210P00	BLA, AMBER
		4"	2 1/8 qt	4.4 lbs		100 mm	2.4 L	2 kg	6	FG111P00	CLR	FG211P00	BLA, AMBER
		6"	4 qt	5.6 lbs		150 mm	3.8 L	2.5 kg	6	FG112P00	CLR	FG212P00	BLA, AMBER
Drain Tray			0.9 lbs				0.4 kg	6	FG113P24	CLR	FG113P00	AMBER	
Handled Cover			2.1 lbs				1 kg	6	FG114P00	CLR	FG214P00	AMBER	
Handled Notched Cover			2.1 lbs				1 kg	6	FG114P86	CLR	FG214P86	AMBER	
1/4 Size 10 ³ / ₈ " l x 6 ³ / ₈ " w 	Secure Sealing Lid		3 lbs			1.3 kg	12	FG115P29	GRAY				
	Soft Sealing Lid		2.54 lbs			1.2 kg	12	FG144P00	WHT				
	1/6 Size 6 ⁷ / ₈ " l x 6 ³ / ₈ " w 	2 1/2"	1 1/8 qt	2.57 lbs	1/6 Size 176 mm x 162 mm	65 mm	1.1 L	1.2 kg	6	FG104P00	CLR	FG204P00	BLA, AMBER
		4"	1 3/8 qt	3.0 lbs		100 mm	1.6 L	1.4 kg	6	FG105P00	CLR	FG205P00	BLA, AMBER
		6"	2 1/8 qt	3.9 lbs		150 mm	2.4 L	1.8 kg	6	FG106P00	CLR	FG206P00	BLA, AMBER
		Drain Tray		1.47 lbs				0.7 kg	6	FG108P23	CLR	FG345600	AMBER
Handled Cover w/Peg Hole			1.5 lbs				0.7 kg	6	FG108P86	CLR	FG208P23	AMBER	
Handled Notched Cover w/Peg Hole			1.5 lbs				0.7 kg	6	FG108P86	CLR	FG208P86	AMBER	
1/6 Size 6 ⁷ / ₈ " l x 4 ³ / ₈ " w 	Secure Sealing Lid		2.1 lbs			0.9 kg	12	FG109P29	GRAY				
	Soft Sealing Lid		3 lbs			1.4 kg	12	FG143P00	WHT				
	1/8 Size 6 ⁷ / ₈ " l x 4 ³ / ₈ " w 	2 1/2"	3/8 qt	2 lbs	1/8 Size 176 mm x 108 mm	65 mm	.6 L	0.9 kg	6	FG100P00	CLR	FG200P00	AMBER
		4"	3/8 qt	2.19 lbs		100 mm	.8 L	1 kg	6	FG101P00	CLR	FG201P00	BLA, AMBER
		Cover w/Peg Hole		0.87 lbs				0.4 kg	6	FG102P23	CLR	FG202P23	AMBER
		Notched Cover		0.90 lbs				0.4 kg	6	FG102P86	CLR		
Secure Sealing Lid			1.5 lbs				0.7 kg	12	FG103P29	GRAY			
Soft Sealing Lid			1.2 lbs				0.5 kg	12	FG142P00	WHT			

^A FG127P24 fits all but FG126P00 ^B FG120P24 fits all but FG119P00



High Heat Scrapers and Spoons

All purpose scrapers and spatulas are a necessity in every kitchen.

- Silicone blade and nylon handle resist temperatures to 500°F / 260°C and help prevent burns
- Clean-Rest™ feature keeps blade off countertops, reducing cross-contamination
- Notched scraper blade cleanly scrapes sides of pans
- Blades are stain resistant and will not scratch pans
- NSF certified and commercial dishwasher safe



■ Clean-Rest™ reduces risk of cross-contamination.



Scraper Spoon



No.	Color	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/ Ctn	Case Pack
FG196200	0000	High Heat Scraper	9.5" l	4.09 lbs	24.1 cm	1.9 kg	24
FG196300	0000	High Heat Scraper	13.5" l	5.77 lbs	34.3 cm	2.6 kg	24
FG196400	0000	High Heat Scraper	16.5" l	7.03 lbs	41.9 cm	3.2 kg	24
FG196600	RED	High Heat Spoon Scraper	9.5" l	3.31 lbs	24.1 cm	1.5 kg	24
FG196700	RED	High Heat Spoon Scraper	13.5" l	6.58 lbs	34.3 cm	3 kg	24
FG196800	RED	High Heat Spoon Scraper	16.5" l	7.11 lbs	41.9 cm	3.2 kg	24

Cold Scrapers and Spoons

Spoon, scrape and spread with one easy tool.

- Blades are molded into handles for seamless construction that reduces build-up of dirt and bacteria
- Clean-Rest™ feature keeps blade off countertops, reducing cross-contamination
- NSF certified and commercial dishwasher safe



■ Clean-Rest™ reduces risk of cross-contamination.



Scraper Spoon



No.	Color	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/ Ctn	Case Pack
FG190100	0000	Scraper	9.5" l	4 lbs	24.1 cm	1.8 kg	36
FG190500	0000	Scraper	13.5" l	8 lbs	34.3 cm	3.6 kg	36
FG190600	0000	Scraper	16.5" l	12 lbs	41.9 cm	5.4 kg	36
FG191300	0000	Scraper-Icing Blade	9.5" l	4 lbs	24.1 cm	1.8 kg	36
FG193300	WHT	Spoon-Shaped Spatula	9.5" l	4.61 lbs	24.1 cm	2.1 kg	36
FG193400	WHT	Spoon-Shaped Spatula	13.5" l	9.22 lbs	34.3 cm	4.2 kg	36
FG193800	WHT	Spoon-Shaped Spatula	16.5" l	11.1 lbs	41.9 cm	5.0 kg	36

Measuring Cups and Spoons

- Made of FDA compliant materials
- Capacities clearly engraved for easy identification
- Spoons are secured with detachable ring
- Accurate ingredient portioning to manage food costs
- Commercial dishwasher safe



FG8316AS



FG8315AS



FG9G8200

No.	Color	Description	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Ship Wt/ Ctn	Case Pack
FG8315AS	WHT	Measuring Cup Set	Set includes: ¼, ½, and 1 cups	2.15 lbs	0.45 kg	12
FG8316AS	WHT	Measuring Spoon Set	Set includes ¼ tsp, ½ tsp, 1 tsp, ½ tbsp, and 1 tbsp	1 lb	0.45 kg	12
FG9G8200	WHT	Measuring Scoop	½ cup	1.05 lbs	0.45 kg	12

WHEN ORDERING PRODUCTS WITH BOLD COLOR CODES, PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER. SEE PAGE 259 FOR THE PRODUCT COLOR GUIDE.

Bouncer® Measuring Cups

Manage costly ingredients.

- Accurately measure liquid or dry ingredients to help save on food costs
- Clear, break-resistant polycarbonate is durable
- Temperature range: -40°F / -40°C to 212°F / 100°C
- Metric measurements marked in blue and cup measurements marked in red for easy-to-read measurements
- NSF certified and commercial dishwasher safe



No.	Color	Description	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/ Ctn	Case Pack
FG321000	CLR	Bouncer® Measuring Cup	1 cup	2.0 lbs	0.2 L	0.9 kg	12
FG321500	CLR	Bouncer® Measuring Cup	1 pt	2.36 lbs	0.5 L	1.1 kg	6
FG321600	CLR	Bouncer® Measuring Cup	1 qt	3.30 lbs	0.9 L	1.5 kg	6
FG321700	CLR	Bouncer® Measuring Cup	2 qt	4.43 lbs	1.9 L	2.0 kg	6
FG321800	CLR	Bouncer® Measuring Cup	4 qt	10.0 lbs	3.8 L	4.5 kg	6

Bouncer® Portioning Scoops

Maintain food safety while managing food costs.

- Hybrid scoop and measuring cup allow for portioning or measuring milliliters, cups or ounces
- Anti-roll design to reduce risk of the handle rolling into the food and posing a contamination risk
- Permanent textured gradations for dry and liquid measurements
- FG9G5100 and FG9G5200 are designed to fit ProSave™ Shelf Ingredient Bins (see p.230)
- NSF certified and commercial dishwasher safe



Nests for efficient storage.



No.	Color	Description	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/ Ctn	Case Pack
FG9G5100	CLR	Bouncer® Portioning Scoop - 2 Cup	2 cup / 16 oz	3.2 lbs	500 ml	1.5 kg	12
FG9G5200	CLR	Bouncer® Portioning Scoop - 3 Cup	3 cup / 24 oz	4.0 lbs	750 ml	1.8 kg	12
FG9G5300	CLR	Bouncer® Portioning Scoop - 4 Cup	4 cup / 32 oz	5.0 lbs	1000 ml	2.3 kg	12
FG9G5400	CLR	Bouncer® Portioning Scoop - 8 Cup	8 cup / 64 oz	4.0 lbs	2000 ml	1.8 kg	6

Bouncer® Scoops

Multi-purpose scoops for use throughout food service operations.

- Durable clear polycarbonate (FG288200, FG288400, FG288600) or white polyethylene (FG288500) can be used for a variety of applications
- NSF certified and commercial dishwasher safe
- Bouncer® Contour Scoop (FG9F7500 & FG9F7600) is designed for the ProSave™ Ingredient Bin System; the contoured design keeps hands away from food, reducing cross-contamination



FG9F7500 & FG9F7600 Feature for use with ProSave™ Ingredient Bins

FG288400 / FG288200 / FG288600



No.	Color	Description	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/ Ctn	Case Pack
FG288200*	CLR	Bouncer® Bar Scoop	6 oz	3.0 lbs	0.2 L	1.4 kg	12
FG288400*	CLR	Bouncer® Utility Scoop	32 oz	6.4 lbs	0.9 L	2.9 kg	12
FG288500	WHT	Utility Scoop	64 oz	3.4 lbs	1.9 L	1.5 kg	6
FG288600*	CLR	Bouncer® Utility Scoop	64 oz	5.1 lbs	1.9 L	2.3 kg	6
FG9F7500*	CLR	Bouncer® Contour Scoop for FG360088, FG360288, FG360388 Ingredient Bins (32 oz. scoop)	32 oz	4.2 lbs	0.9 L	1.9 kg	6
FG9F7600*	CLR	Bouncer® Contour Scoop for FG360088, FG360288, FG360388 Ingredient Bins (64 oz. scoop)	64 oz	6.2 lbs	1.9 L	2.8 kg	6

* Certified to NSF Std. #2 (polycarbonate only).

BRUTE® GreensKeeper® Containers

For cleaning and storing any fruit or vegetable.

- All-in-one wash, drain, crisp and storage system that aids compliance with HACCP guidelines
- Removable dolly allows easy transport
- Assists in complying with FDA Code 3-302, 15 for Washing Fruits and Vegetables



FG263600

No.	Color	Description	U.S. Capacity	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Capacity	Metric Dimensions	Metric Ship Wt/ Ctn	Lettuce Heads	Case Pack
FG262400	WHT	GreensKeeper® Container, with Lid and Dolly	20 gal	22.5" dia x 33.5" h	21 lbs	75.7 L	57.2 cm dia x 85.1 cm	12.9 kg	27 - 30	1
FG263600	WHT	GreensKeeper® Container, with Lid and Dolly	32 gal	25" dia x 38.5" h	29.1 lbs	121.1 L	63.5 cm dia x 97.8 cm	13.3 kg	49 - 52	1

Cake Keeper

Tight fitting lid helps keep stored food fresh.

- See-through lid provides quick identification of contents
- Base has molded-in center rings; can be used as a serving tray when lid is removed
- Commercial dishwasher safe
- Stackable



No.	Color	Description	U.S. Capacity	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Capacity	Metric Dimensions	Metric Ship Wt/ Ctn	Case Pack
FG3900RD	WHT	Cake Keeper	10" Cake/Pie	13.2" l x 12.7" w x 6.9" h	3.36 lbs	25.4 cm	33.5 cm x 32.3 cm x 17.5 cm	1.52 kg	2

BRUTE® "ICE ONLY" Container

Make ice safety a priority!

- Ensures safe ice handling and complies with HACCP guidelines
- No cracking, rusting or chipping that could potentially contaminate ice
- Compliant with FDA Food Code 3-302.12 for Food Storage Containers with identifiably Common Food Name
- Handles and double ribbed base allow easy lifting and dragging
- NSF certified BRUTE® "ICE ONLY" container is durable and easy to clean



FG9F8600



No.	Color	Description	U.S. Capacity	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Capacity	Metric Dimensions	Metric Ship Wt/ Ctn	Case Pack
FG9F8600	WHT	"ICE ONLY" Container	10 gal	15.63" dia x 15.63" l x 17.13" h	19 lbs	37.85 cm	39.7 cm dia x 39.7 cm x 43.5 cm	8.6 kg	6



Food preparation requires frequent hand washing. See page 190 for TC® premium foam and liquid soaps in a wide choice of formulations, including hypoallergenic antibacterial (NSF E2).



FG750411



FG750112

ProServe™ Ice Handling System

Promotes safe transfer of ice to reduce risk of cross-contamination and improves employee safety.

ProServe™ ICE TOTE WITH BIN HOOK ADAPTER

Adapter keeps tote off floor reducing cross-contamination.

- Patent-pending bin hook adapter attaches to ice machine for ease of transfer and reduced back strain
- Elevated base hand grip reduces cross contamination
- Non-nesting and fits in most commercial dishwashers

ProServe™ ICE CART FOR FOUR ICE TOTES & LIDS

Safely transport 100 lbs of ice.

- Ice totes held securely for safe transport
- Handle folds flat for storage
- Lid hook included
- Side rails fold in to accommodate 2 or 4 totes

ProServe™ 74 OZ SCOOP WITH HAND GUARD & HOLDER

15% greater capacity than standard scoop.

- Ice cavity under handle protects ice
- Reinforced leading edge
- Open air holder for reduced mold and bacteria growth
- Commercial dishwasher safe

ProServe™ 120 OZ SCOVEL™ TWO-HANDLED SHOVEL

High sides for ice containment.

- Reinforced leading edge
- Commercial dishwasher safe

3X
FASTER
filling of ice totes



Ice flow from corners reduces spillage improving safety.



Improve efficiency by transporting up to 4 totes at the same time (100 lbs of ice).



FG9F5000



FG9F5100



FG9F5200



FG9F5400



FG9F7300



FG9F5500

No.	Color	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/ Ctn	Case Pack
FG9F4300†	0000	Scoop Holder	10.1" l x 7.5" w x 5.4" h	5.83 lbs	25.7 cm x 19.1 cm x 13.7 cm	2.6 kg	6
FG9F5000	TBLUE	74 oz Scoop with Hand Guard	12" l x 6.7" w x 7.7" h	7.1 lbs	30.5 cm x 17 cm x 19.6 cm	3.2 kg	6
FG9F5100†	TBLUE	74 oz Scoop with Hand Guard and Holder	12.1" l x 7.5" w x 8" h	2.25 lbs	30.7 cm x 19.1 cm x 20.3 cm	1 kg	1
FG9F5200	TBLUE	Scovel™ Two-Handled Shovel	29.4" l x 8.8" w x 6.9" h	3.1 lbs	74.7 cm x 22.4 cm x 17.5 cm	1.4 kg	1
FG9F5300	TBLUE	Ice Tote	10.5" l x 13.3" w x 22.1" h	4.3 lbs	26.7 cm x 33.8 cm x 56.1 cm	2 kg	1
FG9F5400	TBLUE	Ice Tote with Bin Hook Adapter	12.2" l x 13.3" w x 22.1" h	4 lbs	31 cm x 33.8 cm x 56.1 cm	1.8 kg	1
FG9F5500	BLA	Ice Cart	21.44" l x 5.69" w x 39.13" h	36.5 lbs	54.5 cm x 14.5 cm x 99.4 cm	16.6 kg	1
FG9F5600	0000	Ice Bin Hook Adapter	9.9" l x 11.8" w x 1.7" h	2.9 lbs	25.1 cm x 30 cm x 4.3 cm	1.3 kg	6
FG9F7300	BLA	Ice Tote Lid	12" l x 11.25" w x 2" h	2.4 lbs	30.5 cm x 28.6 cm x 5.1 cm	1.1 kg	4

† Holder is not NSF listed. * Patent Pending

ProServe™ Lightweight Insulated Carriers

Four layers of thermal retention provide lightweight option for safely transporting food & beverages.

- Keeps hot food hot and cold food cold safely for four hours
- ProServe™ carriers are lighter than solid competitive products, decreasing risk of ergonomic stress
- Divider for FG9F1500 allows separation within carrier between hot and cold food storage
- Time temperature monitoring and labeling is easy with large identification window secured to each carrier



RIGID INTERIOR INSULATION

Lightweight and over 300% stronger than Styrofoam® polystyrene, Expanded Polypropylene (EPP) resists flaking, cleans easily, and provides uncompromising support.

REFLECTIVE VAPOR BARRIER

Helps maintain even temperature throughout the carrier, so foods maintain their ideal temperatures.

NON-WOVEN POLYESTER INSULATION

Nearly an inch thick, it's the same insulation used in high-performance coldweather gear. Will not retain moisture or odors.

COMMERCIAL-GRADE NYLON EXTERIOR

Strong (840 denier) nylon surrounds and protects the inner layers.



FG9F1600



FG9F1500



FG9F1300



FG9F1200



FG9F1900



FG9F2100

HEAT LOSS & COLD RETENTION WEIGHT COMPARISON

No.	Heat Loss in °C/Hr*	Heat Gain in °C/Hr*	ProServe	Traditional Equivalent†	Difference
FG9F1200	-3.0 °C	+0.10 °C	5.9 kg	11 kg	46%
FG9F1300	-3.3 °C	+0.20 °C	8.3 kg	13 kg	36%
FG9F1400	-3.1 °C	+0.15 °C	10.5 kg	27 kg	61%
FG9F1500	-3.2 °C	+0.27 °C	2.6 kg	12 kg	78%
FG9F1600	-2.8 °C	+0.33 °C	5.3 kg	12.47 kg	72%

* Average calculated on the base of a 4-hour period

† Traditional rigid containers

PROSERVE™ INSULATED CARRIERS

No.	Color	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/ Ctn	Pan Capacity	Case Pack
FG9F1200	CGRAY	ProServe™ Insulated End Load Full Pan Carrier, Small	27" l x 18.25" w x 16" h	13.0 lbs	68.6 cm x 46.4 cm x 40.6 cm	5.90 kg	3–2½" or 2–4" deep pans	1
FG9F1300	CGRAY	ProServe™ Insulated End Load Full Pan Carrier, Medium	27" l x 19.5" w x 22.5" h	17.5 lbs	68.6 cm x 49.5 cm x 57.2 cm	7.94 kg	5–2½" or 3–4" deep pans	1
FG9F1400	CGRAY	ProServe™ Insulated End Load Full Pan Carrier, Large	27" l x 21.5" w x 29" h	20.1 lbs	68.6 cm x 54.6 cm x 73.7 cm	9.12 kg	7–2½" or 4–4" deep pans	1
FG9F1500	CGRAY	ProServe™ Insulated Top Load Half Pan Carrier	19" l x 16.75" w x 15" h	8.3 lbs	48.3 cm x 42.5 cm x 38.1 cm	3.76 kg	3–2½" or 2–4" deep pans	1
FG9F1600	CGRAY	ProServe™ Insulated Top Load Full Pan Carrier	28" l x 19.25" w x 19.5" h	14.0 lbs	71.1 cm x 48.9 cm x 49.5 cm	6.35 kg	5–2½" or 3–4" deep pans	1

PROSERVE™ INSULATED CARRIER ACCESSORIES

No.	Color	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/ Ctn	Pan Capacity	Case Pack
FG9F1900	BLA	ProServe™ Insulated Carrier Dolly with Retention Strap	28.75" l x 22.25" w x 10" h	14.5 lbs	73 cm x 56.5 cm x 25.4 cm	6.58 kg	Holds up to 325 lbs	1
FG9F2100	BLUE	ProServe™ Insulated Blue Ice® Chiller	21" l x 12.75" w x 1.5" h	12.2 lbs	53.3 cm x 32.4 cm x 3.8 cm	5.53 kg		1

† Styrofoam® is a registered trademark of the Dow Chemical Company.

WHEN ORDERING PRODUCTS WITH BOLD COLOR CODES, PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER. SEE PAGE 259 FOR THE PRODUCT COLOR GUIDE.

ProServe™ Professional Delivery Bags

Reliable professional delivery bags for those on the go!

- Two inches of polyester insulation offers maximum thermal retention with no moisture and odor retention
- Durable, commercial-grade nylon exterior will not deteriorate with use and offers years of performance
- Commercial-grade zippers and hook and loop closures protect food while metal grommets release excess steam to maintain food quality
- Large identification window allows for easy labeling of orders, dates, and temperatures
- Commercial dishwasher safe, with hanging loop for proper drying



No.	Color	Description	Bag Capacity	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/ Ctn	Case Pack
FG9F3500	RED	ProServe™ Pizza Delivery Bag, Small	Two 16" Pizzas	18" l x 18" w x 5.25" h	15 lbs	45.7 cm x 45.7 cm x 13.3 cm	6.8 kg	6
FG9F3600	RED	ProServe™ Pizza Delivery Bag, Medium	Four 12" or Three 14" Pizzas	18" l x 17.25" w x 7.75" h	15 lbs	45.7 cm x 43.8 cm x 19.7 cm	6.8 kg	6
FG9F3700	RED	ProServe™ Pizza Delivery Bag, Large	Four 16" or Three 18" Pizzas	21.5" l x 19.75" w x 7.75" h	18 lbs	54.6 cm x 50.2 cm x 19.7 cm	8.2 kg	6
FG9F3800	RED	ProServe™ Pizza/Catering/Sandwich Delivery Bag, Medium	Six 12" to 14" Pizzas	17" l x 17" w x 13" h	13.5 lbs	43.2 cm x 43.2 cm x 33 cm	6.1 kg	4
FG9F3900	RED	ProServe™ Pizza/Catering/Sandwich Delivery Bag, Large	Six 16" Pizzas	19.75" l x 19.75" w x 13" h	15.5 lbs	50.2 cm x 50.2 cm x 33 cm	7.0 kg	4
FG9F4000	RED	ProServe™ Sandwich Delivery Bag	Fifteen 12" Sub Sandwiches	15" l x 12" w x 12" h	13.5 lbs	38.1 cm x 30.5 cm x 30.5 cm	6.1 kg	4

CaterMax™ Insulated Carriers


Preserve food quality – and your reputation.

- Serpentine seal maintains safe food temperatures during transport
- NSF certified for cleanability
- Durable plastic hardware and shell will stand up to the rigors of transport
- Attractive styles and colors allow food to go from storage to transport to serving
- No gaskets or replacement parts needed
- Trolley's three-position handle lets users push, pull or fold flat for use as a dolly



FOOD SAFE ZONE

CaterMax™ Insulated Carriers retain temperature better than competitor carriers to preserve food freshness and quality.



No.	Color	Description	U.S. Capacity	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Capacity	Metric Dimensions	Metric Ship Wt/Ctn	Case Pack
FG940600	BLA PLAT	CaterMax™ 25 Insulated Single Pan Carrier accommodates 1/4, 1/2 and 3/4 Food Pans	23 qt	29.5" l x 19" w x 10.63" h	22.1 lbs	21.8 L	74.9 cm x 48.3 cm x 27 cm	10 kg	1
FG940700	BLA PLAT	CaterMax™ 50 Insulated Four-Pan Carrier accommodates 1/4, 1/2 and 3/4 Food Pans	55 qt	29.5" l x 19" w x 15.5" h	27.5 lbs	52 L	74.9 cm x 48.3 cm x 39.4 cm	12.5 kg	1
FG940888	BLA PLAT	CaterMax™ 100 Insulated End Loader Pan Carrier with 5" (12.7 cm) Swivel Casters accommodates 1/4, 1/2 and 3/4 Food Pans	94 qt	18.75" l x 26.75" w x 33.63" h	64.35 lbs	89 L	47.6 cm x 67.9 cm x 85.4 cm	29.2 kg	1
FG440186	BLA	Caterer's Trolley transports FG940600, FG940700 and FG940800 CaterMax™ Carriers	400 lbs	32.5" l x 20.5" w	24 lbs	181.4 L	82.6 cm x 52.1 cm	10.9 kg	1

ProServe™ Sheet Pan Rack System

Safely transport food from oven to freezer.

- Encourage employee safety with user-friendly handles and protective bumpers
- PanGuard™ Locking Bar secures pan, and extend base enhances stability to eliminate costly spills
- Easy-to-clean industrial-grade plastic top and bottom and chrome-plated side panels resist rust and corrosion
- Holds 18" x 26" sheet pans at the base, not the edges, for added support
- Heavy-duty thread guard, 5" dia. x 1¼" wide (12.7 cm), features two locking casters
- Vinyl Rack Cover (9F90) reduces cross-contamination when used with ProServe™ Rack System NSF certified



FG9F9700



FG9F9000

No.	Color	Description	Pan Capacity	U.S. Dimensions	U.S. Weight Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Weight Capacity	Metric Ship Wt/Ctn	Case Pack
FG9F9700	BLA	ProServe™ Standard Base Sheet Pan Rack	26 Slots w/ 2" (5.08 cm) spacing	23.5" l x 28" w x 69.63" h	300 lbs	80 lbs	58.4 cm x 71.1 cm x 178.8 cm	136.1 kg	36.3 kg	1
FG9F9000	CLR	Vinyl Rack Cover for FG9F9700, FG332000 Racks		23.5" l x 29.5" w x 70.5" h		5.5 lbs	59.7 cm x 74.9 cm x 179.1 cm		2.5 kg	1

ProServe™ Racks and Carts

Increase efficiency by maximizing space, transportation and storage.

- Versatile system specially designed to work with food pans, food boxes and sheet pans
- Impact-resistant structural web plastic components stand up to the most demanding kitchens
- Racks and carts are designed with soft, round corners that are easy on the walls, doors and equipment
- Stylish design and quiet handling moves food easily from kitchen to dining room, minimizing expensive labor costs
- USDA Meat & Poultry Group Listed
- NSF certified for cleanability
- Casters are 5" (12.7 cm) non-marking swivel plate design (two are lockable)



FG331600

FG332000

FG331500

FG331700

FG332400


FG331500 / FG331700 Prep Cart-End Loader

Opening: 13" (33 cm)
Accommodates:



FG331600 Prep Cart-Side Loader

Opening: 26½" (66.4 cm)
Accommodates:




FG332400 Rack-Dual End Loader

Opening: 21½" (53.5 cm)
Accommodates:



FG332000 Rack-End Loader

Opening: 19½" (50.32 cm)
Accommodates:



No.	Color	Description	Pan Capacity	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/Ctn	Case Pack
FG331500 ^a	OWHT BLA	ProServe™ Prep Cart with Cutting Board (8 slot end loader for full size insert pans)	8	23.75" l x 18.63" w x 36.13" h	44.8 lbs	60.3 cm x 47.3 cm x 91.8 cm	20.3 kg	1
FG331600 ^a	OWHT BLA	ProServe™ Prep Cart with Cutting Board (8 slot side loader for food boxes and sheet pans)	8	31.75" l x 23.75" w x 36.13" h	52 lbs	80.6 cm x 60.3 cm x 91.8 cm	23.6 kg	1
FG331700	OWHT BLA	ProServe™ Rack (18 slot end loader for full size insert pans)	18	23.75" l x 18.63" w x 67.88" h	68.4 lbs	60.3 cm x 47.3 cm x 172.4 cm	31 kg	1
FG331900	OWHT	ProServe™ Rack (18 slot side loader for food boxes and sheet pans)	18	31.75" l x 23.75" w x 67.88" h	72.3 lbs	80.6 cm x 60.3 cm x 172.4 cm	32.8 kg	1
FG332000	OWHT BLA	ProServe™ Rack (18 slot end loader for food boxes and sheet pans)	18	28.75" l x 23.75" w x 67.88" h	82 lbs	73 cm x 60.3 cm x 172.4 cm	37.2 kg	1
FG332400	OWHT BLA	ProServe™ Rack (18 slot dual loader for full size insert pans)	18	26.7" l x 28.75" w x 67.88" h	82 lbs	67.8 cm x 73 cm x 172.4 cm	37.2 kg	1

^a Includes NSF Food Zone approved Max System™ Cutting Board

WHEN ORDERING PRODUCTS WITH BOLD COLOR CODES, PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER. SEE PAGE 259 FOR THE PRODUCT COLOR GUIDE.

Convertible Utility Cart

Ideal for catering—converts from a utility cart to a platform truck in just seconds.

- Innovative, patent-pending design
- Multi-functional productivity with improved worker well-being—saving you time and money



Product Innovation Award Winner
2007 ISSA/InterClean® North American Convention



PUSH BUTTONS

Depress buttons to easily convert from utility cart to platform truck.



LOCKING CASTERS

Rear wheel locks keep cart safely in place while loading and unloading.



FOOT PEDAL

Depress foot pedal to fold cart for storage.



QUICK CONVERSION

Easily converts from a utility cart to a platform truck, and then folds flat for storage.

FOLDS FROM 34 3/8" TO 10 7/8" FOR EASY STORAGE



UTILITY CART



PLATFORM TRUCK



34 3/8" High

10 7/8" High

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG430000	BLA	Convertible Utility Cart	45.2" l x 23.8" w x 34.4" h (Utility)	400 lb utility cart,	52.0 lb	115 cm x 60.5 cm x 87.4 cm (Utility)	181 kg utility cart,	23.6 kg	1
			45.2" l x 23.8" w x 43.8" h (Platform)	250 lb platform truck		115 cm x 60.5 cm x 111.3 cm (Platform)	113 kg platform truck		
			48.8" l x 23.8" w x 10.9" h (Storage)			124 cm x 60.5 cm x 27.7 cm (Storage)			

Executive Service Cart

The Executive Service Cart is an elegant and versatile solution for back- and front-of-house tasks. With 20% more top-shelf capacity, it's constructed of durable, recyclable polyethylene and it's easy to clean — keeping your business looking smart for years.



FG9T6800

No.	Color	Description	Dimensions	US Capacity	US Ship Wt.	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG9T6800	PLAT, BLA	Executive Service Cart	38.9" l x 20.3" w	300 lbs	35.0 lb	98.8 cm x 51.6 cm	136 kg	15.9 kg	1

ACCESSORIES

No.	Color	Description	Dimensions	US Capacity	US Ship Wt.	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG335388	BLA	Refuse Bin	12" l x 17" w x 22" h	8 gal	9.0 lb	30.5 cm x 43.2 cm x 55.9 cm	30.3 L	4.1 kg	2
FG335488	BLA	Utility Bin	12.12" l x 17" w x 10.5" h	4 gal	5.4 lb	30.8 cm x 43.2 cm x 26.7 cm	15.1 L	2.4 kg	2
FG334900 ^a	WHT, GRAY	Bus/Utility Box	20" l x 15" w x 5" h	4.625 gal	20.6 lb	50.8 cm x 38.1 cm x 12.7 cm	17.5 L	9.3 kg	12

^a Certified to NSF Standard #2 for food contact.

Service Carts

Versatile, durable carts perform a wide variety of tasks.

- Molded shelves won't rust, dent, or require painting
- Plastic construction is easy to clean and minimizes noise
- Convenient handles and compact size enhance maneuverability
- Non-marking swivel casters reduce touch-up cleaning



Stylish utility cart with metal uprights and large 4" casters holds up to 200 lbs.

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG342488	RED, PLAT, OWHT, BLA	Utility Cart with 4" dia (10.2 cm) Swivel Casters	33.62" l x 18.62" w x 37.75" h	200 lb	30.0 lb	85.4 cm x 47.3 cm x 95.9 cm	90.7 kg	13.6 kg	1

WHEN ORDERING PRODUCTS WITH BOLD COLOR CODES, PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER. SEE PAGE 259 FOR THE PRODUCT COLOR GUIDE.

Xtra™ Carts

Durable and attractive storage and transportation for front- and back-of-house applications.

- Metal uprights and molded shelves engineered for durability and appearance
- Non-marking 4" swivel casters
- Wide shelves hold a variety of equipment and supplies, up to 300 lbs
- Available with locking doors and enclosure panels
- Accessories include refuse and utility bins



FG409100



FG409300



FG409100

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG409100	OWHT, GRAY, BLA	Utility Cart, Open Sided	40.62" l x 20" w x 37.8" h	300 lb	43.4 lb	103.2 cm x 50.8 cm x 96 cm	136.1 kg	19.7 kg	1
FG409300	OWHT, BLA	Utility Cart with Enclosed End Panels on 3 Sides	40.62" l x 20" w x 37.8" h	300 lb	51.6 lb	103.2 cm x 50.8 cm x 96 cm	136.1 kg	23.4 kg	1

Heavy-Duty Utility Carts

Transport materials, supplies, and heavy loads in almost any environment.



See it in ACTION

www.rcpmaterialhandling.com

New Design!



FG452500

FG452088



HEAVY-DUTY UTILITY CARTS

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Caster Type	Pack
FG450088	BLA, BEIG	HD 2-Shelf Utility Cart w/Lipped Shelf (Small)	39" l x 17.88" w x 33.25" h	1500 lb	29.5 lb	99.1 cm x 45.4 cm x 84.5 cm	681.82 kg	13.4 kg	5" TPR	1
FG452088	BLA, BEIG	HD 2-Shelf Utility Cart w/Lipped Shelf (Med)	45.25" l x 25.88" w x 33.25" h	2000 lb	41.0 lb	114.9 cm x 65.7 cm x 84.5 cm	909.09 kg	18.6 kg	5" TPR	1

HEAVY-DUTY FLAT SHELF UTILITY CARTS

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Caster Type	Pack
FG452500	BLA, BEIG	HD 2-Shelf Utility Cart Flat Shelf (Med)	43.88" l x 25.88" w x 33.3" h	2000 lb	41.0 lb	111.5 cm x 65.7 cm x 84.6 cm	909.09 kg	18.6 kg	5" TPR	1
FG450500	BLA, BEIG	HD 2-Shelf Utility Cart Flat Shelf (Small)	37.88" l x 19.2" w x 33.3" h	2000 lb	29.5 lb	96.2 cm x 48.8 cm x 84.6 cm	909.09 kg	13.4 kg	5" TPR	1

Heavy-Duty Platform Truck
Ideal for moving large, heavy, oversized loads in a variety of environments throughout your foodservice operation.

New!

DURAMOLD

VIRTUALLY MAINTENANCE FREE

Powder-coated steel creates a hard finish that is far tougher than conventional paint.

SECURE SMALL ITEMS
Perimeter deck channel retains small items.

KEEP LOADS IN PLACE
Textured deck surface reduces load slippage.

RUGGED CONSTRUCTION
Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.

IMPROVED MANEUVERABILITY
Variable grip-height handle improves control and worker safety.



FG440300



See it in ACTION

www.rcpmaterialhandling.com

BETTER LOAD RETENTION
Four molded-in tie-down slots for securing loads with tie-down straps or bungees.

No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Caster Type	Pack
FG440300	BLA	HD Platform Truck (Sm 24" x 36")	36" l x 24" w	2000 lb	50.0 lb	91.4 cm x 61 cm	909.09 kg	22.7 kg	6" TPR	1
FG443600	BLA	HD Platform Truck (Med 24" x 48")	48" l x 24" w	2000 lb	70.0 lb	121.9 cm x 61 cm	909.09 kg	31.8 kg	8" TPR	1

Triple® Trolley

Efficiently transports large, bulky loads, then folds flat for easy storage.

- Sturdy structural foam deck won't rust, dent, chip, or peel
- Non-skid platform surface helps prevent load shifting
- Three-position handle lets users push, pull, or fold flat for use as a dolly
- Casters are non-marking



Three-position handle provides better mobility and convenient storage.



No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG440100	BLA	Triple® Trolley, Standard Duty with User-Friendly Handle and 5" dia x 3/4" w (12.7 cm x 2.22 cm) Casters	32.5" l x 20.5" w	500 lb	25.4 lb	82.6 cm x 52.1 cm	226.8 kg	11.5 kg	1

Stack & Nest Palletote® Boxes

For cost-effective storage and transportation.

- Nestable for efficient storage and transport; stackable with and without lids
- Rounded corners and smooth surfaces are easy to clean
- USDA 3A (Dairy) Sanitary Standards and Meat & Poultry Equipment Group Listed
- Materials are FDA compliant for food contact and certified to NSF Std. #2



FG172200

FG173200



No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Pack
FG172100	GRAY	Palletote® Box	19.5" l x 15.5" w x 10" h	1.3 cu ft	42.6 lb	49.5 cm x 39.4 cm x 25.4 cm	.04 m³	19.3 kg	10
FG172200	GRAY	Palletote® Box	19.5" l x 15.5" w x 13" h	1.6 cu ft	57.9 lb	49.5 cm x 39.4 cm x 33 cm	.05 m³	26.3 kg	10
FG173100	GRAY	Palletote® Box	23.5" l x 19.5" w x 10" h	2 cu ft	60.6 lb	59.7 cm x 49.5 cm x 25.4 cm	.06 m³	27.5 kg	10
FG173200	GRAY	Palletote® Box	23.5" l x 19.5" w x 13" h	2.6 cu ft	92.2 lb	59.7 cm x 49.5 cm x 33 cm	.07 m³	41.8 kg	10

LIDS

No.	Color	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/Ctn	Pack
FG172000	GRAY	Palletote® Lid for FG172100, FG172200	19.62" l x 15.62" w x 1" h	16.1 lb	49.8 cm x 39.7 cm x 2.5 cm	7.3 kg	10
FG173000	GRAY	Palletote® Lid for FG173100, FG173200	23.75" l x 19.75" w x 1" h	22.1 lb	60.3 cm x 50.2 cm x 2.5 cm	10 kg	10

WHEN ORDERING PRODUCTS WITH **BOLD** COLOR CODES, PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER. SEE PAGE 259 FOR THE PRODUCT COLOR GUIDE.

Bus/Tote Boxes

Built for long-lasting durability.

- Commercial-grade plastic has reinforced handles, bottom, and ribs for added strength and employee safety
- Rounded corners for easy cleaning
- NSF 3-A and 2 certified
- Commercial dishwasher safe



FG335100



No.	Color	Description	U.S. Capacity	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Capacity	Metric Dimensions	Metric Ship Wt/Ctn	Case Pack
FG334900 ^a	WHT GRAY	Bus/Utility Box	4 $\frac{1}{2}$ gal	20" l x 15" w x 5" h	20.6 lbs	17.5 L	50.8 cm x 38.1 cm x 12.7 cm	9.3 kg	12
FG334992 ^a	WHT GRAY	Bus/Utility Box, Bulk Pack	4 $\frac{1}{2}$ gal	20" l x 15" w x 5" h	444.1 lbs	17.5 L	50.8 cm x 38.1 cm x 12.7 cm	201.4 kg	210
FG335000 ^a	BRN	Divided Bus/Utility Box	7 gal	21.5" l x 17.13" w x 7" h	20.6 lbs	26.5 L	54.6 cm x 43.5 cm x 17.8 cm	9.3 kg	6
FG335100 ^a	GRAY BRN	Undivided Bus/Utility Box	7 $\frac{1}{2}$ gal	21.5" l x 17.13" w x 7" h	17.6 lbs	28.9 L	54.6 cm x 43.5 cm x 17.8 cm	8 kg	6
FG335192 ^a	GRAY BRN	Undivided Bus/Utility Box, Bulk Pack	7 $\frac{1}{2}$ gal	21.5" l x 17.13" w x 7" h	335 lbs	28.9 L	54.6 cm x 43.5 cm x 17.8 cm	152 kg	100
FG369000 ^a	WHT	Food/Tote Box	11 qt	14.38" l x 12.38" w x 5.38" h	6.7 lbs	10.4 L	36.5 cm x 31.4 cm x 13.7 cm	3 kg	6
FG364800	GRAY	Lid for FG334900 Bus/Utility Box		22" l x 16.5" w x 0.75" h	18 lbs		55.9 cm x 41.9 cm x 1.9 cm	8.2 kg	12
FG361600 ^a	WHT	Lid for FG369000 Food/Tote Box		15" l x 12.75" w	2.9 lbs		38.1 cm x 32.4 cm	1.3 kg	6

^a Certified to NSF Std. #2 for food contact. ^b Not NSF Certified.

Cutlery Bin

Safely stores and transports cutlery to minimize employee injuries.

- Made of durable, commercial-grade plastic
- Ribbed design and special resin finish for strength
- Ideal for storing, dispensing and transporting silverware and condiment packets
- NSF certified and commercial dishwasher safe



FG336200

No.	Color	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/ Ctn	Case Pack
FG336200	GRAY	Cutlery Bin, 4 Compartments	21.25" l x 11.5" w x 3.75" h	19.1 lbs	54 cm x 29.2 cm x 9.5 cm	8.7 kg	12

Condiment Dispensers

Hygienic, safe storage for condiments, garnishes and more.

- Comes with three 1 quart (.9 L) or six 1 pint (.5 L) removable inserts
- Textured, see-through lid made of durable polycarbonate for durability and ingredient identification
- Convenient finger tab for opening lid
- For use in front-of-house or back-of house for prep work, condiments, garnishes, and ingredients
- Commercial dishwasher safe



FG289000

No.	Color	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/ Ctn	Case Pack
FG289000	BLA	Condiment Dispenser with six 1 U.S. pt (0.5 L) Inserts	19.63" l x 6.25" w x 3.75" h	3.23 lbs	49.8 cm x 15.9 cm x 9.5 cm	1.5 kg	1
FG289100	BLA	Condiment Dispenser with three 1 U.S. qt (0.9 L) Inserts	19.63" l x 6.25" w x 3.75" h	3.03 lbs	49.8 cm x 15.9 cm x 9.5 cm	1.4 kg	1

Bouncer® Pitchers

Designed for safety and lower replacement costs.

- Reduce potential contamination with durable polycarbonate pitchers that resist chipping and breaking
- Drip-proof spout
- Lighter weight for employee safety, and less costly than glass
- NSF certified and commercial dishwasher safe



FG333800



FG333400

No.	Color	Description	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Case Pack
FG333100	CLR	Bouncer® II Pitcher	48 oz	6.67 lbs	1.4 L	3 kg	6
FG333400	CLR	Bouncer® II Pitcher	60 oz	6.49 lbs	1.8 L	2.9 kg	6
FG333500	CLR	Bouncer® Pitcher	48 oz	4.86 lbs	1.4 L	2.2 kg	6
FG333600	CLR	Bouncer® Pitcher	32 oz	3 lbs	0.9 L	1.4 kg	6
FG333700	CLR	Bouncer® Pitcher	54 oz	5.49 lbs	1.6 L	2.5 kg	6
FG333888	CLR, GOLD	Bouncer® Pitcher	60 oz	5.72 lbs	1.8 L	2.6 kg	6
FG333900	CLR	Bouncer® Pitcher	72 oz	6.63 lbs	2.1 L	3 kg	6

Covered Pitchers

Suitable for any operation.

- Tight-fitting, three way lid features open, closed and slotted positions
- Rugged polyethylene construction
- Commercial dishwasher safe
- Mixing Pitcher (FG306409) is NSF certified and reduces cross-contamination with integrated stirrer
- Front-of-house: serving juice, iced tea, water
- Back-of-house: pouring, storing batters



FG3063CH



FG3063PR



FG306409

No.	Color	Description	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Case Pack
FG3062PR	PERI	Economy Pitcher	2.5 qt	4.65 lbs	2.1 L	2.1 kg	6
FG3063PR	PERI	Economy Pitcher	1 gal	6.4 lbs	3.8 L	2.9 kg	6
FG3063CH	WHT	Economy Pitcher	1 gal	6.4 lbs	3.8 L	2.9 kg	6
FG306409*	WHT	Mixing Pitcher	2 qt	3.7 lbs	1.9 L	1.7 kg	6

*Certified to NSF Standard #2.

Beverage Dispensers

Versatile and economical non-carbonated beverage dispensing.

- Two sizes: 3 and 5 gallon (11.4 L and 18.9 L) capacities
- Available in amber tint for iced tea, and clear for punch, lemonade, etc.
- Interchangeable, durable polycarbonate tanks
- Includes tank, base, drain tray, lid and labels for lemonade and iced tea
- Certified to NSF Std. #18



FG335800



FG335900

No.	Color	Description	U.S. Capacity	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Capacity	Metric Dimensions	Metric Ship Wt/Ctn	Case Pack
FG335800	AMBER, CLR	Beverage Dispenser	3 gal	16.75" l x 10.38" w x 23.38" h	10.61 lbs	11.4 L	42.5 cm x 26.4 cm x 59.4 cm	4.8 kg	1
FG335900	CLR	Beverage Dispenser	5 gal	16.75" l x 10.38" w x 22.75" h	12.61 lbs	18.9 L	42.5 cm x 26.4 cm x 57.8 cm	5.7 kg	1

Insulated Cold Beverage Dispensers

Keeps beverages cold for hours.

- Durable polyethylene material for crack-resistance and long life
- Improved recessed spigot and convenient carry handles



FG16850111



No.	Color	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Case Pack
FG16830111	ORAN	Insulated Beverage Dispenser, Orange	12.5" l x 11" w x 16.7" h	3 gal	6 lbs	31.8 cm x 27.9 cm x 42.4 cm	11.4 L	2.7 kg	1
FG16850111	ORAN	Insulated Beverage Dispenser, Orange	14.75" l x 12.88" w x 18.88" h	5 gal	8 lbs	37.5 cm x 32.7 cm x 47.9 cm	18.9 L	3.6 kg	1
FG16100111	ORAN	Insulated Beverage Dispenser, Orange	16.1" l x 16" w x 20.5" h	10 gal	11.5 lbs	40.6 cm x 40.6 cm x 52.1 cm	37.8 L	5.2 kg	1

WHEN ORDERING PRODUCTS WITH **BOLD** COLOR CODES,
PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER.
SEE PAGE 259 FOR THE PRODUCT COLOR GUIDE.

Sturdy Chair™ Youth Seats with Microban® Antimicrobial Protection
 Sturdy Chair™ Youth Seats make safety and cleanliness a priority for your youngest patrons.

New Design!

- Contemporary design with Microban® technology makes it easier to clean than wood
- Microban® provides all-over protection from bacteria growth that can cause odors and staining; complies with FDA standards
- Meets ASTM 404-08, TUV and European safety standards
- Stackable design makes for easy storage
- Fits under standard table without tray
- 3-point harness with one-hand release



FG781588 STURDY CHAIR™ TRAY
 AVAILABLE IN DARK BLUE, PLATINUM, DARK GREEN, RED AND BLACK.



ASTM F404-08 and TUV Certification Standard Consumer Safety Specifications for high chairs that ensures the design and function of the Sturdy Chair™ Youth Seat meets safety specifications intended to minimize injuries to children under normal use.



■ Convenient handle for safe, one-handed maneuvering throughout dining room

■ One-piece T-bar and safety harness safely helps to secure child




3-point active harness with one-handed release



*2006 Rubbermaid Study



- Microban® antimicrobial protection helps prevent the growth of stain and odor causing bacteria
- Microban® protection is built into the chair during the manufacturing process and will not wash or wear off during the life of the chair
- Sturdy Chair™ looks newer longer with built-in Microban® antimicrobial protection



REPRESENTATIVE OF ANTIMICROBIAL EFFECT – 24 HOUR ELAPSED TIME

This information is based upon standard laboratory tests and is provided for comparative purposes to substantiate antimicrobial activity for non-public health applications. Microban technology is not designed to replace good building practices or protect users from disease causing microorganisms. Antimicrobial action limited to product surfaces.

No.	Color	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/Ctn	Case Pack
FG780508	DGRN, PLAT, BLA	Sturdy Chair™ Youth Seat with Wheels	23.5" l x 23.38" w x 29.75" h	18 lbs	59.7 cm x 59.4 cm x 75.6 cm	8.2 kg	1
FG780608	DGRN, PLAT, BLA	Sturdy Chair™ Youth Seat without Wheels	23.5" l x 23.5" w x 29.75" h	18 lbs	59.7 cm x 59.7 cm x 75.6 cm	8.2 kg	1
FG781408	DGRN, PLAT, BLA	Sturdy Chair™ Youth Seat, RTA (ready to assemble) no Wheels	23.5" l x 23.5" w x 29.75" h	17 lbs	59.7 cm x 59.7 cm x 75.6 cm	7.7 kg	1
FG781588	DBLU, DGRN, PLAT, RED, BLA	Tray for FG780508, FG780608 and FG781408 Chairs	11.5" l x 18.5" w x 3.25" h	2.5 lbs	29.2 cm x 47 cm x 8.3 cm	1.1 kg	1

MICROBAN® is a registered trademark of Microban Products Company.
 © 2006 Microban Products Company. All rights reserved. www.microban.com

Microban® protection does not protect user from food borne illness and is not a substitute for normal cleaning practices.
 ** Time lapse image.



Baby Changing Stations with Antimicrobial Protection

Horizontal and vertical baby changing stations meet all global safety standards (ASTM, ADA, and EN).

- Antimicrobial protection
- Easy reach hooks
- Built-in shelf and liner storage



FG781888



FG781988

No.	Color	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/Ctn	Pack
FG781788	WHT	Protective Liners for Baby Changing Stations, Laminated 2-ply Tissue Paper	13.25" l x 5.5" w x 0" h	4.8 lb	33.7 cm x 14 cm x 0 cm	2.2 kg	1/320 Ctn
FG781888	LPLAT	Baby Changing Station Horizontal	33.25" l x 21.5" w x 4" h	23.5 lb	84.5 cm x 54.6 cm x 10.2 cm	10.7 kg	1
FG781988	LPLAT	Baby Changing Station Vertical	23" l x 34.1" w x 4" h	25.0 lb	58.4 cm x 86.6 cm x 10.2 cm	11.3 kg	1

FOR ADDITIONAL FOODSERVICE CLEANING PRODUCTS, SEE:

Color-coded Microfiber Cloths & Cleaning and Disinfecting Pails

pg. 141



Brooms & Dust Pans

pg. 172

Sweepers

pg. 185



High Performance Digital Portion Control Scales

Save money on high cost foods with digital portioning.

- 250 lb overload protection provides ultimate durability
- Dishwasher safe removable stainless steel platform
- Reads in pounds by fractional and decimal ounces and grams
- Temperature compensated load cell for use in refrigerated prep rooms
- Sealed chassis resists airborne contamination
- Includes AC adapter; 50 hour rechargeable battery (accessory only) or 9V battery (not included)
- Easy to read 1/2" LCD display



FGFS1288

No.	Description	Increments	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Case Pack
FGFS2P88	High Performance Digital Portion Control Scale	0.1 oz, 1/4 oz, 1 g	2 lbs	16.6 lbs	1000 g	7.5 kg	3
FGFS688	High Performance Digital Portion Control Scale	0.1 oz, 1/4 oz, 2 g	6 lbs	16.6 lbs	2700 g	7.5 kg	3
FGFS6	High Performance Digital Scale w/Rechargeable Battery	0.1 oz, 1/4 oz, 2 g	6 lbs	18 lbs	2700 g	8.2 kg	3
FGFS1288	High Performance Digital Portion Control Scale	0.1 oz, 1/4 oz, 2 g	12 lbs	16.6 lbs	6000 g	7.5 kg	3
FGFSBAT	50 Hour Rechargeable Battery	N/A	N/A	N/A	N/A	N/A	1

Compact Digital Portion Control Scales

Portion control for limited space operations.

- 10 lb overload protection
- Reads in pounds by fractional and decimal ounces and grams
- Coated components protect against condensation and dust
- FS2 includes AC adapter; 17 hour rechargeable battery (accessory only) or 9V battery (not included)
- Easy to read 1/2" LCD display



FGFS288

No.	Description	Increments	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Case Pack
FGFS288	Compact Digital Portion Control Scale w/ AC Adapter	0.1 oz, 1/4 oz, 1 g	32 oz	9.97 lbs	1000 g	5 kg	4
FGFS3288	Compact Digital Portion Control Scale	0.1 oz, 1/4 oz, 1 g	32 oz	9.97 lbs	1000 g	5 kg	4
FGFS2BAT	17 Hour Rechargeable Battery	N/A	N/A	N/A	N/A	N/A	1

Digital Ingredient Portion Control Scales

Fast, hands-free tare operation.

- Compact design with wall mart display saves space and provides proper ergonomics
- Remote tare switch provides hands-free operation
- Adjustable feet compensate for non-level surface area
- Removable stainless steel platform is dishwasher safe
- AC adapter included



FGPS10FPX

No.	Description	Increments	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Case Pack
FGPS10FPX	Digital Ingredient Scale with Remote Tare	0.1 oz, 2 g	10 lbs	25 lbs	4.5 kg	11.3 kg	1

Baker's Beam Scales

- Seamless one piece stainless steel scoop (included)
- Precision weights included for maximum accuracy
- Chrome plated steel platform
- Adjustable stainless steel counter weight (included) for precise tare of scoop



FGBD16SC

No.	Description	Increments	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Case Pack
FGBD16SC	Baker's Beam Scale	1/4 oz	16 lbs	39 lbs	N/A	17.7 kg	1
FGBD8SC	Baker's Beam Scale	1/4 oz	8 lbs	31 lbs	N/A	14.1 kg	1
FGBW1	1 lb weight for Baker's Scale	1 lb	1 lb	2 lbs	N/A	.9 kg	1
FGBW2	2 lb weight for Baker's Scale	2 lbs	2 lbs	3 lbs	N/A	1.4 kg	1
FGBW4	4 lb weight for Baker's Scale	4 lbs	4 lbs	5 lbs	N/A	2.3 kg	1
FGBC1	Adjustable Counterweight (for use with FGB168S)	N/A	N/A	3 lbs	N/A	1.4 kg	1
FGB168S	Baker's Scale Stainless Steel Scoop (20 lb capacity)	N/A	20 lbs	6 lbs	N/A	2.7 kg	1

Portion Control Scales, Mechanical

All Premium Mechanical Scales

- Color coded lens identifies scale capacity "at-a-glance"
- Removable platform for easy cleaning and HACCP
- Platform serves as a handle
- Precise calibration at factory eliminates need for field recalibration



100% Stainless Steel Scales, Dishwasher Safe

- QuickStop feature stops needle quickly on weight
- 100% Dishwasher safe, no tools required to disassemble
- 30° angled easy-to-read, shatter resistant lens
- Rotating dial for multiple ingredient weighing



FG632SRWQ

FG832SRWQ

100% STAINLESS STEEL SCALES WITH QUICKSTOP, DISHWASHER SAFE

No.	Description	Color Code	U.S. Capacity	Increments	Platform Size	Rotating Dial	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Case Pack
FG832SRWQ	Dishwasher Safe Mechanical Portion Control Scale w/ QuickStop	●	32 oz	1/4 oz	9" x 9"	Yes	42 lbs	N/A	19.1 kg	4
FG805SRWQ	Dishwasher Safe Mechanical Portion Control Scale w/ QuickStop	●	5 lbs	1/2 oz	9" x 9"	Yes	42 lbs	N/A	19.1 kg	4
FG632SRWQ	Dishwasher Safe Mechanical Portion Control Scale w/ QuickStop	●	32 oz	1/4 oz	6" x 5.25"		30 lbs	N/A	13.6 kg	6
FG605SRWQ	Dishwasher Safe Mechanical Portion Control Scale w/ QuickStop	●	5 lbs	1/2 oz	6" x 5.25"		30 lbs	N/A	13.6 kg	6

100% STAINLESS STEEL SCALES, DISHWASHER SAFE

No.	Description	Color Code	U.S. Capacity	Increments	Platform Size	Rotating Dial	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Case Pack
FG832SRW	Dishwasher Safe Mechanical Portion Control Scale	●	32 oz	1/4 oz	9" x 9"	Yes	42 lbs	N/A	19.1 kg	4
FG820SW	Dishwasher Safe Mechanical Portion Control Scale	●	20 lbs	1 oz	9" x 9"		42 lbs	N/A	19.1 kg	4
FG840SW	Dishwasher Safe Mechanical Portion Control Scale	●	40 lbs	2 oz	9" x 9"		42 lbs	N/A	19.1 kg	4
FG632SRW	Dishwasher Safe Mechanical Portion Control Scale	●	32 oz	1/4 oz	6" x 5.25"		30 lbs	N/A	13.6 kg	6
FG605SRW	Dishwasher Safe Mechanical Portion Control Scale	●	5 lbs	1/2 oz	6" x 5.25"		30 lbs	N/A	13.6 kg	6
FG625SRW	Dishwasher Safe Mechanical Portion Control Scale	●	25 lbs	2 oz	6" x 5.25"		30 lbs	N/A	13.6 kg	6

Scales, Washable

- QuickStop feature stops needle quickly on weight
- Durable steel with baked enamel finish for economical option
- Washable, no tools required to disassemble
- 30° angled easy-to-read, shatter resistant lens
- Rotating dial (see applicable products below) for multiple ingredient weighing



FG805W

FG832RWQ

SCALES WITH QUICKSTOP, WASHABLE

No.	Description	Color Code	U.S. Capacity	Increments	Platform Size	Rotating Dial	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Case Pack
FG832RWQ	Washable Mechanical Portion Control Scale w/ QuickStop	●	32 oz	1/4 oz	9" x 9"	Yes	42 lbs	N/A	19.1 kg	4
FG832WQ	Washable Mechanical Portion Control Scale w/ QuickStop	●	32 oz	1/4 oz	9" x 9"		42 lbs	N/A	19.1 kg	4
FG805RWQ	Washable Mechanical Portion Control Scale w/ QuickStop	●	5 lbs	1/2 oz	9" x 9"	Yes	42 lbs	N/A	19.1 kg	4

SCALES, WASHABLE

No.	Description	Color Code	U.S. Capacity	Increments	Platform Size	Rotating Dial	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Case Pack
FG832RW	Washable Mechanical Portion Control Scale	●	32 oz	1/4 oz	9" x 9"	Yes	42 lbs	N/A	19.1 kg	4
FG832W	Washable Mechanical Portion Control Scale	●	32 oz	1/4 oz	9" x 9"		42 lbs	N/A	19.1 kg	4
FG805W	Washable Mechanical Portion Control Scale	●	5 lbs	1/2 oz	9" x 9"		42 lbs	N/A	19.1 kg	4
FG810W	Washable Mechanical Portion Control Scale	●	10 lbs	1 oz	9" x 9"		42 lbs	N/A	19.1 kg	4
FG820W	Washable Mechanical Portion Control Scale	●	20 lbs	1 oz	9" x 9"		42 lbs	N/A	19.1 kg	4
FG840W	Washable Mechanical Portion Control Scale	●	40 lbs	2 oz	9" x 9"		42 lbs	N/A	19.1 kg	4

DUAL READ WITH U.S. & METRIC DIAL SCALES, WASHABLE

No.	Description	Color Code	U.S. Capacity	Increments	Platform Size	Rotating Dial	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Case Pack
FG832BW	Washable Mechanical Portion Control Scale	●	32 oz	1/4 oz, 2 g	9" x 9"		42 lbs	900 g	19.1 kg	4
FG810BW	Washable Mechanical Portion Control Scale	●	10 lbs	1 oz, 25 g	9" x 9"		42 lbs	4.5 kg	19.1 kg	4
FG820BW	Washable Mechanical Portion Control Scale	●	20 lbs	1 oz, 25 g	9" x 9"		42 lbs	9 kg	19.1 kg	4
FG840BW	Washable Mechanical Portion Control Scale	●	40 lbs	2 oz, 50 g	9" x 9"		42 lbs	18 kg	19.1 kg	4

WHEN ORDERING PRODUCTS WITH **BOLD** COLOR CODES,
PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER.
SEE PAGE 259 FOR THE PRODUCT COLOR GUIDE.

Y-Line Mechanical Portion Control Scales

- Stainless steel platform and stanchion serve as built-in handle
- Extra-thick anodized aluminum chassis for durability
- Color coded lens identifies scale capacity "at-a-glance"



ROTATING DIAL

No.	Description	Color Code	U.S. Capacity	Increments	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Case Pack
FGY16R	Mechanical Portion Control Scale	●	16 oz	¼ oz	23 lbs	N/A	10.4 kg	6
FGY32R	Mechanical Portion Control Scale	●	32 oz	¼ oz	23 lbs	N/A	10.4 kg	6
FGYG1000R	Mechanical Portion Control Scale - Metric		N/A	5 g	23 lbs	1000 g	10.4 kg	6
FGYG180R	Mechanical Portion Control Scale	●	5 lbs	½ oz	23 lbs	N/A	10.4 kg	6
FGYG425R	Mechanical Portion Control Scale	●	25 lbs	2 oz	23 lbs	N/A	10.4 kg	6
FGYG450R	Mechanical Portion Control Scale	●	50 lbs	4 oz	23 lbs	N/A	10.4 kg	6
FGYG500R	Mechanical Portion Control Scale - Metric		N/A	2 g	23 lbs	500 g	10.4 kg	6

FIXED DIAL

No.	Description	Color Code	U.S. Capacity	Increments	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Case Pack
FGY200R	Mechanical Portion Control Scale	●	32 oz	¼ oz	23 lbs	N/A	10.4 kg	6
FGYG400R	Mechanical Portion Control Scale	●	25 lbs	2 oz	23 lbs	N/A	10.4 kg	6
FGYG800R	Mechanical Portion Control Scale	●	50 lbs	4 oz	23 lbs	N/A	10.4 kg	6
FGY50	Mechanical Portion Control Scale	●	50 lbs	2 oz	23 lbs	N/A	10.4 kg	6

DUAL READ ROTATING DIAL

No.	Description	Color Code	U.S. Capacity	Increments	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Case Pack
FGA012R	Mechanical Portion Control Scale - Dual Read	●	25 lbs	2 oz, 50 g	23 lbs	10 kg	10.4 kg	6
FGA12R	Mechanical Portion Control Scale - Dual Read	●	32 oz	¼ oz, 5 g	23 lbs	900 g	10.4 kg	6
FGA22R	Mechanical Portion Control Scale - Dual Read	●	5 lbs	½ oz, 10 g	23 lbs	2 kg	10.4 kg	6

Compact Portion Control Scales


- Compact, space-saving size
- Stainless steel platform for sanitary contact surface
- Durable ABS plastic chassis
- Fixed dial with zero adjust knob



No.	Description	U.S. Capacity	Increments	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Case Pack
FGK16SS	Compact Portion Control Scale	16 oz	¼ oz	8 lbs	N/A	3.6 kg	6
FGK32	Oven-Run Scale with 1 pt Measuring Cup	32 oz	¼ oz	10 lbs	N/A	4.5 kg	6
FGK32CUP	1 pt / 16 oz / 2 cup Measuring Cup for FGK32	16 oz	N/A	N/A	N/A	N/A	1

Hanging Scales

- Tare feature removes weight of container
- Heavy-duty steel hooks will not break or bend
- Optional hanging adapter for use on doors and beams
- Digital scales feature memory setting for up to 4 weighs



DIGITAL HANGING SCALES

No.	Description	U.S. Capacity	Increments	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Case Pack
FG00775000000	Digital Hanging Scale	50 lbs	1 oz, 20 g	6 lbs	22 kg	2.72 kg	4
FG00771000000	Digital Hanging Scale	100 lbs	2 oz, 50 g	6 lbs	45 kg	2.72 kg	4

MECHANICAL HANGING SCALES

No.	Description	U.S. Capacity	Increments	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Case Pack
FG00784200000	Dial Hanging Scale with Tare	20 lbs	1 oz, 25 g	13 lbs	9 kg	5.9 kg	4
FG00780000000	Dial Hanging Scale	70 lbs	¼ lb, 50 g	14 lbs	31 kg	6.4 kg	4
FG00781000000	Hanging Scale	110 lbs	1 lb, 0.5 kg	18 lbs	50 kg	8.2 kg	4
FG00782000000	Hanging Scale	220 lbs	2 lbs, 1 kg	21 lbs	100 kg	9.5 kg	4
FG00783000000	Hanging Scale	330 lbs	5 lbs, 2 kg	22 lbs	150 kg	10 kg	4
FG00782600000	Hanging Scale	26 lbs	1 lb, 250 g	4 lbs	12 kg	1.8 kg	12
FG00789500000	Compact Hanging Scale	50 lbs	1 lb, 0.5 kg	6 lbs	22.5 kg	2.7 kg	4
FG00790800000	Galvanized Steel Scoop	N/A	N/A	7 lbs	N/A	3.2 kg	1

Digital Receiving / Utility Scales

Proper inventory control begins at the receiving door.

4010 / 4040 DIGITAL RECEIVING SCALES

- Rugged 18 gauge scale designed to handle heavy packages and containers
- Remote 1/2" LCD wall mount display saves counter space and provides eye-level readout (9' cord reach) for employee safe receiving
- Tare feature removes weight of container
- Low profile platform and non-skid allow for easy weighing



FG401088 / FG404088



FGSP5



FGPE20

STRAIGHT WEIGHT SCALES

- Durable straight weight scales
- Hold feature

No.	Description	U.S. Capacity	Increments	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Case Pack
FG401088	Digital Receiving Scale	150 lbs	0.2 lb, 0.1 kg	22 lbs	68 kg	10 kg	2
FG404088	Digital Receiving Scale	400 lbs	0.5 lb, 0.2 kg	22 lbs	180 kg	10 kg	2
FGSP5	Digital Straight Weight Scale	5 lbs	0.1 oz, 1 g	4 lbs	2.2 kg	1.8 kg	2
FGPE10	Digital Straight Weight Scale	10 lbs	0.2 oz, 5 g	4 lbs	5000 g	1.8 kg	2
FGPE20	Digital Straight Weight Scale	20 lbs	0.1 oz, 5 g	5 lbs	10 kg	2.3 kg	2

Briefcase / Utility Mechanical Receiving Scales

Low profile receiving scale for foodservice, industrial, or office environments.

- Multi-ribbed platform is sturdy enough for bulky crates or heavy cartons
- Memory Lock™ feature locks in weight when dial is secure
- Low platform design allows for cartons to easily slide onto scale, improving employee safety
- Protected zero adjust knob for precise zero reset
- Non-Skid feet ensure weighing stability



FGP250S

No.	Description	U.S. Capacity	Increments	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Case Pack
FGP100S	Briefcase Receiving Scale	100 lbs	1 lb	20 lbs	N/A	9.1 kg	2
FGP114S	Briefcase Receiving Scale - Metric	N/A	0.5 kg	20 lbs	114 kg	9.1 kg	2
FGP250S	Briefcase Receiving Scale	250 lbs	1 lb	20 lbs	N/A	9.1 kg	2
FGP250SS	Briefcase Receiving Scale	250 lbs	1 lb	20 lbs	N/A	9.1 kg	2

Platform Receiving Scales

Heavy-duty platform scale for table top weighing

- Temperature compensated for use in refrigerated prep rooms and throughout the flow of food
- 30° angled easy-to-read, shatter resistant lens
- Heavy-duty steel construction
- Zero adjust knob for precise zero reset



FG10100S

PLATFORM RECEIVING SCALES: STAINLESS STEEL WITH FIXED DIAL

No.	Description	U.S. Capacity	Increments	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Case Pack
FG10100S	Heavy Duty Receiving Scale	100 lbs	4 oz	52 lbs	N/A	23.6 kg	2
FG10200S	Heavy Duty Receiving Scale	200 lbs	8 oz	59 lbs	N/A	26.8 kg	2

PLATFORM RECEIVING SCALES: STEEL WITH BAKED ENAMEL FINISH AND FIXED DIAL

No.	Description	U.S. Capacity	Increments	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Case Pack
FG10100	Heavy Duty Receiving Scale	100 lbs	4 oz	52 lbs	N/A	23.6 kg	2
FG10200	Heavy Duty Receiving Scale	200 lbs	8 oz	59 lbs	N/A	26.8 kg	2
FG1060	Heavy Duty Receiving Scale	60 lbs	4 oz	52 lbs	N/A	23.6 kg	2
FG10B60	Heavy Duty Receiving Scale - Dual Read	60 lbs	4 oz, 100 g	52 lbs	27 kg	23.6 kg	2
FG10B100	Heavy Duty Receiving Scale - Dual Read	100 lbs	4 oz, 100 g	52 lbs	45 kg	23.6 kg	2
FG10B200	Heavy Duty Receiving Scale - Dual Read	200 lbs	8 oz, 250 g	59 lbs	90 kg	26.8 kg	2

WHEN ORDERING PRODUCTS WITH BOLD COLOR CODES, PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER. SEE PAGE 259 FOR THE PRODUCT COLOR GUIDE.