



BARRIERS & SAFETY SIGNS

Stable Safety Signs	221
Floor Safety Signs	222
Mobile Barrier.....	222
Cone Barrier System	222

SAFETY CONES

Pop-Up Safety Cones	223
Folding Safety Cones	223
Safety Cones and Accessories	224
Site Safety Hanging Signs	224

SAFETY SIGNS & OVER-THE-SPILL SYSTEM

Hanging Safety Sign	225
Over-the-Spill® System	225



WORK SAFER, WORK SMARTER

Rubbermaid Commercial Products safety systems are designed to work with a wide variety of Rubbermaid products, including Cleaning Carts, WaveBrake® Mopping Trolleys, and BRUTE® Rim Caddies, to help make cleaning and waste management more efficient—and safer.

Stable Safety Signs

Unique "no-tip" design and bold graphics quickly capture pedestrian attention.

- Folds for convenient storage and transport on Janitor Cart (FG617388) or Rim Caddy (FG9W8700)
- Large, 13" warning triangle with bold graphics
- Only 1½" thick when closed
- Self-opening feet provide a wide, stable base
- Low center of gravity helps prevent tipping when bumped, kicked, or wind blown
- ANSI and OSHA compliant color and graphics**



FG9S0925



No.	Color	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/Ctn	Pack
FG9S09	YEL	Stable Safety Sign with "Caution" Imprint, English, Spanish, French	Open 26" l x 13" w x 13½" d Closed 32¼" l x 13" w x 1½" d	9.5 lb	66 cm x 33 cm x 33.6 cm 66 cm x 33 cm x 3.8 cm	4.3 kg	6
FG9S0925	YEL	Stable Safety Sign with International Wet Floor Symbol	Open 26" l x 13" w x 13½" d Closed 32¼" l x 13" w x 1½" d	9.5 lb	66 cm x 33 cm x 33.6 cm 66 cm x 33 cm x 3.8 cm	4.3 kg	6

**ANSI Z535.3–2002 Criteria for Safety Symbols; ANSI Z535–Safety Color; OSHA 1910.144–Safety Color; OSHA 1910.145–Specification for Accident Prevention Signage

Floor Safety Signs

Lightweight, versatile signs for effective safety communication.

- "Closed" and "Caution" warning messages imprinted in English, French, and Spanish
- Folds for convenient storage and transport on Janitor Cart (FG617388) or Rim Caddy (FG9W8700)
- Two- and four-sided models available
- ANSI and OSHA compliant color and graphics*



No.	Color	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/Ctn	Pack
FG611200*	YEL	Floor Sign with Multi-Lingual "Caution" Imprint, 2-Sided	Open: 26" l x 11" w x 25" h Closed: 26" l x 11" w	15.0 lb	Open: 66 cm x 27.9 cm x 63.5 cm Closed: 66 cm x 27.9 cm	6.8 kg	6
FG611277	YEL	Floor Sign with "Caution Wet Floor" Imprint, 2-Sided	Open: 26" l x 11" w x 25" h Closed: 26" l x 11" w	15.1 lb	Open: 66 cm x 27.9 cm x 63.5 cm Closed: 66 cm x 27.9 cm	6.8 kg	6
FG611278	YEL	Floor Sign with Multi-Lingual "Closed" Imprint, 2-sided	Open: 26" l x 11" w x 25" h Closed: 26" l x 11" w	15.0 lb	Open: 66 cm x 27.9 cm x 63.5 cm Closed: 66 cm x 27.9 cm	6.8 kg	6
FG611400	YEL	Floor Sign with Multi-Lingual "Caution" Imprint, 4-Sided	Open: 38" l x 12" w x 37" h Closed: 38" l x 12" w	26.9 lb	Open: 96.5 cm x 30.5 cm x 94 cm Closed: 96.5 cm x 30.5 cm	12.2 kg	6
FG611477	YEL	Floor Sign with "Caution Wet Floor" Imprint, 4-Sided	Open: 38" l x 12" w x 37" h Closed: 38" l x 12" w	26.9 lb	Open: 96.5 cm x 30.5 cm x 94 cm Closed: 96.5 cm x 30.5 cm	12.2 kg	6
FG611478	YEL	Floor Sign with Multi-Lingual "Closed" Imprint, 4-Sided	Open: 38" l x 12" w x 37" h Closed: 38" l x 12" w	26.9 lb	Open: 96.5 cm x 30.5 cm x 94 cm Closed: 96.5 cm x 30.5 cm	12.2 kg	6
FG618400	YEL	20" (6.1 m) Barrier Chain for 6114 and Safety Cones	0.25" dia x 20" l x 0.88" w	5.2 lb	0.6 cm dia x 50.8 cm x 2.2 cm	2.4 kg	4

* Custom imprinting available; contact your local Sales Representative.

Mobile Barrier

Easy to use, highly visible mobile barrier for use in many situations.

- Flexible panels allow straight, curved, and circular configurations
- Extends to 13' when fully opened; features locking straps keep barrier closed when not in use
- Lightweight and compact (2' x 13" footprint when closed)
- ANSI and OSHA compliant color and graphics**
- For indoor use; shipped assembled



FG9S1100



WORK AROUND ELECTRICAL EQUIPMENT?

Excerpt from OSHA reg. 29 CFR 1910.335 (b)(2): "Barricades shall be used...to prevent or limit employee access to work areas...Conductive [metal] barricades may not be used where they might cause an electrical contact hazard."

No.	Color	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/Ctn	Pack
FG9S1100	YEL	Mobile Barrier	Open: 40" h x 13" l x 1" w Closed: 40" h x 2" l x 13" w	37.0 lb	Open: 101.6 cm x 396 cm x 2.54 cm Closed: 101.6 cm x 61.0 cm x 33.0 cm	16.8 kg	1

Cone Barrier System

Complete, expandable system for quick deployment.

- FG628700 includes:
 - One 36" four-sided FG627600 Safety Cone
 - One steel double weight ring (27.2 lbs)
 - One belt cassette (7 ft x 3 in)
- ANSI and OSHA compliant color and graphics**
- Expand the system with additional FG628700 units
- Stackable, and can be used with Square BRUTE® Dolly (FG353000) for easy transport



FG628700 (2 qty.)



No.	Color	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/Ctn	Pack
FG353000	BLA	BRUTE® Square Dolly for FG352600, FG353600 Containers	17.25" sq x 6.25" h	18.5 lb	43.8 cm sq x 15.9 cm	8.4 kg	2
FG628700	YEL	Cone Barricade System Consists of: FG627600, (1) Belt Cassette and (1) Double Weight Ring	12.25" l x 12.25" w x 39.75" h	27.2 lb	31.1 cm x 31.1 cm x 101 cm	12.3 kg	1

**ANSI Z535.3--2002 Criteria for Safety Symbols; ANSI Z535--Safety Color; OSHA 1910.144--Safety Color; OSHA 1910.145--Specification for Accident Prevention Signage

WHEN ORDERING PRODUCTS WITH **BOLD** COLOR CODES,
PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER.
SEE PAGE 259 FOR THE PRODUCT COLOR GUIDE.

Pop-Up Safety Cones

Collapsible, automatically deployable cone.

- Durable cone material withstands rough handling
- Wall-mounted, shatterproof storage tube provides easy and compact storage
- Storage tube mounting hardware includes tape and screws
- ANSI and OSHA compliant color and graphics**



No.	Color	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/Ctn	Pack
FG9S0000	YEL	Pop-Up Safety Cone, 20" (50.8 cm) with Multi-Lingual "Caution" Imprint and Wet Floor Symbol	21" dia x 21" w x 20" h	12.7 lb	53.3 cm dia x 53.3 cm x 50.8 cm	5.8 kg	12
FG9S0100	YEL	Pop-Up Safety Cone, 30" (76.2 cm) with Multi-Lingual "Caution" Imprint and Wet Floor Symbol	21" dia x 21" w x 30" h	23.5 lb	53.3 cm dia x 53.3 cm x 76.2 cm	10.7 kg	12

Folding Safety Cones

Large cone folds with a simple twist and slides into compact shell for handy storage.

- Made of spring steel and durable, easy-clean fabric
- Highly visible—30% more surface area than competitive fabric safety cones
- Large when deployed; compact when folded and stored in shell
- Storage shell mounting hardware includes tape, strap, and screws
- ANSI and OSHA compliant color and graphics**



No.	Color	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/Ctn	Pack
FG9S0700	YEL	Folding Safety Cone with "Caution" Imprint, English, Spanish, French	Opened 20" h x 18 1/2" w x 13" d Closed 8" h x 8" w x 1 1/2" d Shell 9" h x 8 3/4" w x 1 3/4" d	16.5 lb	50.8 cm x 46.6 cm x 33.0 cm 20.3 cm x 20.3 cm x 3.81 cm 20.3 cm x 22.2 cm x 4.44 cm	7.5 kg	12
FG9S0725	YEL	Folding Safety Cone with International Wet Floor Symbol	Opened 20" h x 18 1/2" w x 13" d Closed 8" h x 8" w x 1 1/2" d Shell 9" h x 8 3/4" w x 1 3/4" d	16.5 lb	50.8 cm x 46.6 cm x 33.0 cm 20.3 cm x 20.3 cm x 3.81 cm 20.3 cm x 22.2 cm x 4.44 cm	7.5 kg	12

**ANSI Z535.3—2002 Criteria for Safety Symbols; ANSI Z535—Safety Color; OSHA 1910.144—Safety Color; OSHA 1910.145—Specification for Accident Prevention Signage

Safety Cones and Accessories

Highly visible, bright yellow hazard protection system.

- Versatile top design accommodates barricade belt, flashing light, lock-in sign holder, and Audio Guard® accessories
- Four-sided shape for efficient stacking
- Multi-lingual imprinted warning messages provide effective communication with a broad audience
- Molded-in slots for easy handling
- Can be used with Square BRUTE® Dolly (FG353000) for easy transport
- ANSI and OSHA compliant color and graphics**



No.	Color	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/Ctn	Pack
FG353000	BLA	BRUTE® Square Dolly for FG352600, FG353600 Containers	17.25" sq x 6.25" h	18.5 lb	43.8 cm sq x 15.9 cm	8.4 kg	2
FG618400	YEL	20" (6.1 m) Barrier Chain for FG611400 and Safety Cones	0.25" dia x 20" l x 0.88" w	5.2 lb	0.6 cm dia x 50.8 cm x 2.2 cm	2.4 kg	4
FG627600*	YEL	Safety Cone 36" (91.4 cm) with Multi-Lingual "Caution" Imprint	12.25" l x 12.25" w x 36" h	17.6 lb	31.1 cm x 31.1 cm x 91.4 cm	8 kg	5
FG627677	YEL	Safety Cone 36" (91.4 cm) with Multi-Lingual "Caution, Wet Floor" Imprint	12.25" l x 12.25" w x 36" h	17.6 lb	31.1 cm x 31.1 cm x 91.4 cm	8 kg	5
FG627687	YEL	Safety Cone 36" (91.4 cm) with Multi-Lingual "Caution, Safety First" Imprint	12.25" l x 12.25" w x 36" h	17.6 lb	31.1 cm x 31.1 cm x 91.4 cm	8 kg	5
FG627700*	YEL	Safety Cone 25.75" (65.4 cm) with Multi-Lingual "Caution" Imprint	10.5" l x 10.5" w x 25.75" h	14.0 lb	26.7 cm x 26.7 cm x 65.4 cm	6.4 kg	6
FG627777	YEL	Safety Cone 25.75" (65.4 cm) with Multi-Lingual "Caution, Wet Floor" Imprint	10.5" l x 10.5" w x 25.75" h	14.0 lb	26.7 cm x 26.7 cm x 65.4 cm	6.4 kg	6
FG628400	BLA	Weight Ring-Single for all 36" (91.4 cm) Safety Cones	12.5" l x 12.5" w x 1" h	10.0 lb	31.8 cm x 31.8 cm x 2.5 cm	4.5 kg	1
FG628500	RED	Flashing Hazard Light for 25 1/4" (65.4 cm) and 36" (91.4 cm) Safety Cones	1" dia x 9.75" h	3.5 lb	2.5 cm dia x 24.8 cm	1.6 kg	12
FG628600	BLA	Lock-In Sign Holder for 25 1/4" (65.4 cm) and 36" (91.4 cm) Safety Cones	6" l x 0.75" w x 1.88" h	2.7 lb	15.2 cm x 1.9 cm x 4.8 cm	1.2 kg	12
FG628700	YEL	Cone Barricade System Consists of: FG627600, (1) Belt Cassette and (1) Double Weight Ring	12.25" l x 12.25" w x 39.75" h	27.2 lb	31.1 cm x 31.1 cm x 101 cm	12.3 kg	1

* Custom imprinting available; contact your local Sales Representative.

Site Safety Hanging Signs

Sign and pole combination for blocking doorways and entrances.

- Twisting action secures pole in doorways up to 50" wide to prohibit entry
- Soft, pliable sign rolls around pole for easy storage
- ANSI and OSHA compliant color and graphics**



FG9S1600

No.	Color	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/Ctn	Pack
FG9S1500	YEL	Site Safety Hanging Sign with "Closed for Cleaning" Imprint - English Only	Closed: 13" h x 28" w x 1" d Open: 13" h x 50 1/4" w x 1" d	5.5 lb	33 cm x 63.5 cm x 2.5 cm 33 cm x 125.7 cm x 2.5 cm	2.5 kg	6
FG9S1600	YEL	Site Safety Hanging Sign with Multi-Lingual "Closed for Cleaning" Imprint	Closed: 13" h x 27 1/4" w x 1" d Open: 13" h x 50" w x 1" d	5.5 lb	33 cm x 63.5 cm x 2.5 cm 33 cm x 125.7 cm x 2.5 cm	2.5 kg	6

**ANSI Z535.3—2002 Criteria for Safety Symbols; ANSI Z535—Safety Color; OSHA 1910.144—Safety Color; OSHA 1910.145—Specification for Accident Prevention Signage

WHEN ORDERING PRODUCTS WITH **BOLD** COLOR CODES,
PLEASE SPECIFY COLOR CODE AFTER THE PRODUCT NUMBER.
SEE PAGE 259 FOR THE PRODUCT COLOR GUIDE.

Hanging Safety Sign

An essential safety sign for use in stairways and doors.

- Flexible locking hanger keeps sign in place
- Two-sided design meets OSHA requirements
- ANSI and OSHA compliant color and graphics**




FG611000



Flexible locking-style hanger helps keep sign in place.

Safety Factoid

Slip & Fall Per Claim Cost



Every year, slip, trip, and fall accidents cost U.S. businesses over \$100,000 per lawsuit.

Source: Nat'l Floor Safety Institute (NFSI)

No.	Color	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/Ctn	Pack
FG611000*	YEL	Hanging Safety Sign with Multi-Lingual "Caution" Imprint and Falling Person Symbol	19.5" l x 4.375" w	3.0 lb	49.53 cm x 11.1 cm	1.4 kg	6

* Custom imprinting available; contact your local Sales Representative.

Over-the-Spill® System

Slip resistant pads quickly cover spills and alert pedestrians.

- Each yellow pad is coded with universal caution symbol and "Caution Wet Floor" message in English and Spanish
- Dispensing station mounts on flat surfaces
- Pads absorb up to 12 oz of liquid for faster clean-up
- ANSI and OSHA compliant color and graphics**



FG425100



FG425500



FG425400



FG425400 on FG611200



FG425100 / FG425400

No.	Color	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/Ctn	Pack
FG425100	YEL	Over-The-Spill® Station Kit, includes: Pad Dispenser, 25 Large Pads and Fasteners	21" l x 17.75" w	14.0 lb	53.3 cm x 45.1 cm	6.4 kg	6
FG425200	YEL	Over-The-Spill® Station Pads, Large; Refill Pads for FG425100, Contains 25 Pads	20" l x 16.5" w	25.0 lb	50.8 cm x 41.9 cm	11.3 kg	12
FG425300	YEL	Over-The-Spill® Station Pads, Medium; Refill Pads for FG425100, Contains 25 Pads	16.5" l x 14" w	17.0 lb	41.9 cm x 35.6 cm	7.7 kg	12
FG425400	YEL	Over-The-Spill® Pad Tablet; Contains 25 Pads	16.5" l x 14" w	20.0 lb	41.9 cm x 35.6 cm	9.1 kg	12
FG425500	YEL	Over-The-Spill® Mini Tablet	17" l x 7" w x 1.25" h	8.7 lb	43.2 cm x 17.8 cm x 3.2 cm	3.9 kg	12

**ANSI Z535.3–2002 Criteria for Safety Symbols; ANSI Z535–Safety Color; OSHA 1910.144–Safety Color; OSHA 1910.145–Specification for Accident Prevention Signage